



THE ORIGINAL MAGAZINE FOR
TRS-80™* OWNERS

H & E COMPUTRONICS INC.



You Are Being
Attacked
by a Raging...

Caterpillar



SSM SOFT SECTOR MARKETING,
INCORPORATED

6250 Middlebelt • Garden City, MI 48135 • 800-521-6504/(313)425-4020

Written by Larry Ashmun, Copyright ©1982 Soft Sector Marketing, Inc.

Prices per Game: TRS-80 16K Level II Mod I/Mod III Cassette \$15.95
TRS-80 32K Level III Mod I/Mod III Diskette \$19.95

10% discount for 2 items, 15% for 3 or more. Please add \$2.50 per order for postage & handling. Michigan residents add 4% sales tax. Outside USA (except Canada) please add \$10.00 per order for postage & handling.

Talking and sound effects are playable through the cassette AUX plug. High scores are automatically saved after each game on disk versions.*Compatible with Trisstick.

Call or write for our complete catalog.



The Quality Continues . . .

PUBLISHER

Howard Y. Gosman

BUSINESS MANAGER

Steven M. Kahan

EDITOR-IN-CHIEF

Hubert S. Howe, Jr.

BUSINESS EDITOR

Peter Shenkin

MANAGING EDITOR

Martin Leffler

CONTRIBUTING EDITORS

Leo M. Conrad
Richard Kaplan
Spencer Koenig
Joseph Rosenman
Gordon Speer
A. A. Wicks
Steven M. Zimmerman, Ph.D.

ADVERTISING DIRECTOR

Kevin Rushalko

SALES MANAGER

Cathleen McGillicuddy

ART DIRECTOR

Edmund Khaleel

OFFICE MANAGER

Beatrice Kahn

SOFTWARE MANAGER

Darlene Bell

CUSTOMER SERVICE

Robert Williams

INVENTORY CONTROL

Michael Bernstein
Michael Wiseltier

SHIPPING

Joan Marchick
Al Pizzo

PRODUCT DEVELOPMENT

Steven Kaplan

PRODUCTION

Adele Damiano
Louise Ann Kerins
Sheryl Streim

MARKETING MANAGER

Andrew Hofer

PROGRAMMING MANAGER

Nancy Rhodes

AUGUST 1982

ISSUE NUMBER 48

CONTENTS

FEATURES

- 10 Program Previews..... A. A. Wicks
This Month: Business Programs for TRS-80 Model I/III
- 11 IRS — Information Retrieval System Peter Ansbacher
Keep track of your articles in computer magazines
- 24 Practical Business Programs..... S. M. Zimmerman and L. M. Conrad
The Transportation Method of Linear Programming
- 36 The Beale Treasure..... Gordon Speer
Decipher these and you can discover buried treasure!
- 45 I's, J's and their Relationship to Baseball..... C. Brian Honess
How you can work out the standings
- 53 Assembly Language for Beginners (Part 6)..... Joseph Rosenman
More about the CPU and the ALU
- 55 Program Conversion (Part VII)..... Richard Kaplan
More differences between the TRS-80 Models I, II, and III
- 58 The Versatile Peeker..... Friedhelm Hoehne
Understand memory addressing in the TRS-80

REGULAR DEPARTMENTS

- 2 Bits and Pieces Howard Y. Gosman
Publisher's Remarks
- 4 The Crystal Ball
News and rumors of interest to TRS-80 owners
- 6 Letters to the Editor
Readers tell us what's on their minds
- 20 Color Computer Corner..... Joseph Rosenman
This Month: Diagnostics ROM, Ghost Gobbler, and Scepter of Kzirgla
- 30 Beginner's Corner..... Spencer Koenig
This Month: Lend an Ear to the Big Boys (Part 1)
- 40 Model III Corner..... Hubert S. Howe, Jr.
This Month: Cassette Input and Output
- 48 Pocket Computer Corner..... S. M. Zimmerman and L. M. Conrad
A Retail Package for the Pocket Computer
- 68 Advertising Directory

Entire contents copyright © 1982 by H & E Computronics, Inc. All rights reserved. Printed in the United States of America.

All correspondence should be addressed to The Editor, H & E Computronics, Inc., 50 North Pascack Road, Spring Valley, NY 10977. Unaccepted manuscripts will be returned if accompanied by sufficient first class postage. H & E Computronics will not be responsible for the return of unsolicited manuscripts, cassettes, floppy diskettes, program listings, etc. not submitted with a self-addressed, stamped envelope. Opinions expressed by the authors are not necessarily those of H & E Computronics, Inc.

Material appearing in the *H & E COMPUTRONICS MAGAZINE* may be reprinted without permission by school and college publications, personal computing club newsletters, and non-profit publications. Only original material may be reprinted; that is, you may not reprint a reprint. Each reprint must carry the following notice on the first page in 7-point or larger type:

Copyright © 1982 by H & E Computronics, Inc., 50 North Pascack Road, Spring Valley, NY 10977.

Please send us two copies of any publication that carries reprinted material.

ADVERTISING RATES

Contact Advertising Director for rate card. Special discounts available for multiple insertions.

Kevin Rushalko
(603) 547-2970

For information about receiving copies of *COMPUTRONICS* in quantity contact:

Worldwide Media Service, Inc.
386 Park Avenue South
New York, New York 10016
Attention: Sandra A. Joseph
Cable: WORLDMEDIA
Telex: 620430 (WUI)
Tel.: (212) 686-1520

U.S. and Canadian Distributor

H & E Computronics, Inc.
50 North Pascack Road
Spring Valley, New York 10977
Attention: Steven M. Kahan
Tel.: (914) 425-1535

BITS AND PIECES

Howard Y. Gosman

OUR FIFTH YEAR

We've hit ISSUE #48 of the *COMPUTRONICS MAGAZINE* and are ready to start our fifth year of publication. *COMPUTRONICS* is the oldest TRS-80 publication in existence. We hope that the cover of this month's magazine will help you to remember to RENEW YOUR SUBSCRIPTION NOW!!

RADIO SHACK read our article and published a release to all store managers stating that one of the TRS-80 publications out there had a "fuzzy crystal ball." Hence, our CRYSTAL BALL section. Our CRYSTAL BALL section has given advanced details about the TRS-80 COLOR COMPUTER, the MODEL II, double density disk drives from RADIO SHACK and many more items, months before the information was officially released. The popularity of the CRYSTAL BALL DEPARTMENT helped COMPU-

TRONICS survive its first year of publication. Starting with the next issue, *COMPUTRONICS* is happy to have back our original CRYSTAL BALL DEPARTMENT writer.

BASIC FOR BUSINESS

BASIC for Business is a new book by Alan J. Parker that is written for owners of the Models II and III, and anyone who uses their computer for their business can get a lot out of this book. This is an instructional book, which would be ideal either as a classroom text or a self-paced course on business programming. The objective of the book is to introduce the BASIC language through business problems which start at a simple level and are expanded to become more complex as you go through the book. All examples, exercises, and problems deal with business—payroll, inventory, customer statements, sales-

continued on page 8

The *H & E COMPUTRONICS MONTHLY NEWS MAGAZINE* is published by H & E Computronics, Inc., 50 North Pascack Road, Spring Valley, New York 10977. The *H & E COMPUTRONICS MONTHLY NEWS MAGAZINE* is not sponsored, nor in any way officially sanctioned by Radio Shack, a division of Tandy Corporation.

The purpose of the *H & E COMPUTRONICS MONTHLY NEWS MAGAZINE* is to provide and exchange information related to the care, use, and application of the TRS-80™ computer systems. H & E COMPUTRONICS, Inc. does not take any financial responsibility for errors in published materials. Users are advised to check and edit vital programs carefully.

The *H & E COMPUTRONICS MONTHLY NEWS MAGAZINE* encourages comments, questions, and suggestions. H & E COMPUTRONICS will pay contributors for articles and programs published in the magazine.

The *H & E COMPUTRONICS MONTHLY NEWS MAGAZINE* is typeset by Photonics, Ltd., 188 Highwood Ave., Tenafly, NJ 07670, and is printed by Kay Offset Printing Service, Inc., 154 Grand Street, New York, NY 10013.

SUBSCRIPTION RATES

\$24 per year	SURFACE MAIL	U.S. Only
\$36 per year	FIRST CLASS MAIL	U.S.
\$36 per year	AIR MAIL	Canada and Mexico
\$48 per year	AIR MAIL	Outside U.S., Canada and Mexico
\$3 per copy	Single Copies	U.S., Canada and Mexico
\$4 per copy	Single Copies	Outside U.S., Canada and Mexico

Foreign subscriptions and sales should be remitted in U. S. funds drawn on a U.S. bank.

YOUR SUBSCRIPTION HAS EXPIRED IF . . . THE NUMBER ABOVE YOUR NAME AFTER THE DASH ON YOUR MAILING LABEL IS 48 (OR LESS). THE NUMBER FOLLOWING THE DASH TELLS YOU THE LAST ISSUE THAT YOU WILL RECEIVE. For example, if your subscription number is 16429-48, your subscription expires with this issue (issue #48).

II + II = (BUSINESS) (DYNAMICS)

DOSPLUS II and the TRS-80 model II. The Dynamic Duo.

The TRS-80 model II was created to help you take care of your business. DOSPLUS II was created to help your TRS-80 help you and your business even more.

DOSPLUS II replaces your O.E.M. dos with an ultra-sophisticated operating system that is 5 or more times faster, more reliable and is totally compatible with all standard business oriented software designed for use with the model II. The result is a computer/operating system that far exceeds manufacturer's specs—with more potential and more capacity to be of service to you.

DOSPLUS II operating systems are available for either your floppy or hard disk drives. The hard drive operating system is compatible with Radio Shack,

QuCeS, Corvus Micro Mainframe, VR Data and other popular hard drive sub-systems.

DOSPLUS II... All the quality and dependability you'd expect from DOSPLUS.

For the dealer nearest you call
1-800-327-8724
Dealer inquiries invited.

\$249.95

For product information (305) 983-3390

DOSPLUS DOSPLUS first in quality!
First in the industry!
To order call toll free 1-800-327-8724

RAJAWERSOFT

A Division of Breeze/QSD, Inc.
11500 Stemmons Fwy., Dallas, Texas 75229
(214) 484-2976 Micronet 70130, 203



**MICRO SYSTEMS
SOFTWARE, INC.**
4301-18 Oak Circle,
Boca Raton, FL 33431

BASF




the LEADER
of the pack . . .

Write for free catalog with more than 400 fantastic values for all your word and data processing needs. Outside USA, enclose \$1.00.

ABM PRODUCTS
8868 CLAIREMONT MESA BLVD.
SAN DIEGO, CALIFORNIA 92123

Toll Free 800-854-1555 Orders Only
For information or California Orders
(714) 268-3537

**YOU CAN PAY MORE
BUT YOU CAN'T
GET MORE!**



Model III 16K
\$839



Color Computer 4K
\$310
w/16K Ext. Basic

Model III 48K
2 disc & RS232C
\$2059

Model III 48K
w/32K Ext. Basic
\$525

BUY DIRECT. These are just a few of our great offers which include Printers, Modems, Computers, Peripherals, Disc Drives, Software and more. call TOLL FREE 1-800-343-8124

We have the lowest possible fully warranted prices and a full complement of Radio Shack Software

computer plus

Write for your free catalog.
245A Great Road
Littleton, MA 01460
617 • 486 • 3193



**TRS-80 MODEL I T.M.*
GOLDPLUG - 80**

Eliminate disk re-boots and data loss due to poor contact problems at card edge connectors. The GOLD PLUG - 80 solders to the board card edge. Use your existing cables.

CPU/keyboard to expansion interface \$18.95
Expansion interface to disk, printer, RS232, screen printer (specify) \$9.95 ea
Full set, six connectors. . . \$54.95




EAP COMPANY
P.O. Box 14, Keller, TX 76248
(817) 498-4242
*TRS-80 is a trademark of Tandy Corp.

THE CRYSTAL BALL

(News and Rumors of Interest to TRS-80 Owners)

One of the fastest growing areas in microcomputing, and one that will greatly influence our future lifestyles, is telecommunications. This month The Crystal Ball will review some of the new services available in this field.

Any subscriber to The Source network can now compose and send Mailgram messages directly from their personal computer. Messages can be sent anywhere in the United States, including Alaska and Hawaii. If entered in The Source by 4 pm, EST, they are virtually guaranteed to be delivered on the next business day.

The messages are forwarded by The Source to Western Union's largest Mailgram processing center. They are then routed by zip code to the serving post office nearest the address, where they are printed, enveloped, and given preferential delivery treatment. Only senders and recipients are permitted to read the messages. The cost of sending Mailgram messages is billed to subscribers monthly, along with other charges from The Source.

To use the new service, subscribers simply sign on to The Source, then type MGRAM and are prompted step-by-step to enter names, addresses and messages. Once messages are composed, subscribers can review them on their terminal screens exactly as they will be reproduced as Mailgrams. Changes in the text can then be made, if necessary, before transmission. Subscribers may send one Mailgram message to a single address, or they can instruct that the same or different messages be sent to multiple addresses. Discount rates apply to quantity mailings of the same message. There is no limit to the number of Mailgram messages that may be sent.

Special features of the new service include: being able to receive one confirmation copy of the Mailgram message, or to receive duplicate copies that include the names and addresses of all messages sent; saving the message in a personal file on The Source for later reference; creating

text files on The Source for frequently used messages, to facilitate their re-sending; arranging for the Mailgram message processing service to enter names and addresses from large lists, at a cost of \$.35 each; and storing lengthy address files with the message processing service at a nominal charge.

The rate for sending a single Mailgram message is \$5.15 for messages up to 100 words, with an additional \$1.00 for each additional 100 words. The cost of confirmation copies, which are delivered at the same time as the messages, are \$2.00 each with \$1.00 for each additional 100 words. These costs are in addition to standard usage fees for The Source.

General Videotex is offering a package called Delphi, that presently provides an on-line encyclopedia and at-home banking, and will include a check balancing service, on-line games, access to travel reservations and a shop-at-home service in the future. The Encyclopedia is called a "universal on-line reference work" with more than 24,000 entries that are updated by a full time staff of 14 editors and augmented by articles from the UPI wire services. Users can access entries by means of keyword searches. The bank-at-home services can be accessed by users with a local phone call, either through the Tymnet network, or a local private network that General Videotex has set up in several major cities, including Atlanta, Chicago, Los Angeles, San Francisco, Washington D.C., and New York.

Charles Mann & Associates of Yucca Valley, California, is offering a service that will give diagnoses of computer problems over the phone. The firm's technical services facility will allow either voice access to technical personnel or direct connection to a custom-designed minicomputer that will automatically diagnose operating problems and give remedial service or instruction. Once logged on, the user will answer a set of simple questions about the configuration of his system and about the problem. Then the minicomputer can run hardware tests,

A Sweet Deal...

Buy an Alpha Joystick and games together and deduct up to \$14.00 from your order.



(Model I version shown)

THE ALPHA JOYSTICK

ONLY \$39.95

MODEL I OR III. SPECIFY WHEN ORDERING. PRICE INCLUDES ATARI JOYSTICK + ALPHA INTERFACE + INSTRUCTIONS + DEMO PROGRAM LISTING.

The Alpha Joystick adds arcade-style control to TRS-80 action games. Simply plug it in and begin playing joystick compatible games. No modification, wiring or batteries are required, and the Alpha Joystick is compatible with other TRS-80 accessories. The instructions are clear and complete. We even show how easy it is to experiment in BASIC (A=INP(0) reads stick) and convert BASIC programs to Joystick control.


MODEL I - Plugs directly into any Level II Keyboard (card edge on rear) or expansion interface (left side, next to printer port).

MODEL III - Works with any 'Model III BASIC' system and plugs into the 50 pin I/O bus (largest edge connector underneath).

Joystick + 1 game Deduct \$ 6.00
 Joystick + 2 games Deduct \$12.00
 Joystick + 3 games Deduct \$14.00


14 DAY MONEY BACK GUARANTEE - if you are not delighted, return it within 14 days for a prompt and courteous refund.

Choose from any of the Joystick Compatible games below. Be sure to mention the 'Sweet Deal' discount when ordering.



PENETRATOR

Soar swiftly over jagged landscape, swooping high and low to avoid obstacles and enemy missile attacks. With miles of wild terrain and tunnels to penetrate, you're well armed with bombs and multiple forward missile capability. From Melbourne House. Features sound, trainer mode and customizing program.



SCARFMAN

This incredibly popular game craze now runs on your TRS-80! It's eat or be eaten. You control Scarfman around the maze, gobbling up everything in your path. Try to eat it all before nasty monsters devour you. Excellent high speed machine language action game from the Cornsoft Group. With sound.




SUPER NOVA

Asteroids float ominously around the screen. You must destroy the asteroids before they destroy you! (Big asteroids break into little ones.) Your ship will respond to thrust, rotate, hyperspace and fire. Watch out for that saucer with the laser! As reviewed in May 1981 Byte Magazine.




LUNAR LANDER

As a vast panorama moonscape scrolls by, select one of many landing sights. The more perilous the spot, the more points scored—if you can land safely. You control LEM main engines and side thrusters. Absolutely the best use of TRS-80 graphics we have ever seen! From Adventure International. With sound.



ATTACK FORCE

As your ship appears on the bottom of the maze, eight alien ships appear on the top, all traveling directly at you! You move toward them and fire missiles. But the more aliens you destroy, the faster the remaining ones become. If you get too good you must endure the "Flagship." With sound effects!



COSMIC FIGHTER

Your ship comes out of hyperspace under a convoy of aliens. You destroy every one. But another set appears. These seem more intelligent! You eliminate them, too. Your fuel supply is diminishing. You must destroy two more sets before you can dock. The space station is now on your scanner. With sound!




GALAXY INVASION

The sound of the klaxon is calling you! Invaders have been spotted warping toward Earth. You shift right and left as you fire your lasers. A few break formation and fly straight at you! You place your finger on the fire button knowing that this shot must connect! With sound effects!



DEFENSE COMMAND

The invaders are back! Alone, you defend the all important nuclear fuel canisters from thieving aliens who attack repeatedly. An alien passes your guard, snatches up a cannister and flies straight off. Quick! You have one last chance to blast him out of the sky! With sound and voice.



TALKING ROBOT ATTACK

This game TALKS without a voice synthesizer, through the cassette port. With just a hand laser in a remote section of the space station, you encounter armed robots. Some march towards you, more wait around corners. Careful, the walls are electrified. Zap as many robots as you dare before escaping to a new section. More robots await you.



ARMORED PATROL

A realistic tank battle simulation. Your view is a 3-D perspective of an alien landscape. Maneuver your T-36 tank to locate and destroy enemy tanks and robots that lay hidden, ready to assault you. Clever graphics create the illusion of movement and dimension. From Adventure International. With sound.

GAME PRICES

"Penetrator" Disk or 2 Cassette Package \$24.95

"Armored Patrol" Cassette \$19.95 . . . Disk \$24.95

ALL OTHER GAMES:

16K Level 2, Model 1 + Model 3 Cassette \$15.95

32K Level 2, Model 1 + Model 3 Diskette \$19.95

These games are "Alpha Joystick Compatible." They may be played with or without Joystick (using arrow keys).

Toll Free Order Line

800-221-0916

ORDERS ONLY. HOURS: 9 AM - 5:30 PM, E.S.T.
 FOR INFO CALL: (212) 296-5916

ADD \$2.00 PER ORDER FOR SHIPPING AND HANDLING.
 WE ACCEPT VISA, MASTERCARD, CHECKS, M.O.
 C.O.D. ADD \$3.00 EXTRA.
 NY RESIDENTS ADD SALES TAX.
 OVERSEAS, FPO, APO: ADD 10%.
 DEALER DISCOUNTS AVAILABLE.

ALPHA Products

79-04 Jamaica Ave., Woodhaven, NY 11421

(212) 296-5916



media tests, and byte-by-byte tests on program copies, and can also make program changes, run file-update programs, and retrieve destroyed files. If the computer cannot solve the problem, then it will automatically notify a service technician who will try to help.

The International Software Directory is now available on-line from Lockheed's Dialog data base. The directory has over 7000 entries describing software packages for microcomputers, and allows full searching facilities by type of computer, operating system, subject, vendor, or price, as well as full text searching for keywords. Access to the system will cost about \$60 per hour, but the directory's publisher, Imprint Editions, says that most searches will only take two to three minutes. The Dialog data base can be accessed by several means, including the Telenet and Tymnet systems. Any individual entry can be printed and mailed to the user for 15 cents, and a printed version of the entire directory costs \$39.95. ■

LETTERS TO THE EDITOR

Error in Pocket Program

Please be advised of an error in your *Computronics* magazine, May 1982, page 48, in the "Pocket Computer Corner." As written, line 20 will never be used. The program works fine with the following insertion:

```
2: IF X=2 GOTO 20
```

Also, in the same program, line 60 should start:

```
60 E=INT(---
```

instead of:

```
60 E-INT(---
```

Thank you.

James Parsons
Parsons Electronic Services
3113 Edgewood Drive
San Angelo, TX 76903

Corrections to "Metric Conversions"

I have just received my copy of the June *Computronics* and am very pleased with the article and the program. In proofreading the program, I found only two cosmetic errors and one typographical errors, as follows:

Line 620: Remove 14 spaces between (CU CM) and (TO CU FT); should line up with lines 610 and 630.

Line 1020: Remove one space between (GRAM) and (TO OZ AVDP); should line up with line 1010 and 1030.

Line 1310: C=0.7703 should be changed to C=0.0703.

In closing, thank you for the professional way you have composed and set this article, as well as all the other articles. I say again *Computronics* is the best.

Jack S. Willett
14089 Buckner Drive
San Jose, CA 95127

Installing your own RAM

I hope that you can help me! I recently bought 32K of additional RAM memory for my Model III from a non-Radio Shack distributor.

It works okay, except that I still can't PEEK or POKE above the old 16K address of 32767. The distributor just ignores me, so I am hoping that you can find the solution for me.

Ken Taylor
c/o Canyon Research Group, Inc.
741 Lakefield Road, Suite B
Westlake Village, CA 91361

If the RAM is working properly, your computer should show greater memory when you PRINT MEM in

BASIC. If you now have 48K, the value you get should be 48082 in non-Disk Basic and 38200 in Disk Basic.

Perhaps the reason you are getting the problem is that you are not supposed to use the values above 32767 for POKE and PEEK operations; instead, the numbers 0 to -32767 are used for these locations. If you can POKE or PEEK into negative locations, then your RAM is all right.

Error in Phone Number

Thanks for the kudos for the LemonAid Loader in the June issue. Somebody, however, transposed the last two numbers of my phone number in the column. It's correct in our ad. An acquaintance of mine across town could have been a mite perplexed, if I hadn't warned him, when he started getting calls about — of all things — a LemonAid Loader???

Our number is (417) 345-7643, and we can be reached almost any time from 8 A.M. to 10 P.M., Monday through Saturday, for questions, orders, or both.

Wayne Lemons
Lemons Technical Services
325 N. Hwy 65
P.O. Box 429
Buffalo, MO 65622

Power-up Procedure

On page 54 of your February '82 column, you write, "<errors>...could be caused by opening the disk drive door when turning power on or off. The diskette must not be left in the drive when power is turned on..."

It occurs to me that perhaps all of us would benefit if you would go through the whole power up and power down sequence in a step-by-step manner for us. More specifically, I'd appreciate the correct procedure on power up for at least the following steps:

(1) Turn on all peripherals: video, printer, disk drives, Expansion Interface, etc.

(2) Turn on keyboard

(3) Insert system disk

(4) Close drive door

(5) Push RESET

And what is the best order on power down?

OPTIONS-80, NOW FOR
APPLE & TRS-80

OPTION INVESTING

PROGRAM ANALYSES
RETURN FROM LISTED
STOCK OPTION
INVESTING

HANDLES CALLS, PUTS, SPREADS, IN AND OUT; COMMISSIONS, RISK, COST OF MONEY, DIVIDENDS. TABLES AND GRAPHS. PRINTS, STORES TO DISK. INDEXED MANUAL A COMPLETE GUIDE TO OPTION INVESTING. M/C & VISA. \$125. SEND FOR FREE BROCHURE.

OPTIONS-80, BOX 471P
CONCORD, MASS 01742

*TRADEMARK TANDY CORP *TRADEMARK APPLE COMPUTER, INC.

I've eliminated a lot of system crashes and strange events by putting individual power line filters on each piece of equipment where possible, except the video, which I plug directly to the wall outlet. Also once I'm powered up, I avoid flipping any intrasystem switches. For example, even though I think I plan not to use my modem during a given session, I nevertheless turn on its power module, just in case, BEFORE powering up my drives and keyboard.

Andy Chakires
1704 Miramar
Los Angeles CA 90026

We would recommend the following power-up sequence for the TRS-80 Model 1. First, it is best if you get a power strip with an on/off switch, so that the Model 1 power supplies are not left on all the time. This causes heat to build up, which can damage or burn out the unit. (In fact, you should not leave the power supplies inside the Expansion Interface, as Radio Shack recommends, for the same reason.) The strip sold by Radio Shack is excellent for this purpose, because it also contains small power-line filters.

If you have all items plugged into the power strip, you do not need to turn on each unit separately when powering up. Leave the Expansion Interface and keyboard off, and remove any disks in the drives. (Actually, it is sufficient simply to open the drive doors; you can leave the disks in the units if you want to.) Turn on the power to the Interface first, then to the keyboard. After the disk light goes off (it should go on when the power is turned on), insert the system disk, CAREFULLY close the door, and press the RESET button. That should do it.

Radio Shack's Repair Policies

I have just received my May copy of *Computronics*. Mr. Robert Forman's letter about Radio Shack's repair policies (?) echoes my sentiments exactly. I have had several similar experiences with Radio Shack's callous indifference to requests for repair service. My experience also indicates that Radio Shack's people on their "Hot Line" in Texas forget you as soon as they hang up the phone.

I have tried to make my displeasure known to Radio Shack. Writing letters

to Mr. Jon Shirley are a waste of time. Apparently, Mr. Shirley only reads and answers letters that are printed in your magazine.

In my case the last straw occurred in December 1981. Radio Shack took nine weeks to repair a Model IV printer that had stopped underlining! I needed a printer for my bookkeeping and tax programs. Unfortunately, I made the mistake of buying a Model VIII. While trying to run my Income Tax programs, I found that the Model VIII would not execute a full reverse line feed. Several calls to Texas resulted in the statement, "Yes we know that the Model VIII does not reverse line feed. Try two half reverse line feeds." They also promised that they were working on a fix and that they would call back when they had it. Needless to say, it has been four and a half months and they have not called.

In my case I did not try for the second round of Radio Shack's repair service by going to a Model III. In January 1982 I became the proud owner of a new IBM PC. The Personal Computer is a great improvement over my old Model I, and it appears to be a great improvement over the Model III also. I have converted all of my bookkeeping and income tax programs to the IBM, and they work fine. The monochrome screen is excellent, and gives no eye strain after hours of use.

Incidentally, I am writing this letter using your Super Text Editor. I have converted it to the IBM.

Thomas McLuckie
Mazon, IL 60444

We don't think that there is any excuse for Radio Shack's repair policies, but we would like to comment on your comparison of the Model I to the IBM PC. Undoubtedly the IBM is a much finer computer, but don't forget that the Model I TRS-80 was designed in 1977 (the IBM PC was designed in 1981), and that the Model I cost about half the price of the IBM.

Cassette Merge

I enjoy your magazine and await it monthly with bated breath. I would like to see you label the programs as to

MAILING LIST SYSTEM

For TRS-80*

(*Tandy trademark)

Model I & III

\$89.95

- Simply to use...even for the novice.
- Maintain virtually an infinite number of disks all in continuous alph. or zip order...essential for large lists.
- Sort **2260** entries (2 full 40 track double density disks) in only 32K or an incredible **4640** entries (2 full 80 track disks) in only 48K!
- Super fast sort by alph. or zip order (8 sec. for 1000 entries)...both orders can exist simultaneously on disk.
- High speed recovery of entries from disk...pulls in over 11 per sec!
- Transfer old files to our system.
- Less than 5 digit zips have leading 0's appended.
- Supports 9 digit zips, **Canadian zips**.
- Zip order is "sub-alphabetized".
- System adjusts to any DOS.
- Backup data disks are easily updated as entries are created, edited, or sorted...extremely useful!!
- Optional reversal of name about comma.
- Permits telephone numbers, etc.
- Prints on envelopes or on labels, 1, 2, 3 or 4 across.
- Test label/envelope printing lets you make adjustments with ease.
- Master printout of your list in several formats.
- Selective printing by specific zips or by zip range.
- Editing is simple and fast...automatic search. Batch transfer of edited entries to backup disks.
- Provides for duplicate labels.
- Deleted entries have "holes" on disk filled automatically.
- Automatic "repeat" feature.
- Load and "scroll" through entries.
- Optional "ATTN:" line.
- Plenty of user defined fields with various options for **simultaneously** purging and selecting the printout.
- All 0's in address labels are replace by easier to read 0's.
- Continuous display of numbers of labels/envelopes printed.
- Each disk entry automatically "remembers" how many mailings have been made.
- Primarily written in BASIC for **easy modification**...embedded machine code for those speed sensitive areas.
- Hardware requirements: 32K, printer, and 1 or 2 drives.

Precision Prototypes

410-F East Roca
Refugio, Texas 78377
512-526-4758

whether they are for Model I, II, or III.

Finally, Is there a MERGE program out there for a Mod III cassette computer? In fact I have enclosed a SASE just in case someone there has one hidden away for a Mod III, 48K. If not, maybe you can find a little corner in your magazine and print my request with my address. Also if anyone would be interested in exchanging any programs (FREE, of course).

Thanks for your time and again, thanks for a great magazine.

William O. Byberg
7 Tiffany Road A9
Salem, NH 03079

We do not know of any MERGE program for cassette systems, for any model TRS-80 computer. If anyone reading this space knows of one, please let us know and we will pass on the information to our readers.

Mod III Assembly Language

Dear Dr. Howe,

I just finished your book, TRS-80 ASSEMBLY LANGUAGE, which I really enjoyed, especially the sections on disk processing. I have a Model III with two disk drives and I am not sure what information from chapters 16 and 17 is applicable to the Model III and what is not. I would like to know if you have update information for the Model III available or if you could steer me to a source for the information. I have put off buying Pennington's Disk book because I believe that it is still geared towards the Model I.

Eric B. Klein
505 Lausanne Drive
Greensboro, NC 27410

Dr. Howe replies:

I have completed a new assembly language book for Prentice-Hall specifically directed to the Model III. The information about the disk in the previous book concerns only the Model I and has no application to the Model III, although some of the workings of the disk operating system are similar. There are also updates for the ROM and RAM, RS-232-C interface and other aspects. Although the book is now completed, it will not be available from the publisher until about December.

Optical Reader

I am attempting to interface an IBM 1230 Optical Reader to a TRS-80 Model II. I would appreciate hearing from anyone who has or intends to do the same.

Louis M. Ferrari
3919 Octave Drive
Jacksonville, FL 32211

H & E Computronics welcomes letters on any subject. If you wish a personal reply, please enclose a self-addressed, stamped envelope.

H & E Computronics also welcomes readers to submit programs, articles, or reviews for publication. Please address correspondence to:

The Editor
H & E Computronics
50 North Pascack Road
Spring Valley, NY 10977

Please submit programs (and articles, if prepared on a word processor) on media (cassettes or diskettes). Also please indicate the system it was prepared on, and include any necessary instructions. ■

BITS AND PIECES

continued from page 2

men's commissions, etc. It is assumed that the reader has some basic knowledge of business transactions, but a background in computers or mathematics is not required. File handling is covered extensively in this book, and this is one area that often mystifies and intimidates new users. Each chapter clearly states its objectives, then presents background information, program routines that illustrate various methods of accomplishing the task being described, and finally problems for the user to solve. Although I haven't had the chance to read the entire book, from what I've seen, the writing style seems clear and easy to understand, and the way that the information is presented is very professional. This author doesn't just know his way around the computer, he obviously is a very good teacher as well. Chapters in the book are: Performing Simple Calculations, Data Entry, Sequential Files, Writing Reports

from Sequential Files, Adding and Deleting Records, Updating Sequential Files, Using Lists and Tables, Using Lists and Tables, Using Direct Access Files, Use and Design of Complex Programs (including structured programming), an appendix on BASIC commands, error messages, sorting, etc., and an index. This book is not just for the novice programmer. An experienced programmer could open the book at any point and find many good ideas inside.

INTERFACE FOR VIDEODISC PLAYERS

The DiscMaster 1000 is a serial interface that will let you control a videodisc player through any small computer. This doesn't mean just turning it on and off at particular times (which most of the players can do by themselves anyway). This device will let you completely control the sequence of playback, which will open up a whole new world for programmers of games, simulations, and a vast range of data retrieval applications. It may sound like a novelty that won't last, but within a few years, this technology will be seen everywhere. By nature the videodisc is perfect for random-access retrieval, just like magnetic computer discs. The difference is that the videodisc stores images rather than data, and any single frame (picture) can be retrieved in seconds. In addition, a moving sequence of pictures can be made to branch just like a program does, allowing a wide range of graphic simulations, but with *real* pictures on the screen, not computer graphics. Users can write, debug, and repeatedly modify their videodisc application programs in whatever higher level language their computer supports (including BASIC, FORTRAN, PASCAL, etc.). The DiscMaster 1000 is controlled by sending single character mnemonic command codes to the interface, such as "S" for search, "P" for play, etc. The only difficulty is that videodisc players do not record, and creating your own videodisc is still an expensive prospect. The DiscMaster costs \$395, and those interested should contact New Media Graphics, 139 Main Street, Cambridge, MA 02142, (617)-547-4344.

POCKET COMPUTER SOFTWARE

Sound Software Systems (P.O. Box 1365, Renton, WA 98057) offers a variety of software for the Radio Shack-Sharp Pocket Computer. Programs are organized in groups of five (called "Pacs") and are available on cassette or listing only, with complete documentation and instructions. Written in BASIC, these program Pacs are easily adapted to most other pocket and micro-computers. The software is geared primarily to engineering and business applications with many of the programs unique among pocket computer software. Free information is available on request. Dealer inquiries are welcomed.

MODEL I MUSIC SYNTHESIZER

A new software-only music synthesizer is now available for the Mod I. This program goes beyond the simple music programs previously offered by simulating many features found only on hardware synthesizers, including: white noise, variable frequency cutoff, pink noise, frequency and pulse with modulation, variable duty cycle, white noise superimposed on square wave, and full variable glissando. The program also has limited ability to produce two tones at once.

The operating system has a 300 note buffer with full edit capabilities (copy, insert, delete, change, examine, and make a progression of notes). The operating system also has full error trapping and many prompts for ease of operation. Detailed documentation with many examples is included. The synthesizer package is available for \$24.95 from K & K Computer Peripherals, Box 88203, Kentwood, MI 49508.

COLOR COMPUTER BULLETIN BOARD

CONNECTION-80 has celebrated its first birthday, and in one year of operation has logged over 15,000 callers. This bulletin board is dedicated to owners of the COLOR COMPUTER, and is can be accessed at no charge simply by calling 212-441-3755, 24 hours a day. The BBS has over 2.6 megabytes of disk storage, download facilities, a bulletin section, merchandise section, chat section, and elec-

tronic mail. Of course, one of the best features is that it's free. That's hard to beat nowadays!

POCKET COMPUTER GAMES

Radio Shack is now offering a collection of eight game programs for the POCKET COMPUTER. Two cassettes, costing \$14.95, contain Missile Marksman, Baccarat, Blackjack, Aceydeucey, One-armed Bandit, Pokerslot, Numguess, and Craps. Instructional manuals for each game are included.

DISASSEMBLED HANDBOOK #5

Volume 5 of the Disassembled Handbook series, entitled "Advanced Baudot Radio Teletype for the Model I and Model III TRS-80 Microcomputers" is now available. It is for both the novice programmer and the experienced assembly language programmer. The novice simply loads the 11,000 byte assembly language program from the disk which is included, then a BASIC loader program is run which asks the user nine questions, including: Amateur radio call letters, type of ham equipment used, type of antenna used, handle (name), full address, and so forth. This BASIC program then modifies the assembly language program and allows you to dump the customized program to disk as a /CMD program. It takes only about 10 minutes to customize the program, and, once done, it need not be done again unless the user changes some aspect of the setup. There are a number of interesting features, such as editing the received message using commands similar to the Electric Pencil, receiving a message at one speed and retransmitting it at another speed, and type-ahead in both transmit and receive modes at any speed. The program includes its own keyboard decoding subroutine so the program operates *identically* on both the Model I & III. The book and disk cost \$49, and the book may be bought separately for \$20 (assembly language programmers may wish to key in the entire program themselves, or make alterations in the code, so the complete listing is included in the book). Volume 5 may be purchased directly from H & E Computronics. ■



The Only Complete Document Proofreading System
From Aspen Software
For CP/M, TRS-80 and IBM-PC Word Processors

PROOFREADER

Featuring Official Version of Random House Dictionary

- Complete Accuracy—looks up every word; does not use less accurate root word analysis
- + Full Interactive Correction—standard (optional TRS-80 Model I/III)
- Instant Access to Dictionary
- Compact-Random House Dictionary supplied in sizes to fit your system (50,000 words standard)

GRAMMATIK

Beyond Spelling Checking

- Detects typos, punctuation and capitalization errors, misused words and phrases
- Analyzes Poor Writing Styles
- Suggest Alternative Usages

= NO ERRORS

"The programs together (Proofreader and Grammatik) offer a dynamic tool for comprehensive editing beyond spelling corrections."

--Dona Z. Meilach in Interface Age, 5: 82
"Grammatik is the perfect complement to a spelling check program."

--Dr. Alan R. Miller in Interface Age, 5: 82
"If you use a word processor and a spelling checker, then you should investigate the unique capabilities of this program. Grammatik is a surprisingly fast and easy tool for analyzing writing style and punctuation."

--Bob Loudon in InforWord, 12/81
"For the user who is as tight with his dollar as I. Proofreader is the program of choice."
--Stephen Kimmelin in Creative Computing, 3/82

Aspen Software also has its own full featured word processor called Writer's Companion for all these systems. One of the best implementations of Ratfor (Rational Fortran) is available, too, along with an automatic Ratfor pretty printer. Please call or write for more details about these products.

Grammatik and Proofreader are compatible with all CP/M, MS-DOS (incl. IBM PC), and TRS-80 word processors. Current CP/M formats standard 8". Northstar, Omikron, Osborne, Apple. Please call or write for details of minimum system sizes and availability of additional disk and operating system formats. Shipping costs included. Please specify your system configuration when ordering. Dealer inquiries invited.

	Proofreader	Grammatik
CP/M, MS-DOS	\$129.00	\$150.00
TRS-80 Model II	\$99.00	\$99.00
TRS-80 Mod I-III	\$59.00	\$59.00
Model I-III interactive correction option	- \$30.00	

Random House is a registered trademark of Random House, Inc. Other registered trademarks: CP/M, Digital Research, TRS-80, Tandy Corp., MS-DOS, Microsoft, IBM, IBM, Proofreader, Grammatik, Aspen Software Co.

Aspen Software Co.

P.O. Box 339-H Tijeras, NM 87059
(505) 281-1634



PROGRAM PREVIEWES

A. A. Wicks

This Month: Business Programs for TRS-80 Model I/III

Radio Shack has published another book under their aegis that was previously released under a different name by the publisher. This book, "Business Programs for TRS-80 Model I/III," was earlier issued by the Hayden Book Co., Inc. — who are once again the publishers. The previous title for the almost identical book was "BASIC Computer Programs for Business."

The title of the current release is somewhat deceptive — once past the front cover and the frontispiece, the names "Model I" and "Model III" never reappear. For that matter, neither does the name "Radio Shack." What does appear, however, in the first Appendix, is: "All programs in this book were developed, tested, and run on an Altair 8800b Microcomputer System operating under Altair's Revision 4.1 of their Disk Extended BASIC."

Some concession has been made in some of the programs in providing "LPRINT" for use on the Radio Shack computers. This has not been carried far enough though, and many of the programs that have only "PRINT" will need changing to gain printed copies of the computed results of the programs. The pattern of what has been "LPRINTed" and those that have not, is not clear — it is as if someone made an arbitrary or random judgment.

I think, however, that most readers could probably cope with that problem if they are going to be typing in programs from this book. The more serious flaw is in the treatment of disk-related program statements. This is going to require a good knowledge of disk-based operations to translate from what is ostensibly Altair Disk BASIC to Radio Shack Disk BASIC. For instance, the previously referenced Appendix advises that Altair BASIC requires random-file records to be 128 characters long. A smaller record size will be accepted, but disk utilization remains at 128 characters.

There are other discrepancies, such as "OK" used instead of "READY." For some reason, not all of the pages are numbered, which may indicate that many of the text pages were printed from the original plates. Also, some of the formatted printout examples that do not use the LPRINT expression exceed the video screen character-width, therefore, the display would move to the next line and spoil the format. Of course, if one were to make the PRINT an LPRINT this would not be a problem, at least not on paper. The Model I/III user will find syntax problems in situations where LPRINT is used; the expression "LPRINT TAB(20); "XXX"" appears in the program listings. We also have the unusual situation of an example printout, which states: "Align to Top-of-Page and press the return," but the program statement for this output reads, "Align ... and press the Enter key."

As none of these peculiarities (at least they will be that to

an uninformed TRS-80 user), are mentioned or explained in the book, the user may be in for some surprises. But so much for the criticisms.

A detailed review of the many programs in this book ("over 35"), is beyond the scope of a monthly column — there are just too many. Nevertheless, some of the more pertinent should at least be mentioned. The book is divided into three Sections providing seven Groups — Bookkeeping (though that word disappeared with the high stool!), Accounts Receivable, Financial (General), Perpetual Inventory, Periodic Inventory, Inventory (General), and Production. Within each Group there are many individual programs. For instance, under Bookkeeping there are programs for Journal Entries, Trial Balance, Income, Balance Sheet, etc. The Financial Group includes, Breakeven Analysis, Cash Flow and Budget, Least Squares Regression Forecasting, Depreciation, Amortization, and so on (for a total of 21 programs in this Group, alone). The Inventory Groups are complete — covering just about every inventory type and transaction that may be envisaged for any business situation. The Production Planning and Control programs include Job Costing, Bill of Materials, Cost Computation, Production Alternatives, etc.

For any business willing to do a great amount of keystroking, there are enough programs in this book to represent hundreds of dollars of purchased programs. There is also a wealth of learning here for anyone who wishes to analyze these programs for their own programming education and modification. If you can cope with the deficiencies previously stated, perhaps this book may be of interest and benefit.

The layout of this text is excellent — as are the choice of programs. The author-programmer, Charles D. Sternberg is undoubtedly skilled in his profession, as this and his previous publications will attest. Each program listing has a brief summary of what the program does, what it comprises, and what might be expected of it. There is also a tabular listing of all string arrays, called "Major Symbol Table," with a brief description of the string function, and a Table of Functions used in the program, e.g., Gosub, Return, Dim. There are no lower-case listings or printouts, but there is no reason that lower case entries could not be used where desired.

Production of this book is in the usual first-class Hayden style — crisp, clean, good quality paper stock, with clear typefaces — although all programs and sample printouts are by dot-matrix printer. For the price, the book is a good value — but do keep in mind the problems that have been mentioned, in making a decision to purchase.

Business Programs for TRS-80 Model I/III. Radio Shack Catalog No. 62-2079, \$8.95 .■

IRS — INFORMATION RETRIEVAL SYSTEM

Peter Ansbacher

Abstract

This system contains four separate programs that are designed to run on a Radio Shack TRS-80 Model I computer with at least one disk drive and 48K of memory. There is a section devoted to modifying the routines so they can run in 32K of memory. This system is oriented towards maintaining information about articles in magazines. It describes a method requiring a minimum effort to enter the data, a program to produce a keyword listing, a program to sort the data, a program to merge files that are already sorted, and a program to list the data. Each of the programs are separate stand-alone BASIC programs. They may be used together as a package or they may be used separately. In particular, the SORT, LIST, and MERGE programs are extremely useful just by themselves. The KEYWORD program merely takes the user input and creates an output file that can be processed by the SORT and LIST programs.

Introduction

How do you keep track of all the articles you read in the different computer magazines each month? One way is to read each magazine when you get it and hope that you can find the article later when you want it. Another way is to enter enough information about each article into the computer and search the entire file for all articles on a particular subject. Both of these methods have advantages and disadvantages. The advantage of the first way is that it requires a minimum amount of effort. The disadvantage is that it takes a long time to find the article if you have to search through several magazines. The advantage of the second way is that all the information is stored in the computer for future retrieval in almost any fashion. The disadvantage is that you must use the computer to retrieve the information. I would like to propose an alternate method that combines the best features of these two methods.

First of all, I assume that you want to use the computer help you find the information in the different magazines. Second, the effort to enter the data must be kept at a minimum. And third, the printout must provide all the information you need. The steps involved are as follows:

(1) As you read each magazine, you write down the page number of the article, a description of the article, and as many key word phrases associated with the article as you wish.

(2) You enter this data into the computer.

(3) You run the KEYWORD program to produce a file that can be sorted by description and keywords.

(4) You run the SORT program to sort the file.

(5) You run the LIST program to list the file. The printout contains a listing of all descriptions and keyword phrases of all the articles read.

Now when you want to find an article on a particular subject you find it listed under the particular keyword. The main advantage of this system is the ease of use of the printout to find the desired information. It does not take any computer

time to retrieve the information. The disadvantage of this system is the time to print the file. However, this time can be reduced by storing articles only from one magazine in each file. If you desire to have one big printout, then use the MERGE program that will let you merge all the files together so that they can be printed in one listing.

How These Programs Came to be Written

I subscribe to several computer magazines. I wanted a way to be able to find an article quickly. I decided that I wanted an alphabetical listing of all the articles I read. This list had to contain a description of the article and keywords. If at some time I wanted to find an article that dealt with "printers", then I wanted that article listed under "printers". Since the list had to be printed, I needed a list program. The disk operating system has a command to print a file on the line printer, but I wanted the output to look neater. Since the list had to be sorted, I needed a sort program. I knew an in-core sort routine in BASIC would be slow but then I found a machine language sort routine that ran quickly. I also knew that all my data would not fit in core so I settled for sorting parts of it and then merging the sorted parts.

Finally, I had to devise a method of inputting the data with the least effort. I realized that in one magazine issue there are several articles. This meant that the reference would have to be repeated several times. I wanted to enter the reference once and then enter all the articles after it. The program would have to append the reference onto each article. Also since an article may have several keywords, the program would have to generate a separate output line for each input keyword. This is all done by the KEYWORD program.

I started out by looking very carefully at what I wanted the end result to be. Then I worked backwards to how the data should be put into the computer in the easiest form. I have found this approach to computer projects very useful.

The Four Programs

I will refer to the four programs by the following names: KEYWORD, SORT, MERGE, and LIST. The KEYWORD program reads data from one file and creates another file. For each input line, it will create one or more output lines. The format of the input data and output data is described later. The SORT program reads a file into memory, sorts it in memory, then writes the sorted data out to another file. The sort time is very short. The MERGE program will merge 2 to 14 sorted files into one file. The LIST program will print a file on the line printer with page numbering, page titling, and will print lines that are longer than 80 characters.

How to Enter the Data

The data is entered into the computer using the built-in

editor that comes with the TRS-80 computer. This built-in editor consists of the AUTO command that lets you enter successive lines of data, the EDIT command to make changes to the data, the SAVE command to save the file on disk, and the LOAD command to get a file from disk. Together these commands allow you to enter data into the computer and save it on disk. The only restriction is that each line you enter must start with a single quote followed by a space. The single quote is the abbreviation for the REMARK statement. In other words, the data you enter is actually a BASIC program that consists only of REMARK statements.

For those of you who have SCRIPSIT or ELECTRIC PENCIL or another text editor, you may create a file without line numbers and remarks. The KEYWORD program will accept data in either form.

Format of the Input Data

The KEYWORD program is the most complex program of the four programs in the system. It reads data from a file and creates what I call a keyword file. This keyword file is just a rearrangement of the input file. Each input line generates one or more output lines depending on how many keywords it has.

There are three types of lines in the input file. They are called Reference lines, Item lines, and Comment lines. The entire input file consists of several Reference lines, each followed by its set of associated Item lines. Comment lines may appear anywhere.

The input file consists of a series of references. These references are the name and publication date of the magazine. For example, "HE-1/81-" could stand for the H & E Computers, January 1981 issue. Following each Reference line is one or more lines containing each item of interest. There can be any number of Item lines for each Reference line.

There are also Comment lines. These lines may appear anywhere in the input file. When they are read by the KEYWORD program, they are ignored and not processed at all. They can be used to insert comments or descriptive information in the file. They can be used to fully identify the file. They can also be used before and after each Reference line to make it stand out.

The three types of lines are distinguished from each other as follows:

Comment lines start with two periods.

Reference lines start with one period.

Item lines start with a page number.

Here are some examples of Reference lines and what they might stand for:

.HE-1/81-	H&E Computronics, 1/81
.KB-3/79-	Kilobaud Microcomputing, 3/79
.CC-2/81-	Creative Computing, 2/81
.FILE	Entries from the file drawer
.CARD	Entries from a card catalog

Notice that each start with a period and most end with a dash. The reason they end with a dash is because the page number will be appended to the reference. For example, you might end up with HE-1/81-24. In the case of the last two, you do not need a dash and you can omit the page number on the Item lines. However, if you do omit the page number, remember to

still use the semi-colon at the start of the line.

Each Item line contains two or more fields. Each field is separated from the next by a semi-colon. The first field is the page number. The second field is the item or description of the article. The remaining fields are keywords. The general form is:

Page; Item; Keyword1; Keyword2; ...

Here are some examples:

1; Disk operating systems, a comparison of; TRSDOS; NEWDOS; VTOS

15; How to increase speed of SCRIPSIT; SCRIPSIT

The second field or Item may be omitted if you like. If this is the case then just put a blank character between the first two semi-colons. For example:

11; ; Scripsit; Electric Pencil; Easy Writer

Even the page number can be omitted. You might want to omit it in the case of several items from your card index file or from your file drawer. Since the page number has no significance in these cases, it may be left off. But the semi-colon must still be used to start the line. For example:

.CARD

; catalog of software and hardware items; hardware; software

When we put it all together the input file might look like this:

.. H&E and file information

.. Last updated 3/1/81

..

.HE-2/81-

..

12; DOS comparisons; TRSDOS; NEWDOS/80; VTOS

22; Star Trek game, \$19; game

..

.HE-3/81-

..

3; sorting methods compared; bubble; shell; GSF

15; disk drives, double density, \$400; Percom

18; ; Scripsit; Electric Pencil; Easy Writer

..

.FILE

..

; catalog of hardware and software; hardware; software

; microsoft basic compiler, \$195

The following is a summary of what the output file will look like given a general form of the input file. In the following, "R" is the Reference, "P" is the page number, and "KW1" and "KW2" are the keywords. "Item" is the item or description of the article.

Input File	Output File
.....
.R-	
P; Item	Item; R-P
P; Item; KW1	Item; KW1; R-P
	KW1; Item; R-P
	KW2; Item; R-P
P; Item; KW1; KW2	Item; KW1; KW2; R-P
	KW1; Item; R-P
	KW2; Item; R-P
P; ; KW1; KW2	KW1; ; R-P
	KW2; ; R-P

The input file to the KEYWORD program must be an ASCII file. This can be created by saving it with the "A" option. For example, you can use SAVE"DATA1".A. The KEYWORD program also expects to find a blank after every semi-colon in every line. This will also add to the readability of the data. If a blank does not follow each semi-colon, the program will not work properly at line 680. The program also expects a valid line every time. It must be able to find at least one semi-colon in each Item line or else it will stop at line 630 with an Illegal Function Call error.

Description of the KEYWORD Program

The KEYWORD program reads a disk file and creates another disk file with the data rearranged. One input line will generate one or more output lines. If the input line contains only the item, then there will be only one output line. If the input line contains an item and two keyword phrases, then there will be three output lines. The output file will contain as many lines as there are items and keyword phrases in the input file.

In addition to describing what the different statements do, I will also talk a little about how they are representative of good programming. By the way, the single quote is the start of a remark statement.

Lines 10-70 describe the program name, purpose, author, and copyright information. It is good practice to include these statements at the beginning of all programs. The variables are listed in alphabetical order in lines 90 to 230. The reader can see briefly what each variable will be used for.

The CLEAR 1000 instruction sets aside 1000 bytes for string usage. This program does not use a lot of string space. Line 260 initializes the counter for the number of lines in the output file.

Line 270 clears the screen. Lines 280 to 310 print the name of the program and what it does. This is a nice feature since it will inform the user that he is running the proper program. Lines 320-330 prompt you for the input file name. Line 340 opens the file for input. Lines 350-400 prompt you for the type of input file. If the file was created using the BASIC editor, then reply with "Y". If the file was created with SCRIPSIT or ELECTRIC PENCIL or another text editor, then reply with "N". Additional PRINT statements are used for double spacing. This makes the information on the CRT easier to read. The use of the word FILESPEC was chosen because Radio Shack refers to FILESPEC throughout their documentation. Perhaps a more universal phrase would be FILE NAME. In lines 340 and 440 there are spaces after each comma. This makes the statement easier to read than if it were written with no blank spaces.

In order to prevent reading past the end of file on the input file, line 460 checks for that condition. If the end of file has been reached, then control is transferred to the end of the program at line 850 where both files are closed in line 850 and the total number of lines in the output file is printed in line 870. This last message is not necessary but does indicate that the program has come to a normal end and lets the user know how many lines there are in the output file. Also, the file name is printed since it will be used by the next program in this series, the SORT program. Of course, all good things must come to an end and so does this program in line 880.

I would like to make a general comment here about good programming practices. I use blank spaces in statements to

make them more readable. I add remarks at the end of lines to describe what they do. I add blank remark lines between groups of related statements. I put only one statement on a line unless it is actually logically more clear to put more statements on one line. I try to not let any statement be longer than 64 characters so it can be viewed more easily on the CRT. I know that some people like to write programs that are efficient for the computer. These programs are generally difficult to read. If you want to have a very efficient program, then I suggest that you compact your program using one of the many compacting programs available on the market. Then you can keep the original listing that is easy to read.

Now back to the program in line 470. This line gets the next line of data from the input file. Line 480 skips over any null lines. SCRIPSIT sometimes creates null lines when a file is saved on disk. Line 510 will strip off the leading characters of each line if the file was created by the BASIC editor. These leading characters are the statement number and the single quote remark character. Line 510 has two parts to it. First I find the single quote with the function INSTR(1, A\$, "'") which will return the location in string A\$, starting at location 1, where the first quote mark is found. I add 1 to it so I can get the first character of possible valid data. The second part of line 510 strips off the line number and single quote by setting string A\$ to that part of A\$ that starts with the first character after the single quote. Now A\$ contains good data. But first I must strip off any leading blanks. This is done in line 530. If the first character is a blank, then line 530 will strip it off and go back for another look at the first character. The LEFT\$(A\$, 1) function returns the leftmost 1 character in string A\$. The MID\$(A\$, 2) returns a string of characters from string A\$, starting with the second character and ending with the last character in the string.

Now that we have a line of data to process, we start processing it. Line 540 checks for comments and if they are found they are ignored and we go back to get the next line of data from the input file. Line 550 calculates the length of A\$. I use a separate variable for the length since it will be used several times in the following lines. Line 560 checks for a reference. Line 570 gets the reference. The RIGHT\$(A\$, L - 1) function returns the rightmost L-1 characters in A\$. Line 580 removes leading blanks from the reference. Lines 590-600 print the reference on the output file and on the CRT. Since there is nothing else on a reference line, we go back to get the next line of data from the input file.

Now we get down to business. We must isolate the page number. Line 620 calculates the position in A\$ where the first semi-colon is. Line 630 sets the variable P\$ to the page number. Line 640 starts looking for the next semi-colon. It will start looking at the first character after the semi-colon at the end of the page. This will be the one at the end of the Item. Variable J will be the location of that semi-colon. If there is no semi-colon, then the line contains an Item only and no key words. In this case the variable J must be set to the length of A\$ plus 1.

Line 660 creates B\$ that is the Item and Reference. Line 670 removes leading blanks. Line 680 checks to see if the Item was blank. If it was blank then we do not want to print anything to the output file. But we must now check for key words. Line 680 assumes that there is a leading blank in front of every Item and Keyword in each line. If we do have an Item, then line 690

builds the Item, all key words, and reference. Line 700 removes leading blanks. Line 710 puts the data in the output file. Line 720 prints it on the CRT so the user can see what the data looks like. This also lets the user know that the program is running. The extra few microseconds it takes to print the data on the CRT are worth the additional information to the user. Line 730 counts the number of output lines. Line 740 checks to see if we are at the end of the line. If so, we go back for the next line. If not, we must try to find more key words. Lines 750 and 760 start searching for the end of the next keyword. If a zero is returned, line 770 will set the value of J to one greater than the length. This is as if the last key word was followed by a semi-colon instead of an end of line character. Line 780 calculates the key word and adds a semi-colon and space to it. Line 790 removes leading blanks. Line 800 prints the key word and item and reference on the output file. Line 810 prints the same to the CRT. Line 820 counts the number of lines going to the output file. Again we must check for the end of the current line in line 830 and if found go get the next input line. This process is repeated until the end of file is reached at which point the program ends. Now you can use the SORT program to sort this output file.

```

10 ' FROM KW/BAS
20 ' TO CREATE A KEY WORD FILE
30 ' BY PETER ANSBACHER, 918 SOUTH RUSTIC ROAD, COLUMBIA,
MO 65201
40 ' MAY 1, 1981
50 ' THIS PROGRAM IS NOT COPYRIGHTED.
60 ' YOU MAY USE IT IN ANY WAY YOU LIKE.
70 ' ACKNOWLEDGEMENT OF ORIGINAL AUTHOR WOULD BE APPRECIATED.
80 '
90 ' VARIABLES:
100 '
110 ' A$ = ONE LINE OF INPUT FILE
120 ' B$ = ITEM; REF
130 ' C$ = ITEM; KW; REF
140 ' F1$ = INPUT FILESPEC
150 ' F2$ = OUTPUT FILESPEC
160 ' K$ = KEY WORD
170 ' L = LENGTH OF A$
180 ' N = NUMBER OF LINES IN OUTPUT FILE
190 ' I, J = TEMPORARY VARIABLES
200 ' P$ = PAGE NUMBER
210 ' R$ = REFERENCE
220 ' S = 1 = SKIP OVER STATEMENT NUMBERS
230 ' = 0 = DO NOT SKIP OVER STATEMENT NUMBERS
240 '
250 CLEAR 1000
260 N=0
270 CLS
280 PRINT "KW/BAS"
290 PRINT
300 PRINT "TO CREATE A KEY WORD FILE FROM AN IR FILE"
310 PRINT
320 PRINT "ENTER INPUT FILESPEC ? " ;
330 LINE INPUT F1$
340 OPEN "I", 1, F1$
350 PRINT
360 PRINT "DOES THE INPUT FILE CONTAIN STATEMENT NUMBERS AND"
370 PRINT "SINGLE QUOTES THAT MUST BE SKIPPED OVER (Y/N) ? " ;

```

```

380 LINE INPUT A$
390 S = 0
400 IF LEFT$( A$, 1 ) = "Y" THEN S = 1
410 PRINT
420 PRINT "ENTER OUTPUT FILESPEC ? " ;
430 LINE INPUT F2$
440 OPEN "O", 2, F2$
450 '
460 IF EOF(1) THEN 850
470 LINE INPUT #1, A$
480 IF A$ = "" THEN 460 ' SKIP NULL LINES
490 '
500 ' SKIP OVER STATEMENT NUMBERS
510 IF S = 1 THEN A$ = MID$( A$, INSTR( 1, A$, "" ) + 1 )
520 '
530 IF LEFT$( A$, 1 ) = " " THEN A$ = MID$( A$, 2 ) :
GOTO 530
540 IF LEFT$( A$, 2 ) = ".." THEN 460 ' SKIP COMMENTS
550 L = LEN( A$ )
560 IF LEFT$( A$, 1 ) <> "." THEN 620
570 R$ = RIGHT$( A$, L-1 ) ' GET REFERENCE
580 IF LEFT$( R$, 1 ) = " " THEN R$ = MID$( R$, 2 ) :
GOTO 580
590 PRINT #2, " REFERENCE "; R$
600 PRINT " REFERENCE "; R$
605 N = N + 1 ' COUNT NUMBER OF LINES IN OUTPUT FILE
610 GOTO 460
620 I = INSTR( 1, A$, ";" ) ' FIND END OF PAGE
630 P$ = LEFT$( A$, I-1 ) ' PAGE NUMBER
640 J = INSTR( I+1, A$, ";" ) ' FIND NEXT ;
650 IF J = 0 THEN J = L + 1
660 B$ = MID$( A$, I+2, J-I-2 ) + ";" + R$ + P$ ' ITEM
AND REF
670 IF LEFT$( B$, 1 ) = " " THEN B$ = MID$( B$, 2 ) :
GOTO 670
680 IF J = I + 2 THEN 740 ' SKIP IF NO ITEM
690 C$ = MID$( A$, I + 2 ) + ";" + R$ + P$ ' ITEM; KW; REF
700 IF LEFT$( C$, 1 ) = " " THEN C$ = MID$( C$, 2 ) :
GOTO 700
710 PRINT #2, C$
720 PRINT C$
730 N = N + 1 ' COUNT NUMBER OF LINES IN OUTPUT FILE
740 IF J = L + 1 THEN 460 ' NO MORE KEY WORDS
750 I = J ' FIND KEY WORDS
760 J = INSTR( I+1, A$, ";" )
770 IF J = 0 THEN J = L + 1
780 K$ = MID$( A$, I + 2, J - I - 2 ) + ";" ;
790 IF LEFT$( K$, 1 ) = " " THEN K$ = MID$( K$, 2 ) :
GOTO 790
800 PRINT #2, K$ + B$
810 PRINT K$ + B$
820 N = N + 1 ' COUNT NUMBER OF LINES IN OUTPUT FILE
830 IF J = L + 1 THEN 460 ' NO MORE KEY WORDS
840 GOTO 750 ' FIND NEXT KEY WORD
850 CLOSE
860 PRINT
870 PRINT N ; " LINES IN OUTPUT FILE " ; F2$
880 END

```

Description of SORT Program

The SORT program reads data from a file on disk into

Announcing AUTOGRAMMER.

Now you can write the programs your business needs—
even if you have no programming experience!

Until now, you either had to hire an expensive programmer to custom tailor existing software to your business, or else try to adapt your business to someone else's software. The classic dilemma of the square peg in the round hole.


But now there's Autogrammer. Software designed to let non-programmers generate their own programs. No need for programming knowledge. No need to learn any programming language. All you have to know are the needs of your own business.

EASY!

Autogrammer is as easy to use as a typewriter, yet so powerful it puts all the muscle of your computer right at your fingertips. Many applications require only 10 or 15 minutes to complete. What you type on the screen, Autogrammer turns into a machine-language program that's ready to run.

VERSATILE!

Autogrammer has thousands of applications for both business and personal needs. Inventory records, sales and earnings projections, tax calculations, forecasts, employees files, stock market analyses. Using Autogrammer, you can create even complex programs



such as tracking inventories, adding purchases, subtracting sales, crediting accounts, report and adjust for daily sales, add back to inventory, make adjustments for credits, defects, shipping charges, and much more. Having this kind of vital information available can simplify business decisions and save you money.

FLEXIBLE!

As your needs change, Autogrammer-generated applications can easily be revised, updated, expanded, or combined. Autogrammer writes finished, stand-alone programs which do not require Autogrammer for running. They work first time, every time. Everybody in your organization

can use Autogrammer to generate custom programs. It's so simple, anyone can become an Autogrammer quickly and easily.

Autogrammer allows you to print from screen with one simple command or list the entire data base. The optional Report Generator allows you to organize and then report from the data base in the format you choose.

Autogrammer by Roklan costs \$299.95 and is available for Tandy TRS-80* model II and soon for models I, III

and CP/M versions, with other versions soon to come. Optional Report Generator, \$199.00, for in-depth reporting from the data base.

LET'S FACE IT.

Nobody knows your business like you do. With Autogrammer, you can write your own programs and gain control of your own business by generating exactly the information you need.

Autogrammer for TRS-80* model II is available from H&E Computronics Inc. and other major distributors and dealers nationally.

The end of the square peg in the round hole.

*Registered trademark of Tandy Corp.

Roklan
Software

10600 W. Higgins Road, Suite 200, Rosemont, Illinois 60018

memory, sorts it alphabetically, and writes it back out to disk to another file. The maximum number of lines read in is 2000. The total number of characters read in must not exceed 29,000. These limitations can be changed by changing the CLEAR and DIM statements in the program.

Line 210 reserves 29,000 bytes for strings. This value may be adjusted up or down. Line 220 defines all variables starting with A and I through N as being integer variables. This is imperative for proper execution of the assembly language sort routine. Line 230 defines the maximum number of lines that can be read from disk. This value may be changed up or down. Line 240 clears the CRT. Lines 250-370 print the name of the program, its purpose, and a reminder that high memory must be set to 65279 for a 48K system. If high memory is not properly set, the program stops. Line 380 calls the subroutine that will load the assembly language sort routine. Lines 390-460 prompt for the file names and open the files. Lines 470-530 read the data from disk. Lines 540-550 calculate and print the number of lines read in. Line 570 calls the sort subroutine. Lines 590-630 write the sorted data to disk. Lines 640-660 print the total number of lines written to disk and print the output file name. Lines 670-770 load the assembly language sort routine into core. Lines 790-840 call the assembly language sort routine.

You may not make any changes in lines 800-840. These statements must remain unchanged. This sort routine will sort 400 lines of data in less than 3 seconds.

```

10 ' FROM SORT/BAS
20 ' TO SORT A FILE
30 ' MAX 2000 LINES
40 ' BY PETER ANSBACHER, 918 SOUTH RUSTIC ROAD, COLUMBIA,
MO 65201
50 ' MAY 1, 1981
60 ' THIS PROGRAM IS NOT COPYRIGHTED.
70 ' YOU MAY USE IT IN ANY WAY YOU LIKE.
80 ' ACKNOWLEDGEMENT OF ORIGINAL AUTHOR WOULD BE APPRECIATED.
81 ' NOTE: THE ASSEMBLY LANGUAGE ROUTINE ORIGINALLY CAME FROM
82 ' RADIO SHACK TRS-80 MICROCOMPUTER NEWS, JULY 1980.
90 '
100 ' NOTE: HIGH MEMORY MUST BE SET TO 65279
110 '
120 '
130 ' VARIABLES:
140 '
150 ' A$( ) = ARRAY OF LINES TO SORT
160 ' F1$ = INPUT FILESPEC
170 ' F2$ = OUTPUT FILESPEC
180 ' N = NUMBER OF LINES READ
190 ' I5, I6, I7, I8, I9 = TEMPORARY VARIABLES FOR SORT
ROUTINE
200 '
210 CLEAR 29000
220 DEFINT A,I-N
230 DIM A$(2000)
240 CLS
250 PRINT "SORT/BAS"
260 PRINT
270 PRINT "TO SORT A FILE"
280 PRINT
290 PRINT "***WARNING***"

```

```

300 PRINT
310 PRINT "HIGH MEMORY MUST BE SET TO 65279"
320 PRINT
330 PRINT "HAS THIS BEEN DONE (Y/N) ? " ;
340 LINE INPUT A$
350 IF LEFT$(A$, 1) <> "Y" THEN STOP
360 PRINT
370 PRINT "LOADING SORT ROUTINE, PLEASE WAIT . . ."
380 GOSUB 680 ' LOAD SORT ROUTINE
390 PRINT
400 PRINT "ENTER INPUT FILESPEC ? " ;
410 LINE INPUT F1$
420 OPEN "I", 1, F1$
430 PRINT
440 PRINT "ENTER OUTPUT FILESPEC ? " ;
450 LINE INPUT F2$
460 OPEN "O", 2, F2$
470 I = 0
480 LINE INPUT #1,A$(I)
490 IF EOF(1) THEN 520
500 I = I + 1
510 GOTO 480
520 '
530 CLOSE 1
540 N = I + 1
550 PRINT N ; " LINES READ IN"
560 PRINT "START OF SORT"
570 GOSUB 800 ' SORT DATA
580 PRINT "END OF SORT"
590 FOR I = 0 TO N-1
600 PRINT #2, A$(I)
610 PRINT A$(I)
620 NEXT I
630 CLOSE
640 PRINT
650 PRINT N ; " LINES IN OUTPUT FILE " ; F2$
660 END
670 ' TO LOAD SORT ROUTINE
680 DEFUSR = &HFF00
690 DIM I9(2)
700 I6 = 0
710 FOR I7 = 1 TO 203
720 READ I8
730 I6 = I6 + I8
740 POKE I7 - 257, I8
750 NEXT I7
760 IF I6 <> 25337 THEN STOP
770 RETURN
780 '
790 ' SORT DATA
800 I5 = 0
810 I9(0) = N
820 I9(1) = VARPTR( A$( 0 ) )
830 I5 = USR( VARPTR( I9( 0 ) ) )
840 RETURN
850 '
860 DATA 205,127,10,94,35,86,237,83,19,255,35,94,35,86,237,83
870 DATA 213,255,33,0,0,34,211,255,237,91,211,255,203,59,175
880 DATA 203,58,48,2,203,251,237,83,211,255,122,179,200,42,19
890 DATA 255,237,82,34,207,255,33,0,0,34,205,255,42,205,255,
34

```

"I believe Super Utility or Super Utility Plus should be present at every serious TRS-80 disk installation."

(We didn't say this; Paul Wiener did in 80 Micro-computing, Jan. '81. . .but we sure agree with him!)

Get Yourself a "Super" Utility from the most powerful software vendor.



NOW AT SPECIAL PRICES:

Super Utility*

- Mod I, single density only
- 24K machine language
- Zap
- Purge
- Format
- Special format
- Format without erase
- Disk copy
- Special disk copy
- Tape copy
- Disk repair
- Memory utility
- Protected disk
- MORE

• \$29.95
(Reduced from \$49.95)

*While they last!

Quick Fix*

- Mod I, single density only
- Zap
- Purge
- Format
- Format without erase
- Copy
- Disk repair
- Recover killed files
- Memory utility
- TRS DOS, New DOS + (2.1) only
- MORE

• \$19.95
(Reduced from \$34.95)

*While they last!

SuperUtility Plus

You heard about it! You read about it (80 Microcomputing). Now get the "cadillac" at a special price! Compatible with Mod I, and Mod III, and all the current operating systems! Copy files from any DOS to any DOS, Mod I or III, without converting!

- Zap
- Purge
- Format
- Special Format
- Format without erase
- Disk copy
- Special disk copy
- Tape copy
- Disk repair
- Memory
- File Utility Configurable System
- MUCH MORE
- Mod I & Mod III on Same Disk

• \$49.95
(Reduced from \$124.95)

Dealers! Place your orders now at this special price!

8/31/82 - LAST DAY ORDERS ACCEPTED AT THIS LOW PRICE - HURRY



11500 STEMMONS EXPRESSWAY, SUITE 125
DALLAS, TEXAS 75229
PHONE (214) 484-2976
MICRONET 70130.203

DEALER INQUIRIES INVITED



POWERSOFT IS A DIVISION OF BREEZE/QSD, INC.

Shipping is included in sales to Canada & U.S.

FOREIGN ORDERS ADD \$10

```

900 DATA 203,255,42,203,255,237,91,211,255,25,34,209,255,235,
33
910 DATA 0,0,25,25,25,229,237,91,203,255,33,0,0,25,25,25,237
920 DATA 75,213,255,9,235,225,9,229,213,14,0,126,71,26,184,48
930 DATA 3,14,1,71,175,176,40,25,197,19,35,78,35,70,197,225
940 DATA 235,78,35,70,197,225,193,26,150,56,10,32,39,19,35,16
950 DATA 246,203,65,32,31,209,225,6,3,78,235,126,113,235,119
960 DATA 35,19,16,246,42,211,255,235,42,203,255,175,237,82,34
970 DATA 203,255,48,144,24,2,209,225,42,205,255,17,1,0,175,25
980 DATA 34,205,255,237,91,207,255,237,82,218,58,255,195,24,
255

```

Description of the MERGE Program

The MERGE program will merge from 2 to 14 sorted files into one file. Before using this program, you must properly set the maximum number of files to use when you load BASIC. The default number is three. This program is primarily a stand alone program.

Lines 10-230 are comments about the program that are self explanatory. Line 240 clears 4000 bytes of storage for strings. This will allow for a maximum of 15 files each with a string of 255 characters. Line 250 defines all variables as integers. This is done to speed up execution time. Line 260 sets up an array to hold the current line in each file. Line 280 clears the CRT. Lines 290-450 print the program name, purpose, and get the names of all the files. Lines 480-500 get the first lines from each file. Lines 530-650 find the smallest line from each file and write it out to disk. This process is repeated until the end of all the input files are reached. Lines 690-730 get the next line from the desired file. If the end of file is sensed, then the value returned is CHR\$(255).

```

10 ' FROM MERGE/BAS
20 ' TO MERGE ALPHABETICALLY 2 TO 14 FILES INTO 1 FILE
30 ' BY PETER ANSBACHER, 918 SOUTH RUSTIC ROAD, COLUMBIA,
MO 65201
40 ' THIS PROGRAM IS NOT COPYRIGHTED.
50 ' YOU MAY USE IT IN ANY WAY YOU LIKE.
60 ' ACKNOWLEDGEMENT OF ORIGINAL AUTHOR WOULD BE APPRECIATED.
70 '
80 ' VARIABLES -
90 ' -----
100 '
110 ' A$(1-14) = LINE FROM EACH INPUT FILE
120 ' F$ = FILESPEC
130 ' N = NUMBER OF INPUT FILES
140 '
150 ' ASSUMPTIONS:
160 ' -----
170 '
180 ' 1. ALL FILESPECS ARE VALID
190 ' 2. NO LINE IN ANY FILE CONTAINS JUST A CHR$(255).
200 ' 3. AT LEAST 2 INPUT FILES ARE SPECIFIED.
210 ' 4. THE PROPER NUMBER OF FILES HAVE BEEN SPECIFIED
220 ' WHEN BASIC WAS LOADED.
230 '
240 CLEAR 4000
250 DEFINT A-Z
260 DIM A$(14)

```

```

270 '
280 CLS
290 PRINT "MERGE/BAS"
300 PRINT
310 PRINT "TO MERGE ALPHABETICALLY 2 TO 14 FILES INTO 1 FILE"
320 PRINT
330 PRINT "ENTER OUTPUT FILESPEC ? " ;
340 LINE INPUT F$
350 OPEN "0", 1, F$
360 FOR I = 1 TO 14
370 F$ = ""
380 PRINT
390 PRINT "ENTER INPUT FILESPEC OR <ENTER> FOR NO MORE ? " ;
400 LINE INPUT F$
410 IF F$ = "" THEN 450
420 OPEN "I", I + 1, F$
430 NEXT I
440 I = 15
450 N = I - 1
460 '
470 ' GET FIRST LINE FROM EACH FILE
480 FOR I = 1 TO N
490 GOSUB 690
500 NEXT I
510 '
520 ' FIND SMALLEST
530 J = 1
540 FOR I = 2 TO N
550 IF A$(I) >= A$(J) THEN 570
560 J = I
570 NEXT I
580 I = J
590 IF A$(I) = CHR$(255) THEN 640
600 PRINT #1, A$(I)
610 PRINT A$(I)
620 GOSUB 690
630 GOTO 530
640 CLOSE
650 END
660 '
670 ' SUB TO GET NEXT LINE FROM FILE # I
680 ' RETURNS A$(I) = NEXT LINE OR CHR$(255) IF EOF
690 IF EOF( I + 1 ) THEN 720
700 LINE INPUT # I + 1, A$(I)
710 RETURN
720 A$(I) = CHR$(255)
730 RETURN

```

Description of the LIST Program

The LIST program is a stand-alone program that lists ASCII files on the line printer. ASCII files can be created with the BASIC command SAVE"FILENAME",A which will save the program in ASCII format instead of compressed format. It allows you to specify the number of characters per line, to print each BASIC statement on one line for more readability, and to print line numbers for each line in case the file does not contain any line numbers.

Since this program was originally written and copyrighted by Radio Shack, I will refer you to the copy of the original

continued on page 42

LYNN'S A/R SYSTEM

12 Integrated Accounts Receivable Programs

Tested In Service For Over 3 Years

User's Comments: • menu driven • increased cash flow • saved over 50 hours a month in secretarial hours • almost completely eliminated billing errors • phone supported-ask for Ron.

LYNN'S A/R SYSTEM WILL

- print invoices
- tell you your a/r total, number of invoices outstanding, average per invoice
- tell you at any time how many invoices an individual account has open, the total amount owed, the average per invoice, the invoice date, and then invoice amount
- total sales on account for a given month, number of invoices sent, average sale per invoice
- how much an account purchased during month, how many invoices were sent, average invoice for month
- tell you what percent of sales an account is to total sales by month
- tell you what percent of a/r an account is
- print mailing labels for your accounts
- print statements at any time you want them (either individual or all accounts)
- print alphabetical hardcopy of accounts and account numbers
- print all items sold for month
- alphabetical sort of items sold by month
- this set of programs can be custom modified by you or us
- AND MUCH MORE!!

AGING REPORT FOR LYNN'S A/R SYSTEM

Aging Report 01/31/82 Page 1

Account	Current	30-60 Days	60-90 Days	90+ Days	Total
ABC Inc.	\$ 249.00	\$ 65.20	\$ 00.00	\$ 00.00	\$ 314.20
Old Co. Inc.	00.00	84.40	165.20	00.00	249.60
New Co. Inc.	97.75	00.00	00.00	00.00	97.75
Deadbeat Inc.	00.00	00.00	00.00	345.00	345.00
Totals	\$346.75	\$ 149.60	165.20	345.00	\$ 1,006.55

Aging reports can be compiled on a daily, weekly or monthly bases.

LYNN'S CHECKBOOK LEDGER SYSTEM

•Phone Supported Ask For Ron•

- saves hours of posting to general ledger • almost completely eliminates mathematical errors • menu driven • 200 expense fields • will handle 1,000 checks a month • will print checks with option to enter handwritten checks • will do reconciliation statement with hardcopy • will print hardcopy of field totals both by month, year to date and end of year • automatic account numbering • automatic field entry • will print hardcopy of checkbook register • debit and credit memo entry • alphabetical hardcopy of accounts payable and account numbers (machine language sort, very fast) • AND MUCH MORE! •

DATA BASE MANAGER BY WELLS

perfect tool for storing and maintaining mailing list, inventories, menus, collection records, article references, important dates, client records • all functions menu driven • easy to interface to word processors and communication programs • sort in ascending or descending order (fast machine language sort) • compact storage with minimum overhead • go from data base to visicalc and return • sort and select visicalc lines!! • interface to Radio Shack's "advanced statistical package"

LYNN'S

Account Receivable System	\$49 ⁹⁵
Account Receivable Aging Report	\$20 ⁰⁰
Checkbook Ledger System	\$69 ⁹⁵
Well's Data Base Manager	\$39 ⁹⁵


Add \$2.00 Freight and Handling.

Illinois Residents Add 6% Sales Tax

Send \$10.00 Per System
For Printouts and Documentation.
Credit Given on Order

Equipment Needed: 48K Model I or III,
Lineprinter, 2 Disk Drives.

The above programs will work on TRSDOS 1.2 and 1.3 for the Model III. NEWDOS, NEWDOS80, NEWDOS80 V2.0, LDOS and MULTIDOS for the Model I and III.



LYNN COMPUTER SERVICE
6831 W. 157 St.
Tinley Park, Illinois 60477
(312) 429-1915

COLOR COMPUTER CORNER

Joseph Rosenman

This month, I am going to begin a series of program reviews.

DIAGNOSTICS ROM

From: Radio Shack
System requirements: Any system.
Supplied on: ROM Pack.
Disk compatible: probably not.
Price: \$29.95

The DIAGNOSTICS ROM for the Color Computer tests all of the non-disk functions on the Color Computer. These tests include:

- 1) A test of the BASIC ROM (CRC check).
- 2) A test of the Extended BASIC ROM (also a CRC check).
- 3) A quick RAM test.
- 4) A long RAM test.
- 5) A video test.
- 6) An RS232 test.
- 7) A sound generation test.
- 8) A cassette test.
- 9) A keyboard test.
- 10) A joystick test.
- 11) A printer test.

The desired test is selected from a general menu.

The ROM tests perform a CRC (Cyclic Redundancy Check) of the ROM chip, and the result is displayed. Unfortunately, simply knowing the result isn't enough to determine whether or not your ROMs are still correct. You need to contact a RADIO SHACK store to get the correct values. Then, you can compare your values with the ones given by the store. Why would they do it that way? One explanation could be simple malice. The probable reason is that the software on the ROM chips will undergo occasional modification, changing the CRC result. Rather than publishing results that might become incorrect, they side-stepped the entire problem. Frankly, I think it would have been much better to list the currently known values (along with identifying serial numbers if any), and explain that the newer CRC values have to be gotten from a Radio Shack store.

The RAM tests—well, they test RAM. These tests will accommodate the 4K, 16K, or 32K systems. The quick test takes 40 seconds in a 4K system, somewhat over 3 minutes in a 16K system. The long test requires 15 minutes for a 4K system, and about 4 hours for a 16K system!

I found the Video test to be kind of silly. It displays all of the characters, then proceeds to display 2 faces, then 1, then 4, and nausea. Well, the booklet did say the tests were supposed to be "entertaining." I suppose you could be sure that the video display is correct if it looks OK. Only the first part of this test is of any real value.

The RS232 test will verify that RS232 port is working (at up to 4000 Baud). There is one catch: you have to get a

special cable that shorts out the transmit, receive, and status pins (everything except the ground). If this special connector is not present, the program will display "RS-232 PORT BAD", even though it might not be. If you ask me, since the ROM pack costs \$29.95, they could have afforded to throw in a test cable. Unless you intend to purchase this cable, you had better pass this test up (I made my own cable!). The RS232 port is optionally used with either a printer and/or a modem.

The Sound Test, a sound test. Of course, all it does is "sound off" (enough with the puns already). This test requires "operator participation." The test produces a sine wave that runs the gamut of the computers available range (the 6 bit test), then a single bit high frequency pulse. If it sounds OK, it probably is OK.

The cassette test will write out a data block containing every possible byte (0 to 255). Then, the block is read back in and compared to the correct values. A "CASSETTE GOOD" or "CASSETTE ERROR" message will be displayed depending on the results. Of course, you must load a cassette into the recorder, and rewind the cassette after the write phase.

The keyboard test is another "operator participation" test. You type on the keyboard and the screen fills with whatever value was typed. Hitting break will return to the menu. The ENTER key, CLEAR key, and SPACE key all display their respective names when typed.

The Joystick test is another one of those "strange" tests. Each joystick will cause a specific color to display on the screen. By moving the joysticks around, you can "paint the screen". The resolution is set so that every value the joystick can produce is represented by a screen location.

The last test is the printer test. This test will send every printable value (from 20H to 7FH) to the printer. It requires a "standard" serial printer (300 Baud).

Evaluation: Should you get this program? Well, I personally feel that the asking price is a bit high (you figure out what the price would be if you reset the high order bit!). Of course, the program is on the more expensive ROM pack. It is important to have some kind of system diagnostic test, to periodically verify the condition of your computer. All things considered, the diagnostic program is reasonably useful. Unless you know of a better program (or intend to write one), this program serves a necessary function. The greater the frequency of computer use, the greater the need to insure that the computer is functioning normally. The bottom line is, the program will verify the Color Computer's operation.

GHOST GOBLER

From: Spectral Associates, 141 Harvard Avenue, Tacoma, WA 98466, 206-565-8483
System requirements: 16K non-extended or extended

BASIC, and Joystick.
Supplied on: Cassette.
Disk compatible: Yes.
Price: \$21.95

This game is very similar to PAC-MAN. Let me say at the outset that it is VERY well done. Since PAC-MAN is so well known, I needn't go into an explanation of how the game works. The visual display is excellent, the sound is appropriate. The net effect is one of a "slick" arcade game. This program has all the "extras" you would expect from a quality game. There is special bonus scoring, as well as 16 progressively difficult levels of play. Since this program is in machine language, everything happens fairly quickly. The instructions describe how to save the program to disk (if you have a disk). Spectral Associates included several copies on both sides of the cassette tape, so the chance of getting an unusable copy is remote.

Although this game was not exactly slow, I felt that the game could have been somewhat faster. With that in mind, I can pass on a little trick. As I have mentioned in an earlier issue, there is a special internal switch (accessed by the software) that will double the speed of the CPU. This speed increase is not guaranteed by Radio Shack, and not EVERY Color Computer can work at the faster speed. The only way to know is to try it out. The command that increases speed is: POKE 65495,1 (from BASIC). Ghost Gobbler is an "autostart" program. That means that once the program has been loaded (with a CLOADM), it begins to execute. I discovered that you can force a return to BASIC by hitting the reset button after the program has loaded. You may then enter the high speed POKE. If you then type EXEC, you will start executing Ghost Gobbler at twice the speed! Make sure that you increase speed immediately after a fresh CLOADM. If you try to POKE the speed up before the CLOADM, the cassette will not load correctly. If you try after you have been playing for awhile, memory will be sufficiently scrambled so as to prevent a "normal" return to BASIC (followed by an EXEC).

Evaluation: An excellent game. This is the kind of software Color Computer owners should expect and demand. If you enjoy arcade type games, this is the program for you. Spectral Associates has a real winner with this one. Let's hope they continue to produce more games of this caliber soon.

SCEPTER OF KZIRGLA

From: Rainbow Connection Software, 3514 8th Place NW,
Rochester, MN 55901
System requirements: 16K Extended Basic.
Supplied on: Cassette tape.
Disk compatible: Yes (disk version).
Price: \$16.95 (\$21.95 for disk).

The Rainbow Connection has come up with an excellent adventure game. This game not only provides for the usual "explore the dungeons, fight the monsters, and get the treasure" scenario. It also makes intelligent use of the Color Computer and its special abilities. The game is played in

"real time." While you are waiting, creatures might be plotting against you! (You can freeze the action by using the SHIFT-@ combination). The dungeon has thirteen floors, each of which is projected onto the screen. The graphics used are not high resolution, but they appear quickly. Each image forms a workable map through which you guide your character. Special unknown objects appear as purple blocks (the walls are all yellow, and monsters are red). The sound reinforces the action as the game progresses (you can hear the echo growing more distant as you fall through the trap door!). You move around by using the arrow keys. You can choose to play the game as either a Magician or as a Warrior. The instruction manual includes ample details (including details of the 10 different types of monsters that might attack you, and the 7 available weapons). In addition to the motion commands, there are 5 special commands. With these commands, you can fly over walls with your magic carpet, or bribe a monster.

Evaluation: A very classy adventure. Once again, I feel that one of its strongest points is that it clearly "belongs" on the Color Computer. If adventure games are "your thing," try this one out. There are many areas in which adventure games could be "enhanced". Some of you might be familiar with the adventure game "ZORK". The sophisticated command line parser and syntax analysis section (the routine that allows you to type in normal English sentences), adds a great deal to adventure games. The problem is, you need A GREAT DEAL of memory. SCEPTER OF KZIRGLA barely fits into the 16K Color Computer. My only reservation is with the speed of play. Enough happens during the course of the game, that small delays are inevitable. The solution? Try the high speed POKE patch (described above) after the program is loaded. It works like a charm. Of course, the monsters can now scheme at double speed as well.

This issue marks the beginning of a series of Color Computer software reviews, which will include both Radio Shack and independent software. A computer is only as useful as the software that can be run on it, and the Color Computer should be judged along with quality software. I have written to a number of software companies requesting copies of their programs for review. Many have responded with some of their offerings. Both Spectral Associates and The Rainbow Connection were kind enough to provide samples of their programs. Needless to say, Radio Shack doesn't provide evaluation copies of their software. For the upcoming issues, I intend to review one Radio Shack program, and several "independents". In this way, I hope that all of us "Color Computer Users" will benefit by learning about what software is available. If YOU have a product for the Color Computer, or wish to know about a product, please write to Computronics and let me know about it.

Joseph Rosenman
35-91 161st Street
Flushing, New York 11358 ■

H & E COMPUTRONICS INC.

● ● ● EVERYTHING FOR YOUR TRS-80* ● ● ● MODEL I, MODEL II & MODEL III

* TRS-80™ is a trademark of Tandy Corp.

FROM

 RACET COMPUTES LTD.

- All orders processed within 24 Hours
- 30-Day money back guarantee
- Add \$3.00 for shipping in UPS Areas
- Add \$4.00 for C.O.D. or NON-UPS Areas
- Add \$5.00 to Canada or Mexico
- Add exact postage to all other countries

*** ESSENTIAL UTILITY PROGRAMS FOR EVERY TRS-80 OWNER ***

Facts About Racet Computes Utility Programs

- *** ALL PROGRAMS ARE WRITTEN IN MACHINE LANGUAGE
- *** ABSOLUTELY NO KNOWLEDGE OF MACHINE LANGUAGE IS NECESSARY TO USE ANY OF THE UTILITY PROGRAMS
- *** EACH UTILITY PROGRAM IS CALLED UP FROM **BASIC** USING THE SIMPLE BASIC COMMANDS PROVIDED
- *** EACH UTILITY PROGRAM COMES WITH A **RACET COMPUTES** INSTRUCTION MANUAL
- *** EACH INSTRUCTION MANUAL INCLUDES SEVERAL EXAMPLES OF UTILITY USAGE
- *** EACH UTILITY ALLOWS THE USER TO PERFORM CERTAIN BASIC OPERATIONS TEN, TWENTY OR MORE TIMES FASTER THAN THE EQUIVALENT BASIC ROUTINE (FOR EXAMPLE, **GSF** CAN SORT AN ARRAY OF 1000 RANDOM NAMES INTO ALPHABETICAL ORDER IN UNDER 9 SECONDS!!)

GSF (GENERALIZED SUBROUTINE FACILITY)

- SORTS 1000-ELEMENT ARRAYS IN 9 SECONDS
- SORTS UP TO 15 ARRAYS SIMULTANEOUSLY (MIXED STRING, FLOATING POINT AND INTEGER)
- SORTS SINGLE OR MULTIPLE SUBSTRINGS AS ASCENDING OR DESCENDING SORT KEYS
- READ AND WRITE ARRAYS TO CASSETTE
- COMPRESS AND UNCOMPRESS DATA IN MEMORY
- MOVE ARRAYS IN MEMORY
- DUPLICATE MEMORY
- FAST HORIZONTAL AND VERTICAL LINES
- SCREEN CONTROLS FOR SCROLLING THE SCREEN UP, DOWN, LEFT, RIGHT AND FOR GENERATING INVERSE GRAPHIC DISPLAYS
- ADDS PEEKS AND POKES (MOD-II VERSION ONLY)

MODEL-I VERSION \$25.00
 MODEL-II VERSION \$50.00
 MODEL-III VERSION \$30.00

DSM (DISK SORT MERGE)

- SORT AN 85K DISKETTE IN LESS THAN THREE MINUTES!
- SORTS LARGE MULTIPLE DISKETTE FILES ON A MINIMUM ONE DRIVE SYSTEM
- ALL RECORDS ARE PHYSICALLY REARRANGED-NO KEY FILES ARE REQUIRED
- SORTS RANDOM FILES CREATED BY **BASIC**, INCLUDING FILES CONTAINING SUB-RECORDS SPANNING SECTORS
- SORTS ON ONE OR MORE FIELDS IN ASCENDING OR DESCENDING ORDER
- FIELDS MAY BE STRINGS, INTEGER, BINARY INTEGER OR FLOATING POINT
- THE SORTED OUTPUT FILE MAY OPTIONALLY HAVE FIELDS DELETED, REARRANGED OR PADDED
- SORT COMMANDS CAN BE SAVED FOR REUSE
- SINGLE SORT, MERGE, OR MIXED SORT/MERGE OPERATIONS MAY BE PERFORMED
- SORTED OUTPUT MAY BE WRITTEN TO A NEW FILE, OR REPLACE THE ORIGINAL INPUT FILE

MODEL-I VERSION \$75.00
 MODEL-II VERSION \$150.00
 MODEL-III VERSION \$90.00

KFS-80 (KEYED FILE SYSTEM)

- CREATE ISAM FILES (INDEX SEQUENTIAL ACCESS METHOD)
- ALLOWS INSTANT ACCESS TO ANY RECORD ON YOUR DISKETTE
- INSTANTLY RETRIEVE RECORDS FROM MAILING LISTS, INVENTORY, ACCOUNTS RECEIVABLE OR VIRTUALLY ANY APPLICATION WHERE RAPID ACCESS IS REQUIRED TO NAMED RECORDS
- PROVIDES THE BASIC PROGRAMMER THE ABILITY TO RAPIDLY INSERT OR ACCESS KEYED RECORDS IN ONE OR MORE DATA FILES
- RECORDS ARE MAINTAINED IN SORTED ORDER BY A SPECIFIED KEY
- RECORDS MAY BE INSERTED OR RETRIEVED BY SUPPLYING THE KEY
- RECORDS MAY BE RETRIEVED SEQUENTIALLY IN SORTED ORDER
- RAPID ACCESS TO ANY FILE REGARDLESS OF THE NUMBER OF RECORDS
- MULTIPLE INDEX FILES CAN BE EASILY CREATED WHICH ALLOWS ACCESS OF A SINGLE DATABASE BY MULTIPLE KEYS (FOR EXAMPLE, BY BOTH NAME AND ZIP-CODE)

MODEL-I VERSION \$100.00
 MODEL-II VERSION \$175.00
 MODEL-III VERSION \$100.00

MAILLIST (A MAILING LIST DATABASE SYSTEM)

- IDEALLY SUITED FOR ORGANIZATION MAILING LISTS, PERSONAL ADDRESSBOOK, OR MAILING LISTS BASED ON DATES SUCH AS REMINDERS FOR BIRTHDATES OR DUES PAYABLE
- USED ISAM (INDEX SEQUENTIAL ACCESS METHOD) FOR RAPID ACCESS TIMES
- YOUR **MAILLIST** CAN ALWAYS BE SORTED AND MAINTAINED BY UP TO FOUR INDEX FILES (FOR EXAMPLE, NAME, ZIPCODE, DATE AND NUMBER)
- **MAILLIST** ALLOWS UP TO 30 ATTRIBUTES TO BE SPECIFIED (TO BE USED IN SELECTION OF SPECIFIED RECORDS WHEN GENERATING REPORTS OR MAILING LABELS)
- **MAILLIST** SUPPORTS BOTH 5 OR 9-DIGIT ZIPCODES
- PRINTING MAY BE STARTED OR ENDED AT ANY POINT IN THE LIST...THE USER CAN SPECIFY FIELDS OR CODES TO BE PRINTED
- CAPACITY IS 600 NAMES FOR MODEL-I, 3500 NAMES FOR MODEL II, 38,000 NAMES FOR MODEL II WITH HARD DISK DRIVE, 1200 NAMES FOR MODEL III

MODEL-I VERSION \$75.00
 MODEL-II VERSION \$150.00
 MODEL-III VERSION \$75.00

H & E COMPUTRONICS INC.

HSDS HARD DISK DRIVE SOFTWARE

- MAKES TRSDOS COMPATIBLE WITH MOST HARD DISK DRIVES.
- ADDS MANY EXTRA FEATURES TO TRSDOS. \$400.00

MODEL II FASTBACK — FULL DISK BACKUP IN 55 SECONDS

- IN BUSINESS TIME IS MONEY, AND ONE BACKUP IS WORTH A THOUSAND TEARS.
- WORKS ON SYSTEMS WITH 2 OR MORE DRIVES
 - CAN REPLACE YOUR EXISTING TRSDOS 1.2 OR 2.0 BACKUP UTILITY

MODEL II ONLY\$75.00

COMPROC (COMMAND PROCESSOR)

- AUTO YOUR DISK TO PERFORM ANY SEQUENCE OF INSTRUCTIONS THAT YOU NORMALLY GIVE FROM THE KEYBOARD (FOR EXAMPLE, INSERT THE DISKETTE, PRESS THE RESET BUTTON, YOUR COMMAND FILE COULD AUTOMATICALLY SHOW YOU THE DIRECTORY, SHOW THE FREE SPACE ON THE DISKETTE, LOAD A MACHINE LANGUAGE SUBROUTINE, LOAD BASIC, LOAD AND RUN A BASIC PROGRAM, AND SELECT A GIVEN ITEM ON YOUR MENU...ALL WITHOUT TOUCHING THE KEYBOARD!)

MODEL-I VERSION\$20.00
 MODEL-III VERSION\$30.00
NOT AVAILABLE FOR MODEL-II

DISCAT (DISKETTE CATALOG SYSTEM)

- THIS COMPREHENSIVE DISKETTE CATALOGUING/INDEXING UTILITY ALLOWS THE USER TO KEEP TRACK OF THOUSANDS OF PROGRAMS IN A CATEGORIZED LIBRARY...FILE INCLUDES PROGRAM NAMES AND EXTENSIONS, PROGRAM LENGTH, DISKETTE NUMBERS AND FREE SPACE ON EACH DISKETTE...KEEP A COMPLETE CATALOG OF THE DIRECTORIES ON ALL YOUR DISKETTES IN ALPHABETICAL ORDER (SORTED ON EACH DISKETTE...OR COMPLETE ALPHABETICAL LIST OF PROGRAMS ON ALL YOUR DISKETTES)

MODEL-I VERSION\$50.00
 MODEL-III VERSION\$50.00
 MODEL-II VERSION (SEE MODEL-II UTILITY PACKAGE)

BLINK (BASIC LINK FACILITY)

- LINK FROM BASIC PROGRAM TO ANOTHER SAVING ALL VARIABLES
- THE CHAINED PROGRAM MAY EITHER REPLACE THE ORIGINAL PROGRAM OR CAN BE MERGED BY STATEMENT NUMBER

MODEL-I VERSION\$25.00
 MODEL-III VERSION\$30.00
 MODEL-II VERSION (SEE MODEL-II UTILITY PACKAGE)\$50.00

INFINITE BASIC

- ADDS OVER 80 COMMANDS TO BASIC
- SORTING...STRING CENTERING/ROTATION/TRUNCATION...JUSTIFICATION...DATA COMPRESSION...STRING TRANSLATION/COPYING...SCREEN DISPLAY...SCROLLING...MATRIX OPERATIONS...SIMULTANEOUS EQUATIONS (THROUGH MATRIX INVERSION)...DYNAMIC ARRAY RESHAPING

MODEL-I VERSION\$50.00
 MODEL-III VERSION\$60.00
NOT AVAILABLE ON MODEL-II

INFINITE BUSINESS

- ADD ON PACKAGE TO INFINITE BASIC (REQUIRES INFINITE BASIC)
- ADDS PACKED DECIMAL ARITHMETIC WITH 127 DIGIT ACCURACY (+,0,./)
- COMPLETE PRINTER PAGINATION CONTROLS...AUTO HEADERS, FOOTERS AND PAGE NUMBERS
- BINARY SEARCH OF SORTED AND UNSORTED ARRAYS (INSTANT SEARCH OF AN ELEMENT WITHIN AN ARRAY)
- HASH CODES

MODEL-I VERSION\$30.00
 MODEL-III VERSION\$30.00
NOT AVAILABLE ON MODEL-II

REMODEL-PROLOAD

- THE ULTIMATE RENUMBERING PROGRAM...RENUMBERS ALL OR PART OF A PROGRAM (ALLOWS PARTIAL RENUMBERING IN MIDDLE OF PROGRAMS)
- PARTIAL OR COMPLETE MERGE OF TWO CASSETTE PROGRAMS

MODEL-I VERSION\$35.00
 MODEL-III VERSION\$35.00
NOT AVAILABLE ON MODEL-II

COPYSYS

- COPY AND VERIFY ALL MACHINE LANGUAGE (SYSTEM) TAPES WRITTEN IN STANDARD FORMAT...IF YOU BUY A MACHINE LANGUAGE PROGRAM, COPYSYS ALLOWS YOU TO EASILY COPY THE PROGRAM ONTO ANOTHER CASSETTE AS A BACKUP

MODEL-I VERSION\$15.00
 MODEL-III VERSION\$20.00
NOT AVAILABLE ON MODEL-II

MODEL-II UTILITY PACKAGE

- ESSENTIAL FOR EVERY MOD-II OWNER
- RECOVER AND REPAIR FILES AND DIRECTORIES (BY JUST ENTERING A SINGLE COMMAND)
- XCOPY...SIMILAR TO COPY BUT CAN COPY ANY NUMBER OF FILES AT ONE TIME FASTER AND MORE ACCURATE THAN COPY SINCE RECORDS ARE COPIED IN GROUPS RATHER THAN ONE RECORDS AT A TIME...USING XCOPY YOU CAN COPY FILES THAT CAN NOT BE COPIED USING THE COPY COMMAND
- SZAP...PROVIDES THE CAPABILITY TO READ AND MODIFY ANY SECTOR ON A DISKETTE
- XHIT...CAN BE USED TO REPAIR A DISKETTE DIRECTORY
- DCS...DIRECTOR CATALOG SYSTEM IS A UTILITY FOR THE MANAGEMENT OF USER DISKETTES...SETS OF A MULTIPLE DISKETTE DIRECTORY FILE (WITH UP TO 1200 INDIVIDUAL FILE NAMES)...ALLOWS SELECTIVELY LISTED OR PRINTED LISTS OF DIRECTORY FILES IN COMBINED SORTED ORDER (FOR EXAMPLE, LISTED ALPHABETICALLY BY DISKETTE...OR A COMPOSITE ALPHABETICAL LIST OF ALL YOUR DISKETTES!)
- DEBUG-II...ADDS SEVERAL FEATURES TO THE PRESENT TRSDOS DEBUG UTILITY INCLUDING SINGLE INSTRUCTION CYCLE, AUTO (LOOP) BREAKPOINTS, SUBROUTINE CALLING, BREAK-KEY DETECTION AND MANY OTHERS

MODEL-II ONLY\$150.00

MODEL-II DEVELOPMENT SYSTEM

- THIS PACKAGE IS A MUST FOR ASSEMBLY LANGUAGE PROGRAMMERS
- INCLUDES THE MICROSOFT EDITOR ASSEMBLER PLUS WITH ENHANCEMENTS FOR THE MODEL-II
- A COMPLETE DISASSEMBLER
- SUPERZAP FOR READING AND MODIFY ANY SELECTOR ON A DISKETTE

MODEL-II ONLY\$125.00

MOD-II BASIC CROSS REFERENCE UTILITY

- LIST OR PRINT A SORTED CROSS REFERENCE TO ALL NUMBERS OR VARIABLES WITHIN A PROGRAM
- LIST OF PRINT ALL LINE NUMBERS CONTAINING A SPECIFIED STRING OF CHARACTERS

MODEL-II ONLY\$50.00

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***

END USERS
CALL:

COMPUTRONICS
MATHEMATICAL APPLICATORS, INC.

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818



24 HOUR
ORDER
LINE
(914) 425-1535

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.,
CANADA AND MEXICO

FOR DEALER
INFORMATION CALL:

RACET COMPUTES

1330 N. GLASSEL, SUITE M, ORANGE CA 92667
(714) 997-4950

PRACTICAL BUSINESS PROGRAMS

THE TRANSPORTATION METHOD OF LINEAR PROGRAMMING

Steven M. Zimmerman, Ph.D., and L. M. Conrad

Copyright © Zimmerman & Conrad, 1982

The transportation method of linear programming is designed to handle a specialized set of problems associated with a from/to chart. Due to the fact many different business problems may be set up as from/to charts the transportation problem is a very useful tool to have available.

The program we developed may be used to maximize values or profits if they are known, or conversely it may be used to minimize cost. Examples of applications to which this program may be put include:

1. Minimizing the cost of shipping from a series of warehouses to a selection of customers.
2. Maximizing the profit of scheduling selected orders in available time periods.
3. Maximizing the profit associated with assigning selected individuals to known tasks.

The transportation model belongs to "assignment" type problems. The solution procedure presented here is one of a number of such procedures. In the April 1981 issue of H&E Computronics, Zimmerman and Bonner published a program for solving the zero-one assignment problem using the Flood method. This program uses some of the same type solution procedures developed for the earlier article, except this new approach is much broader in application.

Setting up the transportation model is one task you, the user, must become efficient with. We will review several detailed examples of how to set up a transportation problem. We assume you have never set up a problem of this nature before, so we will be very detailed. After we have set up several transportation models we will walk through how our program may be used for one of the examples.

TRANSPORTATION MODEL EXAMPLES

Two examples will be reviewed. They are the following:

1. Minimizing the cost of shipping from plants to warehouses

2. A production scheduling problem

Before starting our examples we must identify some terms. The place we are coming from is called a source. A source is found along the left hand side of the table. Another way of referring to a source is by its row number.

The place we are going is called a sink. Sinks are also referred to as columns.

A source is said to have a fixed maximum capacity while a sink is said to have a fixed minimum requirement for service. In the program, the sum of the capacities must be to the sum of the requirements. If you have excess capacity, extra dummy sinks may be added. If you have inadequate capacity, no mathematical model or program can help you.

The cost or profit associated with each source-sink combination must be identified. In the classic shipping example the distance may be used as a measure of cost of shipping from one location to another, while commercial shipping rates may be obtained and used as another measure of costs.

In a profit situation, the actual profit may have to be calculated. We realize the task of setting up a transportation problem is not easy. Setting up your problem gives the manager important information of how the business is operating, and in some circumstances, may be as important as the numbers calculated by the computer.

The numbers calculated by the computer are called the assignment. They tell the user how much capacity of a given source should be shipped to a given sink.

SHIPPING EXAMPLE

Assume your company owns four plants and five warehouses. (Our transportation program can handle any number of sources with a limitation of 13 sinks). We have set up a sample table of costs for this example:

	Sinks = warehouses					
	I	J	K	L	M	
Source A	10	12	33	12	34	Capacity = 102
= B	22	11	13	34	17	Capacity = 98
plants C	35	40	81	15	9	Capacity = 126
D	12	72	6	66	41	Capacity = 100
Requirements.....	75	125	100	50	76	

Sum of capacity = sum of requirements = 426

The four plants are identified as A, B, C, and D. Each of the four plants have a fixed capacity. The five warehouses are identified as I, J, K, L, and M. Each of these warehouses have a specified requirement.

In a real problem the requirements are usually very easy to determine, but the capacity is very difficult. You must come up with some measure of capacity in the same units as the requirements are measured. Even if the measure is a rough one, it is needed.

In cases where the capacity limit is an approximation, be careful in the interpretation of the results. In one application we were able to obtain a very efficient result by adjusting capacities, then rerunning the analysis, after we used a preliminary run of the program to show us where the capacities were needed.

One more point about the capacities and requirements. The sum of the two sets of numbers total 426. The program will not work unless the sum of the capacities are equal to the sum of the requirements.

In the first row, first column position is the value of 10. This means the cost of shipping from Plant A to Warehouse I is 10 cents per item or, \$10 per item, or \$10,000 per item, etc. To speed up the solution procedure we have used integer arithmetic whenever possible. You may have to code your data to get it to fit our program.

The limitation on our program is almost any number of sources and 13 sinks. However, the act of going from A to B is the same as going from B to A, mathematically in many cases you can turn the problem around if the need arises. We recently ran a 9 by 202 problem as a 202 by 9 with very satisfactory results. It took over 6 hours to run, and it was necessary to have a special version of the program compiled (Made into a machine language program) to complete the task, but the decisions had to be made, and the program was very useful in reducing the costs associated with this effort.

The solution which minimizes the cost of shipping 426 items from A,B ... D to I, J, ... M is:

		Sinks = warehouses					
		I	J	K	L	M	
Source A		75	27	0	0	0	Capacity = 102
= B		0	98	0	0	0	Capacity = 98
plants C		0	0	0	50	76	Capacity = 126
D		0	0	100	0	0	Capacity = 100
Requirements.....		75	125	100	50	76	

Sum of capacity = sum of requirements = 426

The above results say that, by shipping 75 items from A to I, 27 items from A to J, 98 items from B to J, 50 items from C to L, 76 items from C to M, and 100 items from D to K, the cost will be minimized. You may calculate the cost for this assignment as follows:

From	To	Assignment *	Cost	=	Subtotal
A	I	75	* 10	=	750
A	J	27	* 12	=	324
B	J	98	* 11	=	1078
C	L	50	* 15	=	750
C	M	76	* 9	=	684
D	L	100	* 6	=	600
Total					4186

No matter how you adjust the assignment, no matter what transfers are made, you will find no assignment which results in a cost less than 4186 units. You may find alternate assignments which give you this same results but none better.

The assignment is what is produced by the program we have prepared. Since we told the computer to minimize, it selected to assign the shipping to the row-column combinations which had the lowest costs.

PRODUCTION SCHEDULING

When using the transportation model for production scheduling, care must be taken in identifying the source of capacity, and the location of need. In general, capacity

comes from a place during a specified time period, and the need is similarly identified. Assume you have one plant and want to plan your product for April through August. Your capacities in hours are:

Plant A	Capacities
April	150
May	125
June	100
July	75
August	150

You have also identified your needs for a given product in terms of pieces. You know in this plant the production rate is 25 per hour. Your requirements in terms of pieces and hours are:

Period	Requirements	
	Pieces	Hours
April	3800	152
May	2000	80
June	2000	80
July	2000	80
August	2000	80

If you add up the capacities you will find 600 hours are available. Summing the requirements shows 472 hours are needed. We went through the exercise of converting pieces to hours to demonstrate the need to have both capacity and requirements in the same units. The excess of 600 over 472, or 128 hours must be assigned to a dummy demand which we will call DUMmonth.

The cost in the table must be associated with the units of capacity. For example, the cost to produce in a given month for the purpose of selling that same month, is \$12.00 per hour. We can construct the following incomplete table.

Source: Sink...	Month						
Month	April	May	June	July	August	DUMmonth	
April	12						Cap =150
May		12					Cap =125
June			12				Cap =100
July				12			Cap = 75
August					12		Cap =150
Requirements.....	152	80	80	80	80	128	

To determine the cost for DUMmonth, we will assume the cost of not producing is zero. This may not be true in all cases, but it is a method of using the transportation model.

We have assumed the cost of storing one item of production for a single month is \$0.25, and there is no shelf life limit in our sample application.

If we produce 25 items per hour and if it costs .25 per month to store an item then 25 * .25 or \$6.25 per month will be needed to store one hours worth of production. In two months the cost is assumed to be \$12.50. Note: If we put numbers with values to the right of the decimal point into our program's table the values will not be printed. They are there and will affect the outcome of the analysis.

The table now looks like the following:

Source: Sink--- Month							
Month	April	May	June	July	August	DUMmonth	
April	12	18.25	24.5	30.75	37	0	Cap =150
May		12	18.25	24.5	30.75	0	Cap =125
June			12	18.25	24.5	0	Cap =100
July				12	18.25	0	Cap = 75
August					12	0	Cap =150
Requirements.....	152	80	80	80	80	128	

Calculating an accurate cost for an order which is late is very difficult. There is no accounting procedure designed for this purpose. One way to avoid the issue and allow the use of our program is to use a number such as 99 for all late orders. This number is high, relative to the other numbers in the table, and will effectively force the scheduling of orders such as to eliminate late orders under most conditions. We decided to do this, and fed the following table into the computer.

Source: Sink--- Month							
Month	April	May	June	July	August	DUMmonth	
April	12	18.25	24.5	30.75	37	0	Cap =150
May	99	12	18.25	24.5	30.75	0	Cap =125
June	99	99	12	18.25	24.5	0	Cap =100
July	99	99	99	12	18.25	0	Cap = 75
August	99	99	99	99	12	0	Cap =150
Requirements.....	152	80	80	80	80	128	

The above table was analyzed by the program with the following assignment table being produced:

Source: Sink--- Month							
Month	April	May	June	July	August	DUMmonth	
April	150	0	0	0	0	0	Cap =150
May	0	80	0	0	0	45	Cap =125
June	0	0	80	5	0	15	Cap =100
July	0	0	0	80	0	0	Cap = 75
August	2	0	0	0	80	68	Cap =150
Requirements.....	152	80	80	80	80	128	

A careful review of the assignment table indicates a problem. Two items are scheduled for delivery in August to satisfy the April demand! The capacity of April is 150 hours and the April need is 152 hours. This means trouble beyond the ability of a computer program to solve. You the manager must take some action to solve this problem.

The extra capacity is allocated to May, June, and August. The only time it is necessary to produce and store is in June for the July demand.

Calculations of the costs are shown in the table at the top of the next column.

The program will do all the work for you including the above calculations. It will not do your thinking for you. You must analyze your situation and set up data which is meaningful and useful. You must carefully look over the results and determine if they are helpful to your business.

RUNNING THE PROGRAM

The program starts with credits and a request for a title

From	To	Assignment	*	Cost	=	Subtotal	
April	April	150	*	12	=	1800.00	
May	May	80	*	12	=	960.00	
May	DUMmonth	45	*	0	=	0.	
June	June	80	*	12	=	960.00	
June	July	5	*	18.25	=	91.25	
June	DUMmonth	15	*	0	=	0.	
July	July	75	*	12	=	900.00	
****	August	April	2	*	99	=	198.00
August	August	80	*	12	=	960.00	
August	DUMmonth	68	*	0	=	0.	
Total						5869.25	

and date. Identification of the problem and the date of analysis can be very important at some future time when an old run is being examined and used.

The display will look like the following:

A TRANSPORTATION PROBLEM

STEVEN M. ZIMMERMAN, PH.D. & LEO
M. CONRAD 1982
TITLE AND DATE (XX/XX/XX)?

After you have completed the title and date the program continues:

SELECT OUTPUT H HARD COPY AND CRT, C CRT ONLY,
R HARD COPY ONLY?

H and C will result in a series of paging instructions such as ENTER TO CONTINUE while R will result in continued production of output on the printer. When R is used the operator may have trouble reading the results as it is rapidly produced on the screen.

SELECT INPUT 0=READ 1=KEYS?

Built into the program coding is a sample problem you may change. Inputting data through the use of DATA statement may be a good selection for some situations. We will detail how to use this option when we review the program coding.

To use the DATA statement input 0 to the above question. To input data from the keyboard input a 1. We assume you inputted a one for this discussion.

The next question is:

NUMBER OF ROWS?

Each row contains a source of capacity. In the shipping example five rows were used; in the production example there were six rows. Assume we are inputting the shipping example. The proper answer to the question would be five.

The next question is:

NUMBER OF COLUMNS -LIMIT 13-?

In the shipping case six columns were needed. You may

wonder where the limit of 13 comes from. It is due to the size of the computer's screen. If more than 13 columns are used the output will not fit on the screen.

Input 6 and hit ENTER to continue to the next question:

1 FOR MINIMUM OR 2 FOR MAXIMUM?

The program will solve both minimization problems. Both our examples required an answer of one since they were both minimization problem. Input 1 and hit the ENTER key.

The next question is:

0 FOR WORK OR 1 FOR RESULTS ONLY?

Some of you may wish to watch the computer work through its solution procedure as it approaches the final solution. We needed to do this when we wrote the program in order to find and eliminate our errors. Some problems will take many pages of output if you decide to look at the detail work. We suggest you input 1 and hit ENTER for results only.

Our next question is:

```

5      ROWS BY      6      COLUMNS
ROW    1
?
```

The method we have selected to input our data may seem strange at first. As you use the program you will find the method is very efficient for large tables. The input for the first row of the shipping example should look like the following:

```

?10,12,33,12,34      followed by hitting the ENTER key
??                    followed by hitting the ENTER key again
ROW    2
?
```

Each row must now be inputted in turn. When you have put in the costs data you will see:

INPUT CAPACITIES

?

The program is designed for you to put the capacities in, one row at a time. In this case the order is 102 followed by an ENTER, 98 followed by an ENTER etc. After you have completed this task the next question you will see is:

INPUT REQUIREMENTS

?

The method of inputting requirements is the same as for capacities. They must be typed in one at a time. When you are finished the computer prints the input matrix for you to check, and then the solution. Since we have already detailed the results we will not repeat the results here.

```

10 CLEAR 100:DEFINT I,J,L:A$=" ### ":REM THIS IS "TRANS" A
TRANSPORTATION PROBLEM
20 CLS:!PRINT CHR$(23): PRINT "A TRANSPORTATION PROBLEM
": PRINT: PRINT "STEVEN M. ZIMMERMAN, PH.D & LEO M. CONRAD
1982"
30 WG=1: INPUT "TITLE AND DATE (XX/XX/XX)":T$,DD$:A1$="ROW
COLUMN"
```

CONVERT YOUR SERIAL PRINTER TO PARALLEL

The UPI serial printer interfaces allow an ASCII serial printer to be connected to the parallel printer port on TRS-80 Models I, II and III.

Software compatibility problems are totally eliminated because the TRS-80 "Thinks" that a parallel printer has been attached. No machine language driver needs to be loaded into high memory. VISACALC, SCRIPSIT, BASIC, FORTRAN, etc. all work as if a parallel printer was in use.

The UPI interfaces are completely self contained and ready to use. A 34 conductor cable and connector plugs onto the parallel printer port of the Model I expansion interface or onto the parallel printer port on the back of Models II and III. A DB25 socket mates with the cable from your serial printer. The UPI interfaces convert the parallel output of the TRS-80 printer port into serial data in both the RS232-C and 20 MA. loop formats.



BINARY DEVICES
Formerly SPEEDWAY ELECTRONICS
11560 TIMBERLAKE LANE
NOBLESVILLE, IN 46060
(317) 842-5020

TRS 80 is a trademark of Tandy

VISA MasterCard

Switch selectable options include:

- Linefeed after Carriage Return
- Handshake polarity (RS232-C)
- Nulls after Carriage Return
- 7 or 8 Data Bits per word
- 1 or 2 Stop Bits per word
- Parity or no parity
- ODD or EVEN parity

NEW VARIABLE BAUD RATE MODELS

Switch selectable from 110-4800 BAUD

UPI-3VB for models I or II	\$159.95
UPI-2VB for model II	\$159.95

CLOSEOUT ON SINGLE BAUD RATE MODELS

Our UPI-2 and UPI-3 will drive virtually any ASCII serial printer.

UPI-3 for model I or III	Closeout \$109.95
UPI-2 for model II	Closeout \$109.95

Specify BAUD rate 50-4800. Quantities limited.

Shipping and handling on all orders. \$4.00
90 day warranty on all interfaces
Ten day return privilege on UPI-3VB and UPI-2VB
Longer cables available

```

40 CLS: INPUT "SELECT OUTPUT H HARD COPY AND CRT, C CRT ONLY,
R HARD COPY ONLY";P$:IF P$="R" OR P$="C" OR P$="H" THEN 60
50 GOTO 40
60 INPUT "SELECT INPUT 0=READ 1=KEYS ";IP:IF IP=0 THEN 1120
70 IF IP < 1 THEN 60
80 INPUT "NUMBER OF ROWS";NR%:INPUT "NUMBER OF COLUMNS -LIMIT
13-";NC%:DIM A(NR%,13),B(NR%,13),IQ%(NR%,13),C%(NC%),R%(NR%),
IC%(NR%),IR%(NC%),RO%(NR%),CO%(NC%),IA%(NR%),JA%(NC%),
IP%(NR%),JP%(NC%)
90 IF NC% > 13 THEN PRINT "OVER COLUMN LIMIT":END
100 INPUT "1 FOR MINIMUM OR 2 FOR MAXIMUM";K%: INPUT " 0 FOR
WORK OR 1 FOR RESULTS ONLY";NC
110 PRINT NR%," ROWS BY",NC%," COLUMNS":FOR I=1 TO NR%: PRINT
"ROW ",I: INPUT A(I,1),A(I,2),A(I,3),A(I,4),A(I,5),A(I,6),
A(I,7),A(I,8),A(I,9),A(I,10),A(I,11),A(I,12),A(I,13): NEXT I
120 SC%=0:SR%=0
130 PRINT "INPUT CAPACITIES": FOR I=1 TO NR%: INPUT IC%(I):
SC%=SC%+IC%(I): NEXT I: PRINT "INPUT REQUIREMENTS": FOR J=1
TO NC%: INPUT IR%(J): SR%=SR%+IR%(J): NEXT J: IF SR% <> SC%
THEN PRINT "CAPACITY<->REQUIREMENTS TRY AGAIN": GOTO 120
140 PRINT "THIS IS THE INPUT MATRIX": PRINT A1$: FOR J=0 TO
NC%: PRINT USING A$;J;: NEXT J: PRINT : FOR I=1 TO NR%: PRINT
USING A$;I;: FOR J=1 TO NC%: PRINT USING A$;A(I,J);: NEXT J:
PRINT USING A$;IC%(I): NEXT I
150 PRINT USING A$;0;: FOR J=1 TO NC%: PRINT USING A$;
IR%(J);: NEXT J: PRINT
160 IF P$="H" OR P$="R" THEN LPRINT " THE TRANSPORTATION
PROBLEM": LPRINT " ": LPRINT " STEVEN M. ZIMMERMAN,
PH.D. & LEO M. CONRAD 1982"
170 IF P$="H" OR P$="R" THEN LPRINT " INPUT MATRIX": LPRINT "
": LPRINT "TITLE :",T$: LPRINT"DATE :",DD$: LPRINT A1$: FOR
J=0 TO NC%: LPRINT USING A$;J;: NEXT J: LPRINT " ": FOR I=1 TO
NR%: LPRINT USING A$;I;: FOR J=1 TO NC%: LPRINT USING
A$;A(I,J);: NEXT J: LPRINT USING A$;IC%(I): NEXT I
180 IF P$="H" OR P$="R" THEN LPRINT USING A$;0;: FOR J=1 TO
NC%: LPRINT USING A$;IR%(J);: NEXT J: LPRINT " "
190 IF P$="C" THEN INPUT"ENTER TO PAGE";DU$
200 IF K%=1 THEN 240
210 M=0
220 FOR I=1 TO NR%:FOR J=1 TO NC%:IF A(I,J) > M THEN M=A(I,J)
230 NEXT J: NEXT I: FOR I=1 TO NR%: FOR J=1 TO NC%:
A(I,J)=M-A(I,J): NEXT J: NEXT I: ZZ=M
240 FOR I=1 TO NR%: TM=A(I,1): FOR J=1 TO NC%:IQ%(I,J)=0:
IF A(I,J) < TM THEN TM=A(I,J)
250 NEXT J: FOR J=1 TO NC%:B(I,J)=A(I,J)-TM: NEXT J: NEXT I
260 FOR J=1 TO NC%:TM=B(I,J): FOR I=1 TO NR%: IF B(I,J) < TM
THEN TM=B(I,J)
270 NEXT I: FOR I=1 TO NR%:B(I,J)=B(I,J)-TM: NEXT I: NEXT J
280 FOR I=1 TO NC%:CO%(I)=0:C%(I)=0: NEXT I
290 FOR I=1 TO NR%: FOR J=1 TO NC%: IF B(I,J) <> 0 THEN 320
300 IA=IC%(I)-RO%(I):IB=IR%(J)-CO%(J):IM=IA: IF IM > IB THEN
IM=IB
310 IQ%(I,J)=IQ%(I,J)+IM:RO%(I)=RO%(I)+IM:CO%(J)=CO%(J)+IM
320 NEXT J
330 NEXT I
340 FOR J=1 TO NC%:TT=IR%(J)-CO%(J):IF TT > 0 THEN 360
350 C%(J)=1
360 NEXTJ
370 J=0
380 J=J+1:IF C%(J)=1 THEN 420
390 FOR I=1 TO NR%:IF R%(I)=1 THEN 410

```

```

400 IF B(I,J)=0 THEN 430
410 NEXT I
420 IF J<NC% THEN 380 ELSE 990
430 B(I,J)=-2:R%(I)=0:TT=IC%(I)-RO%(I): IF TT>0 THEN 720
440 R%(I)=1: FOR II=1 TO NR%: IF R%(II) <> 1 THEN 500
450 FOR JJ=1 TO NC%: IF C%(JJ) <> 1 THEN 490
460 IF IQ%(II,JJ)=0 THEN 490
470 IF B(II,JJ) <> 0 THEN 490
480 C%(JJ)=0:B(II,JJ)=-1
490 NEXT JJ
500 NEXT II
510 FOR JJ=1 TO NC%: IF C%(JJ)=1 THEN 550
520 FOR II=1 TO NR%: IF R%(II)=1 THEN 540
530 IF B(II,JJ)=0 THEN 370
540 NEXT II
550 NEXT JJ
560 TM=99999
570 FOR I=1 TO NR%:J=0: IF R%(I)=1 THEN 620
580 J=J+1: IF C%(J)=1 THEN 610
590 IF B(I,J)<0 THEN 610
600 IF B(I,J) < TM THEN TM=B(I,J)
610 IF J<NC% THEN 580
620 NEXT I
630 FOR I=1 TO NR%:J=0: IF R%(I) <> 1 THEN 660
640 J=J+1: IF B(I,J) > -1 THEN B(I,J)=B(I,J)+TM
650 IF J<NC% THEN 640
660 NEXT I
670 J=0
680 J=J+1:IF C%(J)=1 THEN 710
690 FOR I=1 TO NR%: IF B(I,J) > -1 THEN B(I,J)=B(I,J)-TM
700 NEXT I
710 IF J<NC% THEN 680 ELSE 370
720 M2=99999: KA=0: KP=1: MY=1: MX=IC%(I)-RO%(I): IP%(1)=I:
JP%(1)=J: JT =1: IF M2>MX THEN M2=MX
730 IT=0: FOR II=1 TO NR%: IF B(II,J) <> -1 THEN 750
740 KA=KA+1:IA%(KA)=II:JA%(KA)=J:KS=II:MY=2:IT=8: GOTO 760
750 NEXT II: IF IT=0 THEN 870
760 IF M2>IQ%(KS,J) THEN M2=IQ%(KS,J)
770 FOR L=1 TO NC%: IF B(KS,L) <> -2 THEN 790
780 KP=KP+1:IP%(KP)=KS:JP%(KP)=L:IT=9: GOTO 800
790 NEXT L: IF IT <> 9 THEN 870
800 J=L: IF JT=1 THEN 840
810 IF MI=0 THEN 730
820 MI=IC%(KS)-RO%(KS): IF M2<MI THEN M2=MI
830 JT=1: GOTO 730
840 MI=IR%(J)-CO%(J): IF MI=0 THEN 730
850 IF M2>MI THEN M2=MI
860 JT=2: GOTO 730
870 IF MY<1 THEN 900
880 MT=IR%(J)-CO%(J): IF M2>MT THEN M2=MT
890 IQ%(I,J)=IQ%(I,J)+M2:RO%(I)=RO%(I)+M2:CO%(J)=CO%(J)+M2:
GOTO 920
900 FOR I=1 TO KA: IQ%(IA%(I),JA%(I))=IQ%(IA%(I),JA%(I))-M2:
RO%(IA%(I))=RO%(IA%(I))-M2:CO%(JA%(I))=CO%(JA%(I))-M2:NEXT I
910 FOR I=1 TO KP: IQ%(IP%(I),JP%(I))=IQ%(IP%(I),JP%(I))+M2:
RO%(IP%(I))=RO%(IP%(I))+M2:CO%(JP%(I))=CO%(JP%(I))+M2:NEXT I
920 I=1
930 IF I>NR% THEN 970
940 R%(I)=0: FOR J=1 TO NC%:C%(J)=0: IF B(I,J)<0 THEN
B(I,J)=0
950 NEXT J

```

```

960 I=I+5: GOTO 930
970 IF NC<> 1 THEN 1010 ELSE 340
980 FOR J=1 TO NC%:IT=IR%(J)-CO%(J): IF IT=0 THEN C%(J)=1:
GOTO 340
990 FOR J=1 TO NR%:IT=IC%(J)-RO%(J): IF IT <> 0 THEN 560
1000 NEXT J:WG=0
1010 PRINT A1$: PRINT A2$: PRINT USING A$;0;: FOR I=1 TO NC%:
PRINT USING A$;I;: NEXT I: PRINT: FOR I=1 TO NR%: PRINT USING
A$ ;I;: FOR J=1 TO NC%: PRINT USING A$;IQ%(I,J);: NEXT J:
PRINT USING A$;IC%(I): NEXT I
1020 PRINT USING A$;0;: FOR J=1 TO NC%: PRINT USING A$;
IR%(J);: NEXT J: PRINT
1030 IF P$="H" OR P$="R" THEN LPRINT"ROW
COLUMN": LPRINT USING A$;0;: FOR J=1 TO NC%:
LPRINT USING A$;J;: NEXT J: LPRINT " "
1040 IF P$="H" OR P$="R" THEN FOR I=1 TO NR%: LPRINT USING
A$;I;: FOR J=1 TO NC%: LPRINT USING A$;IQ%(I,J);: NEXT J:
LPRINT USING A$;IC%(I): NEXT I: LPRINT USING A$;0;: FOR J=1
TO NC%: LPRINT USING A$;IR%(J);: NEXT J: LPRINT " "
1050 IF WG=0 THEN 1080
1060 IF P$="R" THEN 340
1070 INPUT "HIT RETURN TO PAGE";G$: GOTO 340
1080 SU=0: FOR I=1 TO NR%: FOR J=1 TO NC%: IF K%=1 THEN
SU=SU+IQ%(I,J)*A(I,J) ELSE SU=SU+IQ%(I,J)*(ZZ-A(I,J))
1090 NEXT J,I
1100 PRINT " VALUE IS ";SU: IF P$ <> "C" LPRINT "VALUE IS ";SU
1110 END
1120 READ NR%,NC%: DIM A(NR%,13), B(NR%,13), C%(NC%),
IQ%(NR%,13), R%(NR%), IC%(NR%),IR%(NC%), RO%(NR%), CO%(NC%),
IA%(NR%), JA%(NC%), IP%(NR%), JP%(NC%): READ K%,NC
1130 DATA 6,5
1140 DATA 1,1
1150 FOR I=1 TO NR%: READ A(I,1),A(I,2),A(I,3),A(I,4),A(I,5),
A(I,6),A(I,7),A(I,8),A(I,9),A(I,10),A(I,11),A(I,12),A(I,13):
NEXT I
1160 DATA 8,3,2,7,5,0,0,0,0,0,0,0,0
1170 DATA12,9,7,9,13,0,0,0,0,0,0,0,0
1180 DATA6,2,3,8,2,0,0,0,0,0,0,0,0
1190 DATA 1,5,9,8,7,0,0,0,0,0,0,0,0
1200 DATA 2,5,8,9,8,0,0,0,0,0,0,0,0
1210 EATA 1,2,6,9,7,0,0,0,0,0,0,0,0
1220 FOR I=1 TO NR%: READ IC%(I): NEXT I
1230 DATA 1,5,2,6,8,1
1240 FOR J=1 TO NC%: READ IR%(J): NEXT J
1250 DATA 9,6,2,5,1
1500 GOTO 140

```

EXAMINING THE PROGRAM

Lines 10 through 200 are designed to input the data and instructions. If you are solving a maximum problem, lines 210 through 230 are used to convert a profit table into an opportunity cost table. The assignment which minimizes the opportunity cost table is found. This assignment is the same assignment which maximizes the original profit table.

From line 240 through line 1000 the program is designed to find the assignment which minimizes the table inputted. Line 1010 begins the output of results.

Of particular interest to you, the user, are lines 1120 on. In these lines you will find the DATA statements which you may use to input your data.

continued on page 33

PONY EXPRESS™

Finally
The most complete mailing program
ever designed, used for many years
by large corporations and organizations

**Now Available for the Trs 80*
Models I and III**

Following are some of the features of
PONY EXPRESS

- ★ Unlimited amount of files
- ★ 1400 records on a Model III 40 track diskette
- ★ Fast machine code sort
- ★ Records can be sorted by name, zip code, zip and name, zip and address
- ★ Records can be printed on labels one to five across
132 character wide paper
80 character wide paper
or with cheshire format
- ★ Print your own return address labels or any other one to five line message
- ★ Records can be selected by an unlimited amount of selection codes.
- ★ Automatic repeat routines for ease of entering records
- ★ Codes can be used instead of titles for greater efficiency during input
- ★ Unique correction and deletion routines for ease of updating files
- ★ Self-documenting and extensive documentation so that **anyone** can learn how to use **PONY EXPRESS** in less than an hour

Special Introductory Offer
\$99.00

Call or Write to
COMPUTECH

975 Forest Avenue
Lakewood, New Jersey 08701
(201) 364-3005

Master Charge and Visa accepted,
add \$2.50 Shipping and Handling.
N.J. residents add 5% sales tax.

*Trs 80 is a trademark of Tandy Corp.

BEGINNER'S CORNER

Lend an Ear to the Big Boys (Part 1 of 2)

Spencer Koenig

As the sign above says, "lend an ear." It seems the pros have a great deal to say and a great deal to offer to those computer ears of that ever famous team, Big and Little Business. Don't get me wrong, they have lots of appeal to the individual as well, as you will (I hope) clearly see.

Welcome back. As you recall the subject last time was bulletin boards. However those boards that I spoke about were run by small businesses or just plain folk. It seems the more I wrote about them the more possibilities came to mind. If you think about it, though, who would be the likeliest to take advantage of the latest in technologies of telecommunications?

The answer is obviously those who can afford to get the super software and super equipment. Quick, name two companies that are essentially super bulletin boards. If you said COMPUSEVE or THE SOURCE, you be absolutely correct. If you said some others, fine. However, these are the guys I'm gonna write about. OK?

To be fair I'll discuss them in alphabetical order. CompuServe is available to the public, as long as you have a terminal or smart terminal package. You can purchase time on the system from Radio Shack via Videotex. I recommend you read Joseph Rosenman's article to get some of the basic information about the package itself.

What I find interesting about the whole idea of these bulletin boards is that they can become extensions of your own machine. You can download programs, newspaper articles, purchase documentation to the system, locate various items for purchase that are not available in your area and the list goes on. In short the systems become a window to the world, quite literally.

Take a quick glance through example 1, and you will find the complete list of news and alternative information sources available at the time I logged on.

EXAMPLE 1. (some interesting and useful "information provider codes")

The main categories are: (Sounds like some academy or other)

NEWSPAPERS----HOM - Home Services
FIN - Business and Financial
PCS - Personal Computing.

And in an official CPU tone, the service tells you that "The following lists the Information Provider codes that can be found in each of these main areas": (I.P.C.'s will be explained shortly)

NEWSPAPERS

CDP - Columbus Dispatch
NYT - New York Times
VPL - Virginia Pilot-Ledger
TWP - The Washington post
SFC - San Francisco Chronicle
SFE - San Francisco Chronicle
LAT - Los Angeles Times
MST - Minneapolis Star Tribune

AJC - Atlanta Journal Constit.
SPD - St. Louis Post Dispatch
MDN - Middlesex Daily News

HOME SERVICES

WEA - Weather
ASI - Aviation Safety Institute.
BHG - Better Homes & Garden
NMM - Movie Reviews
PSE - Popular Science - Energy
PSP - Popular Science - New Prod
TFF - The Future File
TRB - The Refundle Bundle
GPO - Government Publications
VIF - Video Information
TCB - The College Board
TMC - The Multiple Choice

BUSINESS AND FINANCIAL SERVICES

CNS - Commodity News Service
INV - Investment News and Views
SBR - Small Business Report
ACR - Archer Commodity Report
FED - The Federal Report

PERSONAL COMPUTING SERVICES

ATR - Atari Newsletter
RCA - RCA Newsletter
TRS - Tandy Newsletter
MCS - Microsoft Newsletter
TMA - The Micro Advisor

I think it's pretty incredible that all this can be made available instantly. No matter how much I've seen or read about this kind of INSTANT SOCIETY THROUGH INSTANT INFORMATION, (just add cpu and mix) I think it's terrific and frightening at the same time, especially when it happens to me on a first hand basis.

In EXAMPLE 2, I have the commands in the order as they appear on the CompuServe listing. They're straight forward and easy to understand. I suggest that you study them before logging on so that you can make best use of the system. Remember when you log on to this board you are paying for it.

EXAMPLE 2. - Brief Command Summary

T - TOP menu page
M - previous MENU
F - FORWARD a page
B - BACK a page
H - HELP
R - RESEND a page
S n - SCROLL from item "n"
G n - GO directly to page "n"
N - display NEXT menu item
P - display PREVIOUS menu item

Many of the commands can be abbreviated so that they're unique. The exceptions are commands that exit the menus such as MICRONET or EXIT which can only be abbreviated to a minimum of 3 characters.

As for control keys, be sure to terminate all commands with a <Carriage Return>. To interrupt a display output use a control-P(ause).

In example 3 you will find the commands and their descriptions, to help you in accessing the CompuServe Information Service with time conserving ease. There are so many options available on the "professional" board that it will probably take a while to become fluent in their use, but that's half the fun, isn't it?

EXAMPLE 3 (commands and their meaning)-----

T - TOP

TOP menu page. This command takes you right to first page of the compuserve data base. In other words, from where ever you are to the Compuserve information service (CIS-1) page one.

M - MENU

Previous MENU. The M command goes back to the menu page that points to the current page. This command will appear at the end of the paragraph in case you don't wish to continue. A single <ENTER> will also return to the last menu as long as the page you're on is the last page.

G - GO

Go n GO directly to page "n." Do not pass go. Do not collect 200 dollars (sounds familiar, huh?). "N" may either be an "information provider/number" combination (this term is explained a little further down the page), like TRS-1, or a number alone.

H - HELP

HELP lists this help file (which is in standard Compuserve semi-antisetic computer tone).

S - SCROLL

S n SCROLL from item "n." The "S" command will continously output pages until the last page in a series is reached. If you happen to be at a menu page, then the "n" will specify the menu item from which to scroll.

OFF or BYE

OFF (your rocker) or BYE (BYE Blackbird), (I hope you can figure out what these are supposed to accomplish, but, just to be thorough) these commands will disconnect you from Compuserve

F - FORWARD

FORWARD (a page) will display the next page. A single <ENTER> key does the same thing.

B - BACKWARD

You guessed it. This is the opposite of forward and it also "takes you back" (I love that phrase) to the previous display.

P - PREVIOUS

BYTEWRITER DAISY WHEEL PRINTER

NEW / NOT REFURBISHED

**LETTER QUALITY PRINTER AND TYPEWRITER
IN ONE PACKAGE**

ONLY

\$795

plus shipping

The BYTEWRITER is a new Olivetti Praxis electronic typewriter with a micro-processor controlled driver added internally. No software driver needed.

Maybe we goofed by not charging more for a **DAISY WHEEL PRINTER**

What's wrong with it?

We guess everyone must be getting used to paying over \$2000 for a new Daisy Wheel Printer and over \$1500 for a refurbished Daisy Wheel Printer. Anything that costs less must be junk. Right?

WRONG!

The BYTEWRITER is not only cheaper it is better!

Following are some of the features of

BYTEWRITER

- ★ 10, 12, or 15 characters per inch switch selectable
- ★ Interchangeable daisy wheel - many different typestyles readily available
- ★ Correctable Electronic Typewriter operation with nothing to disconnect
- ★ Correctable film or nylon cartridge ribbon
- ★ Self test program built in
- ★ Only 14 internal moving parts for incredible reliability, ease, efficiency and accuracy
- Two keyboard positions for standard American type or special characters for foreign languages

Centronics compatible parallel input operates with TRS-80, APPLE, IBM and many others

Call or Write to

COMPUTECH

975 Forest Avenue
Lakewood, New Jersey 08701
(201) 364-3005

Master Charge and Visa accepted,
N.J. residents add 5% sales tax.

Means you want to go to the PREVIOUS item from last selected menu. For example, if 6 was your last choice, PREVIOUS will display item 5. Clever huh?

R - RESEND

RESEND the current page. This is useful if the current page has scrolled off the screen, which can happen quite a bit. It's also useful if you found that you needed a HELP command and you want to return from whence you came.

Information Provider Codes (Finally!!) ---- These are the three-digit codes shown in example 1. When used together with the G or GO command, you move directly to any item of interest on the service.

Some of the micro-computer extension capabilities (See, I can write jargon too!) offered by CIS is the ability to store and retrieve a great deal of information. Some of which Joseph spoke about in his article, but, because he was using his color computer, he wasn't able to utilize.

One example should be obvious. You can save information from the big system to your system for later use. This can be very important, especially if you access the DOW JONES type of information. It's also possible to save information on the system disks available to all users (Joe mentioned this). Personally I prefer the former situation of downloading onto my system.

OK, enough about the business end of this mind boggling present tense sci-fi real-time reality. I want to talk about what it was like and what I did on the system. The first time I tried to log on I wasn't too successful. I purchased the Radio Shack Videotex system and filled out the required forms. The forms weren't necessary to log on to the system but they are if you intend to continue using the system. In the package you get a password and I.D.

When I first attempted to log on the system didn't recognize either of my required codes. The system does have an alternative outlined in the package. Just be careful when reading the documentation, it can be confusing at first.

Once I was logged on, I perused the various menus for items of interest. My particular leanings are towards multiple player space games and adventures. I found two that looked interesting and successfully got into the games. One of the outcomes can be seen in examples 4a-e.

EXAMPLE 4A

DECWAR Version 2.3, 20-Nov-81

Are you:

- 1 Beginner
- 2 Intermediate
- 3 Expert

Which? 1

EXAMPLE 4B

Current output switch settings:

Medium output format.
Normal command prompt.
Long SCAN format.

Absolute coordinates are default for input.
Both coordinates are default for output.
Terminal type: PRegame

EXAMPLE 4C

There are Romulans in this game.
Black holes are NOT in this game.

1 Romulan in game

1 Federation ship in game
1 Empire ship in game

3 Federation bases in game
6 Empire bases in game

10 neutral planets in game
2 Federation planets in game
11 Empire planets in game

EXAMPLE 4D

Your name please: SSPPEENNCCEERR

Enter HELp, PRegame, or blank
line: HHEELLPP

(The double letters were due to a wrong setting on my terminal not because of fear or anything like that, got it?)

For a list of commands type HELP *
For help on a particular command type HELP command

EXAMPLE 4E

Besides commands, help is also available for:

CTL-C INTRO HInts INput Output PAuses
PRegame

Upper case letters mark the shortest acceptable abbreviation.

Commands are:

BAses, BUild, Capture, Images, DOck, Energy, Gripe

Help, Impulse, List, Move, News, PHasers, PPlanets,

POints, Quit, RAdio, REpair, SCan, SEt, SHields,

LRscan, SStatus, SUmmary, TArgets, TELL, TIme, TORpedos,

TRactor, TYpe, Users

Enter HELp, PRegame, or blank line:

Once I was into the game I quickly recognized the situation for what it was and with the astuteness of a future star lord summarized that I had better get the heck out of the game because I was being creamed by some joker from

who-knows-where and I didn't even know the command sequence to get out of the game!!!! Having figured that out I set about finding the rules so that I might be more successful or at least be able to figure out who's shooting my rear hull full of futuristic buck-shot.

This is where downloading can come in handy. By the way, the Service sells all kinds of documentation for all kinds of system particulars that will enable you to be successful using the system. They seem quite reasonable in price range compared to some system documentation I had to buy when I was in college.

Another thing that I should mention. They have a very interesting system for feedback and complaints which I think is quite good. It's called FEEDBK. You can send messages or ask the system questions or just leave comments/complaints about the system to the sys-ops. While you're doing this all charges are suspended (I love legalese) which makes sense considering you're doing them a favor.

Incidentally, through the superboard you can contact a number of other user groups such as the Pascal user group or the CP/M or any of a half dozen other groups. You can send mail across the country. You can do dozens of useful and interesting things. It's all just so incredible I couldn't possibly tell you all the options available. My only hope is that I've peaked your curiosity so that you might try something like this yourself.

If success should be mine (in getting you to try this) then I am pleased. And should you, in fact, get onto the system and into a game of Spacewars or Decwars, then let it be known that, should we be pitted against each other it's no-more-mister-nice-guy, but, every-man-for-himself. Good hacking and drop me a line.

Spencer Koenig
153-27 73 ave
Flushing NY 11367 ■

PRACTICAL BUSINESS PROGRAMS

continued from page 29

The DATA statement in line 1130 inputs the number of rows followed by the number of columns. The DATA statement in line 1140 inputs a 1 for a minimum or 2 for a maximum, the type of problem being solved. The second value in this data statement should be a 0 if you wish to see the work or a 1 for results only.

The next six data statements are the cost or profit data for the six rows specified, put in a line at a time. You will note a total of 13 items must be inputted for all rows.

The next data statement line 1230 are for the capacities and the last data statement in line 1250 is for requirements.

SUMMARY

The transportation method of linear programming is designed to handle from/to types cost and profit problems. The transportation model gets its name from the fact that many applications occur in the shipping business, but is not limited to such problems.

Our program both minimizes costs and maximize profits. Examples of both types were reviewed. Your task as a user is to find problems which fit the transportation model and to set up the data to run your problem.

The task of setting up the transportation model is the one which you must become efficient at. Our examples may be used as guides for setting up transportation problems. It is your job to set up the problem and then to interpret the results.

Steven M. Zimmerman, Ph.D.
College of Business
University of South Alabama
Mobile, Alabama 36688

Leo M. Conrad
Imagineering Concepts
P. O. Box 9843
Mobile, Alabama 36691-0843 ■

5,000,000/20,000,000 BYTES

From Micro Mainframe

10 MEGABYTE HARD DISK DRIVES, with REMOVABLE Cartridges, For Models I / II / III (\$5,995/\$8990).

SERIES III H. Model III with 5,000,000 byte hard disk drive(s) (\$6,995/\$9,095) or add to your Model I/III (\$3,795).

SERIES III F. Model III with a controller board (available separately) and operating system which allows you to start with, or move up to, dual-headed or eight-inch floppys.

From AT-80

GL80 — \$149 — Radio Shack General Ledger 1.1 with over 30 added features; including a general ledger, classified balance sheet, check register and options to use an "automatic" account number or re-do an entry or document.

AR80 — \$199 — Radio Shack Accounts Receivable 1.2 with automatic posting of standard monthly amounts.

GL/M1 — \$49 — Convert your General Ledger 1.1 to GL80. Typical user comment: "Takes half as much time."

AR/M1 — \$49 — Convert your Accounts Receivable 1.2 to AR80. Typical user comment: "Saves hours."

GL/M1 and AR/M1 require proof of purchase of the original programs, or, send a disk copy of the original programs for conversion at no additional charge. Documentation (apply to purchase) — \$5.00 each.

FTDEM080 — \$12 — Displays and Executes the NEWDOS/80 Appendix A programs/keyboard entries. Requires 32K.

NEWDOS/80 - \$135 LDOS - \$135 EPSON MX-70/80/FT - \$Call

AT-80 3827 Dismount Dallas, Texas 75211 (214) 339-0498



presents . . .

**C
O
M
M
U
N
I
C
A
T
I
O
N**

**S
O
F
T
W
A
R
E**

UNITERM

Communicate with other computer owners as well as 'THE BIG BOYS' from your TRS-80 Model I or III Computer. Full featured intelligent terminal program allows you to download and upload on your favorite system. Auto-logout, auto polling, connect and signon messages all supported! Available with NEWDOS/80 command support also (UNITERM/80)!

UNITERM (113000)\$.79.95
UNITERM/80 (113080)\$.89.95

CONNECTION — 80

Run your own Bulletin Board on your TRS-80 Model I or III. A full feature BBS with over 100 in use throughout the country, Canada, Mexico and Europe! Package is easy to operate and needs only an auto-answer modem. and 2 disk drives (an RS232-C board may also be needed). For complete details, call the modem number below which is the HQ system for CONNECTION-80.

Connection-80 (I) (101000).....\$199.95
Connection-80 (III) (103000).....\$199.95

ELECTRONIC MESSENGER

Connect yourself with your friend, office, branch, or other remote site with the ELECTRONIC MESSENGER! This is a full featured Electronic Mail Package for your TRS-80 Model III computer. Allows you to compose messages on your computer and either leave them for retrieval by another unit, or SEND THEM AUTOMATICALLY AT A PRESET TIME!!! Just think of the possibilities

First copy (103013) \$149.95
Additional copies (103014).....\$ 89.95

Available At:

Micro-Computer Business
3111 Juneau Place
Baltimore, Md. 21214
301-426-6803

80 MicroComputing Services
158 Remsen Street
Cohoes, N.Y. 12047
518-235-9004

Computer Services of Danbury
1 Franklin Street
Danbury, Ct. 06810
203-743-1299

Eberts Personal Computers
4122 South Parker Ave.
Aurora, Co. 80014
303-693-8400

Info, Inc.
Rt. #1 Box 244 Mill Road
Yaphank, N.Y. 11980
516-924-5179

Maxi-BYTE Computer Shoppe
999 Middle Country Road
Middle Island, N.Y. 11953
516-924-7722

Micro Images
146-03 25th Road
Flushing, N.Y. 11354
212-445-7124



**171 Hawkins Rd.
Centereach, N.Y. 11720
(516) 981-8568 (voice)
(516) 888-8836 (modem)**

**Dealer Inquiries Welcome
N.Y.S. Residents Add Tax
Add \$2 shipping — handling
Prices subject to change**



WELCOME

We've Turned The Hard Disks Market

UPSIDEDOWN!!!

We want you to have all the power that your TRS-80 is capable, at prices that have other manufacturers cross-eyed! These Five and Ten Megabyte units are easy to use, just plug them into the expansion buss of your Model I or Model III. Comes complete with the fantastic DOS PLUS 4.0 Operating System! Available in three configurations: 5 Megabyte Fixed, 10 Megabytes Fixed, & 10 Megabytes Removable Cartridge. Look at the incredible low prices of our systems!

SYSTEM PRICING

5 Megabyte Winchester Fixed Disk

201505.....Model I Version	\$2795.00
203505.....Model III Version	\$2795.00

10 Megabyte Winchester Fixed Disk

201510.....Model I Version	\$3195.00
203510.....Model III Version	\$3195.00

10 Megabyte Winchester Removable Cartridge Disk

201511.....Model I Version	\$5395.00
203511.....Model III Version	\$5395.00

Systems for other computers available soon . . Call for info



171 Hawkins Road
Centereach, New York 11720

(516) 981-8568 (Voice)
(516) 588-5836 (Data)
MNET-70331, 105



Dealer Inquiries Welcome

ADD \$10 S&H
NYS res. add appr. tax

THE BEALE TREASURE

Gordon Speer

Everyone likes a good yarn, and who hasn't wished for instant wealth from a buried treasure? I can't personally guarantee that this story is true, but a lot of people over the years have been convinced, enough to spend a lot of time searching for the key to the ciphers. So, at the risk of turning a lot of you into treasure junkies, I'll repeat the story just once more. If you want more details, check with your local public library under codes and ciphers. I found this story in no less than three books locally.

Thomas Jefferson Beale was an explorer back in the early 1800's and, along with a group of companions, buried a treasure of gold, silver, and gem stones. I could give you more details but that would spoil the fun you are going to have decoding the second cipher. (If you want to check your maps, Buford's was a tavern in what is now the town of Montvale.) The ciphers were written about 1822. Number one describes the exact location of the treasure, number two describes the method of burial and the contents, and number three names the original owners of the treasure.

Robert Morriss kept the ciphers in a locked box until 1845. Just before he died he gave them to a good friend, James Ward. Ward struggled with them day and night, and found the key to number 2 in the 1860's. Beale had numbered the 1322 words of the Declaration of Independence and encoded the message by using the number of a word beginning with the proper letter. "When in the course of human events..." results in: 1=W, 2=I, 3=T, 4=C, 5=O, 6=H, 7=E, etc.

Those of you who do not have a disk drive and printer will still be able to translate cipher 2, by continuing the numbering of the Declaration of Independence, which you will find in any World Almanac.

Those who want to join in the search for the keys to ciphers 1 and 3, get ready for years of frustration, and realize there may or may not be any gold at the end of this rainbow. (Just in case you are successful, don't forget to send me my share.)

The programs named WRITE1, WRITE2, and WRITE3, will load the original Beale ciphers into sequential files on your disk. FILER will do the same with any text you type. You really need only type a few lines to try any text. Much of the ciphered text contains small numbers and you can easily determine whether or not you should continue.

PROCESS/L1 will substitute the first letter of each word of your trial text in both CIPHER1 and CIPHER3, in the same manner in which CIPHER2 was solved, inserting hyphens where the numbers are beyond the range of the text you typed. If you have a narrow printer you will need to change the 90's in the program to a smaller number, they control the line length of the printed output. If you would like to see the translation of CIPHER2, change either the 1 or 3 to a 2, and type the D of I in with the FILER program.

If you want something else to consider, CIPHER1 not only has some rather large numbers, 2906 compared to

994 and 975 for the other two ciphers, but it also has nearly 60% even numbers, compared to 56% and 53%, which leads me to wonder if Beale was using two letters from each word. PROCESS/L2 will check this out. PROCESS/LET uses each letter of the text, which is certainly another logical possibility.

```
100 'FILER
110 REM WRITES A FILE OF TEXT TO USE TO ATTEMPT DECODING
CIPHER
120 CLEAR 10000
130 DIM T$(200)          'TEXT STRINGS
140 INPUT "NAME OF FILE (T1, T2)";F$
150 PRINT"ENTER TEXT WITHOUT COMMAS (0 TO END)"
160 PRINT"(USE ENTER KEY EVERY TWO OR THREE LINES)"
170 N=N+1
180 INPUT T$(N)
190 IF T$(N)="0" THEN 210
200 GOTO 170
210 OPEN "0",1,F$
220 FOR I=1 TO N-1
230 PRINT #1,T$(I)", ";
240 NEXT I
250 PRINT #1,
260 CLOSE 1
```

```
100 'WRITE1
110 DEFINT C,N
120 REM THERE ARE 520 NUMBERS IN CIPHER 1, THE LARGEST IS
2906
130 DATA 71,194,38,1701,89,76,11,83,1629,48,94,63,132,16,111
140 DATA 95,84,341,975,14,40,64,27,81,139,213,63,90,1120,8,15,3
150 DATA 126,2018,40,74,758,485,604,230,436,664,582,150,251,284
160 DATA 308,231,124,211,486,225,401,370,11,101,305,139,189,17
170 DATA 33,88,208,193,145,1,94,73,416,918,263,28,500,538,356
180 DATA 117,136,219,27,176,130,10,460,25,485,18,436,65,84,200
190 DATA 283,118,320,138,36,416,280,15,71,224,961,44,16,401,39
200 DATA 88,61,304,12,21,24,283,134,92,63,246,486,682,7,219,184
210 DATA 360,780,18,64,463,474,131,160,79,73,440,95,18,64,581
220 DATA 34,69,128,367,460,17,81,12,103,820,62,116,97,103,862
230 DATA 70,60,1317,471,540,208,121,890,346,36,150,59,568,614
240 DATA 13,120,63,219,812,2160,1780,99,35,18,21,136,872,15,28
250 DATA 170,88,4,30,44,112,18,147,436,195,320,37,122,113,6,140
260 DATA 8,120,305,42,58,461,44,106,301,13,408,680,93,86,116
270 DATA 530,82,568,9,102,38,416,89,71,216,728,965,818,2,38,121
280 DATA 195,14,326,148,234,18,55,131,234,361,824,5,81,623,48
290 DATA 961,19,26,33,10,1101,365,92,88,181,275,346,201,206,86
300 DATA 36,219,320,829,840,68,326,19,48,122,85,216,284,919,861
310 DATA 326,985,233,64,68,232,431,960,50,29,81,216,321,603,14
320 DATA 612,81,360,36,51,62,194,78,60,200,314,676,112,4,28,18
330 DATA 61,136,247,819,921,1060,464,895,10,6,66,119,38,41,49
340 DATA 602,423,962,302,294,875,78,14,23,111,109,62,31,501,823
350 DATA 216,280,34,24,150,1000,162,286,19,21,17,340,19,242,31
360 DATA 86,234,140,607,115,33,191,67,104,86,52,88,16,80,121,67
370 DATA 95,122,216,548,96,11,201,77,364,218,65,667,890,236,154
380 DATA 211,10,98,34,119,56,216,119,71,218,1164,1496,1817,51
```

MOD I/III SPEED MOD

The only resource you can't replace is TIME. PLUG IN A SPRINTER (by Holmes Engineering) and

TRIPLE THE SPEED of your TRS-80 MODEL I OR MODEL 3.

YES! A NEW Z-80B MICROPROCESSOR IS INCLUDED!

YES! Special circuitry handles your slower memory chips.

YES! Automatic switch down to "normal" for disk I/O.

YES! IT IS ABSOLUTELY FANTASTIC and only 99.50 COMPLETE!

Only the cream of the crop -- for you, from HACKS.

SCRIPUS v3.0 (by ROSTEK) is the software "patch" for SCRIPSIT (c) that lets you output control codes to CHANGE TYPE STYLES, UNDERLINE, etc. from within your text files. Written especially for the MX-80 but works fine with most any printer that accepts control codes. Makes your printer do all the tricks it was designed for. +DIR, KILL, MERGE, and MORE. WHILE IN SCRIPSIT (c).

How many times have you wished? Here 'tix ON DISK 39.95

Need a SUPERFINE lowercase CHARACTER GENERATOR for your MOD I? KSG Technology builds 'em, and we've got one just for you. Beautiful lowercase -FULL DECENDERS- All of the graphics, of course. INCLUDES the SPECIAL GRAPHICS for CHR\$(0) thru CHR\$(31) omitted in the later Radio Shack lower case chips. Ask for the CGA-2. You'll love it! Only 29.95

Did you ever bomb a disk? SUPER UTILITY (by Kim Watt) WILL AUTOMATICALLY RECOVER BOOT SECTIONS, GAT TABLES, READ AND COPY PROTECTED MEDIA, TRANSFER FROM ONE DOS to ANOTHER, SINGLE OR DOUBLE DENSITY, and on, and on, and on... You just wouldn't believe... Includes a hundred and some odd vital functions. The BEST (no doubt!) and very, very highly recommended for ANYONE that uses a TRS-80 MOD I or MOD 3 with any kind of DISK and any kind of DOS. You just got to use it to realize what you've got here! The name "SUPER UTILITY" is a gross under-statement. One use can easily pay for the program. 48K required. Specify 35tk, 40tk or 80 tk media for your Mod I or Mod 3. Absolutely professional! You need this! Don't get caught without it. 74.95

ALL HARDWARE Model I Lowercase

TRS-80 is a Trademark of Tandy Corp.

DUALCASE

UPPER/lowercase, full time from power-up. NO software. Standard typewriter keyboard operation (shift to UPPER-CASE); Control characters can be displayed: 128 Total character set plus full graphics.

ELECTRONIC SHIFT-LOCK

No extra keys or switches. Simply tap either shift key. UPPER-CASE lock, normal shift unlocks.

DE-B-B-BOUNCE At no extra cost (At your option)

BLOCK CURSOR If you like (No chg) SWITCHABLE from key board

"THE PATCH" is compatible with any word processor, any DOS and also other languages which use ROM sub-routines. Assembled and tested. \$127.00

"THE PATCH" unit plugs into the ROM sockets (does not replace existing ROM). Lowercase does require installation of the extra video ROM (supplied with "THE PATCH").

Detailed instructions guide even the most inexperienced owner to complete installation in about 30 minutes.

WHEN ORDERING SPECIFY:

"Mem Size" "Memory Size"
And your choice of any/all options.

To order, send payment plus \$2.00 shipping and handling. Texas residents add 5% sales tax/



"THE PATCH" is covered with a one year limited warranty on materials and workmanship. (Does void Radio Shack's 90 day warranty.)

WHEN ORDERING SPECIFY:

"Mem Size" "Memory Size"
Any your choice of any/all options

To order, send payment plus \$2.00 shipping and handling. Texas residents add 5% sales tax.

HACKS

P.O. BOX 12963
Houston, Texas 77017

National Distributors

"THE PATCH" is a trademark of
CECDAT, INC.

713-455-3276

```

390 DATA 39,210,36,3,19,540,232,22,141,617,84,290,80,46,207,411
400 DATA 150,29,38,46,172,85,194,36,261,543,897,624,18,212,416
410 DATA 127,931,19,4,63,96,12,101,418,16,140,230,460,538,19,27
420 DATA 88,612,1431,90,716,275,74,83,11,426,89,72,84,1300,1706
430 DATA 814,221,132,40,102,34,858,975,1101,84,16,79,23,16,81
440 DATA 122,324,403,912,227,936,447,55,86,34,43,212,107,96,314
450 DATA 264,1065,323,428,601,203,124,95,216,814,2906,654,820,2
460 DATA 301,112,176,213,71,87,96,202,35,10,2,41,17,84,221,736
470 DATA 820,214,11,60,760
480 OPEN "0",1,"CIPHER1"
490 FOR N=1 TO 520
500 READ C
510 PRINT #1,C;
520 NEXT N
530 PRINT #1,
540 CLOSE 1

100 'WRITE2
110 DEFINT C,N
120 REM THERE ARE 763 NUMBERS IN CIPHER2
130 DATA 115,73,24,818,37,52,49,17,31,62,657,22,7,15,140,47,29
140 DATA 107,79,84,56,238,10,26,822,5,195,308,85,52,159,136,59
150 DATA 210,36,9,46,316,543,122,106,95,53,58,2,42,7,35,122,53
160 DATA 31,82,77,250,195,56,96,118,71,140,287,28,353,37,994
170 DATA 65,147,818,24,3,8,12,47,43,59,818,45,316,101,41,78
180 DATA 154,994,122,138,190,16,77,49,102,57,72,34,73,85,35,371
190 DATA 59,195,81,92,190,106,273,60,394,629,270,219,106,388
200 DATA 287,63,3,6,190,122,43,233,400,106,290,314,47,48,81,96
210 DATA 26,115,92,157,190,110,77,85,196,46,10,113,140,353,48
220 DATA 120,106,2,616,61,420,822,29,125,14,20,37,105,28,248,16
    
```

```

230 DATA 158,7,35,19,301,125,110,496,287,98,117,520,62,51,219
240 DATA 37,113,140,818,138,549,8,44,287,388,117,18,79,344,34
250 DATA 20,59,520,557,107,612,219,37,66,154,41,20,50,6,584
260 DATA 122,154,248,110,61,52,33,30,5,38,8,14,84,57,549,216
270 DATA 115,71,29,85,63,43,131,29,138,47,73,238,549,52,53,79
280 DATA 118,51,44,63,195,12,238,112,3,49,79,353,105,56,371,566
290 DATA 210,515,125,360,133,143,101,15,284,549,252,14,204,140
300 DATA 344,26,822,138,115,48,73,34,204,316,616,63,219,7,52
310 DATA 150,44,52,16,40,37,157,818,37,121,12,95,10,15,35,12
320 DATA 131,62,115,102,818,49,53,135,138,30,31,62,67,41,85,63
330 DATA 10,106,818,138,8,113,20,32,33,37,353,287,140,47,85
340 DATA 50,37,49,47,64,6,7,71,33,4,43,47,63,1,27,609,207,229
350 DATA 15,190,246,85,94,520,2,270,20,39,7,33,44,22,40,7,10,3
360 DATA 822,106,44,496,229,353,210,199,31,10,38,140,297,61
370 DATA 612,320,302,676,287,2,44,33,32,520,557,10,6,250,566
380 DATA 246,53,37,52,83,47,320,38,33,818,7,44,30,31,250,10,15
390 DATA 35,106,159,113,31,102,406,229,549,320,29,66,33,101
400 DATA 818,138,301,316,353,320,219,37,52,28,549,320,33,8,48
410 DATA 107,50,822,7,2,113,73,16,125,11,110,67,102,818,33,59
420 DATA 81,157,38,43,590,138,19,85,400,38,43,77,14,27,8,47,138
430 DATA 63,140,44,35,22,176,106,250,314,216,2,10,7,994,4,20,25
440 DATA 44,48,7,26,46,110,229,818,190,34,112,147,44,110,121
450 DATA 125,96,41,51,50,140,56,47,152,549,63,818,28,42,250,138
460 DATA 591,98,653,32,107,140,112,26,85,138,549,50,20,125,371
470 DATA 38,36,10,52,118,136,102,420,150,112,71,14,20,7,24,18
480 DATA 12,818,37,67,110,62,33,21,95,219,520,102,822,30,83,84
490 DATA 305,629,15,2,10,8,219,106,353,105,106,60,242,72,8,50
500 DATA 204,184,112,125,549,65,106,818,190,96,110,16,73,33
510 DATA 818,150,409,400,50,154,285,96,106,316,270,204,101,822
520 DATA 400,8,44,37,52,40,240,34,204,38,16,46,47,85,24,44,15
    
```

```

530 DATA 64,73,138,818,85,78,110,33,420,515,53,37,38,22,31,10
540 DATA 110,106,101,140,15,38,3,5,44,7,98,287,135,150,96,33
550 DATA 84,125,818,190,96,520,118,459,370,653,466,106,41,107
560 DATA 612,219,275,30,150,105,49,53,287,250,207,134,7,53,12
570 DATA 47,85,63,138,110,21,112,140,495,496,515,14,73,85,584
580 DATA 994,150,199,16,42,5,4,25,42,8,16,822,125,159,32,204
590 DATA 612,818,81,95,405,41,609,136,14,20,28,26,353,302,246,8
600 DATA 131,159,140,84,440,42,16,822,40,67,101,102,193,138,204
610 DATA 51,63,240,549,122,8,10,63,140,47,48,140,288
620 OPEN "0",1,"CIPHER2"
630 FOR N=1 TO 763
640 READ C
650 PRINT #1,C;
660 NEXT N
670 PRINT #1,
680 CLOSE 1

100 'WRITES
110 DEFINT C,N
120 REM THERE ARE 618 NUMBERS IN CIPHER3
130 DATA 317,8,92,73,112,89,67,318,28,96,107,41,631,78,146,397
140 DATA 118,98,114,246,348,116,74,88,12,65,32,14,81,19,76,121
150 DATA 216,85,33,66,15,108,68,77,43,24,122,96,117,36,211,301
160 DATA 15,44,11,46,89,18,136,68,317,28,90,82,304,71,43,221
170 DATA 198,176,310,319,81,99,264,380,56,37,319,2,44,53,28,44
180 DATA 75,98,102,37,85,107,117,64,88,136,48,151,99,175,89,315
190 DATA 326,78,96,214,218,311,43,89,51,90,75,128,96,33,28,103
200 DATA 84,65,26,41,246,84,270,98,116,32,59,74,66,69,240,15,8
210 DATA 121,20,77,89,31,11,106,81,191,224,328,18,75,52,82,117
220 DATA 201,39,23,217,27,21,84,35,54,109,128,49,77,88,1,81,217
230 DATA 64,55,83,116,251,269,311,96,54,32,120,18,132,102,219
240 DATA 211,84,150,219,275,312,64,10,106,87,75,47,21,29,37,81
250 DATA 44,18,126,115,132,160,181,203,76,81,299,314,337,351,96
260 DATA 11,28,97,318,238,106,24,93,3,19,17,26,60,73,88,14,126
270 DATA 138,234,286,297,321,365,264,19,22,84,56,107,98,123,111
280 DATA 214,136,7,33,45,40,13,28,46,42,107,196,227,344,198,203
290 DATA 247,116,19,8,212,230,31,6,328,65,48,52,59,41,122,33
300 DATA 117,11,18,25,71,36,45,83,76,89,92,31,65,70,83,96,27,33
310 DATA 44,50,61,24,112,136,149,176,180,194,143,171,205,296,87
320 DATA 12,44,51,89,98,34,41,208,173,66,9,35,16,95,8,113,175
330 DATA 90,56,203,19,177,183,206,157,200,218,260,291,305,618
340 DATA 951,320,18,124,78,65,19,32,124,48,53,57,84,96,207,244
350 DATA 66,82,119,71,11,86,77,213,54,82,316,245,303,86,97,106
360 DATA 212,18,37,15,81,89,16,7,81,39,96,14,43,216,118,29,55
370 DATA 109,136,172,213,64,8,227,304,611,221,364,819,375,128
380 DATA 296,11,18,53,76,10,15,23,19,71,84,120,134,66,73,89,96
390 DATA 230,48,77,26,10,127,936,218,439,178,171,61,226,313
400 DATA 215,102,18,167,262,114,218,66,59,48,27,19,13,82,48,162
410 DATA 119,34,127,139,34,128,129,74,63,120,11,54,61,73,92,180
420 DATA 66,75,101,124,265,89,96,126,274,896,917,434,461,235
430 DATA 890,312,413,328,381,96,105,217,66,118,22,77,64,42,12,7
440 DATA 55,24,83,67,97,109,121,135,181,203,219,228,256,21,34
450 DATA 77,319,374,382,675,684,717,864,203,4,18,92,16,63,82,22
460 DATA 46,55,69,74,112,135,186,175,119,213,416,312,343,264
470 DATA 119,186,218,343,417,845,951,124,209,49,617,856,924,936
480 DATA 72,19,29,11,35,42,40,66,85,94,112,65,82,115,119,236
490 DATA 244,186,172,112,85,6,56,38,44,85,72,32,47,73,96,124
500 DATA 217,314,319,221,644,817,821,934,922,416,975,10,22,18
510 DATA 46,137,181,101,39,86,103,116,138,164,212,218,296,815
520 DATA 300,412,460,495,675,820,952
530 OPEN "0",1,"CIPHER3"
540 FOR N=1 TO 618

```

```

550 READ C
560 PRINT #1,C;
570 NEXT N
580 PRINT #1,
590 CLOSE 1

100 'PROCESS/LET
110 CLEAR 20000
120 DIM C$(3000)
130 REM USES EVERY LETTER OF TEXT TO DECIPHER
140 INPUT "TEXTFILE NUMBER";T
150 OPEN "I",1,"T"+CHR$(48+T)
160 INPUT #1,A$
170 IF EOF(1) THEN 260
180 A$=" "+A$ 'ADD A LEADING SPACE
190 FOR P=1 TO LEN(A$)-1 'POSITION ACROSS THE STRING
200 IF MID$(A$,P,1)=" " THEN 240
210 N=N+1 'WORD NUMBER
220 C$(N)=MID$(A$,P,1) 'CHARACTER (NUMBER)
230 IF N > 2900 THEN 260
240 NEXT P
250 GOTO 160
260 CLOSE
270 LPRINT"CIPHER 1 - TEXT "T
280 OPEN "I",1,"CIPHER1"
290 FOR J=1 TO 520
300 INPUT #1,V
310 IF C$(V)="" THEN LPRINT "-"; ELSE LPRINT C$(V);
320 IF J/90=INT(J/90) THEN LPRINT
330 NEXT J
340 LPRINT
350 CLOSE
360 LPRINT" ":LPRINT" "
370 LPRINT "CIPHER 3 - TEXT "T
380 OPEN "I",1,"CIPHER3"
390 FOR J=1 TO 618
400 INPUT #1,V
410 IF C$(V)="" THEN LPRINT "-"; ELSE LPRINT C$(V);
420 IF J/90=INT(J/90) THEN LPRINT
430 NEXT J
440 LPRINT
450 CLOSE
460 LPRINT" ":LPRINT" "

100 'PROCESS/L1
110 CLEAR 20000
120 DIM C$(3000)
130 REM USES THE FIRST LETTER OF EACH WORD IN TEXT TO DECODE CIPHER
140 INPUT "TEXTFILE NUMBER";T
150 OPEN "I",1,"T"+CHR$(48+T)
160 INPUT #1,A$
170 IF EOF(1) THEN 250
180 LET A$=" "+A$ 'ADD A LEADING SPACE
190 FOR P=1 TO LEN(A$)-1 'POSITION ACROSS THE STRING
200 IF MID$(A$,P,1)<>" " OR MID$(A$,P+1,1)=" " THEN 230
210 N=N+1 'WORD NUMBER
220 C$(N)=MID$(A$,P+1,1) 'CHARACTER (NUMBER)
230 NEXT P
240 GOTO 160
250 CLOSE
260 LPRINT "CIPHER 1 - TEXT"
270 OPEN "I",1,"CIPHER1"

```

```

280 FOR J=1 TO 520
290 INPUT #1,V
300 IF C$(V)="" THEN LPRINT"-"; ELSE LPRINT C$(V);
310 IF J/90=INT(J/90) THEN LPRINT
320 NEXT J
330 LPRINT
340 CLOSE
350 LPRINT " ":LPRINT " "
360 LPRINT "CIPHER 3 - TEXT"
370 OPEN "I",1,"CIPHER3"
380 FOR J=1 TO 618
390 INPUT #1,V
400 IF C$(V)="" THEN LPRINT"-"; ELSE LPRINT C$(V);
410 IF J/90=INT(J/90) THEN LPRINT 'END PRINTER LINE
420 NEXT J
430 LPRINT
440 CLOSE
450 LPRINT " ":LPRINT " "

```

```

100 'PROCESS/L2
110 CLEAR 20000
120 DIM C$(3000)
130 REM USES THE FIRST TWO LETTERS OF EACH WORD
140 INPUT "TEXTFILE NUMBER";T
150 OPEN "I",1,"T"+CHR$(48+T)
160 INPUT #1,A$
170 IF EOF(1) THEN 260
180 LET A$=" "+A$ 'ADD A LEADING SPACE
190 FOR P=1 TO LEN(A$)-1 'POSITION ACROSS THE STRING
200 IF MID$(A$,P,1)<>" " OR MID$(A$,P+1,1)=" " THEN 240

```

```

210 N=N+2
220 C$(N-1)=MID$(A$,P+1,1):C$(N)=MID$(A$,P+2,1)
222 IF C$(N)="" THEN C$(N)=C$(N-1)
230 IF N > 2906 THEN 260
240 NEXT P
250 GOTO 160
260 CLOSE
270 LPRINT"CIPHER 1 - TEXT "
280 OPEN "I",1,"CIPHER1"
290 FOR J=1 TO 520
300 INPUT #1,V
310 IF C$(V)="" THEN LPRINT"-"; ELSE LPRINT C$(V);
320 IF J/90=INT(J/90) THEN LPRINT
330 NEXT J
340 LPRINT
350 CLOSE
360 LPRINT " ":LPRINT " "
370 LPRINT "CIPHER 3 - TEXT "
380 OPEN "I",1,"CIPHER3"
390 FOR J=1 TO 618
400 INPUT #1,V
410 IF C$(V)="" THEN LPRINT "-"; ELSE LPRINT C$(V);
420 IF J/90=INT(J/90) THEN LPRINT
430 NEXT J
440 LPRINT
450 CLOSE
460 LPRINT " ":LPRINT " "

```

Gordon Speer
3304 Woodlawn Road
Sterling, IL 61081 ■

TRS-80, THIS IS I.T.

Interplex Technology: we want to give your TRS-80 the world. If you own a Model-I or Model-III, you can now place up to eight external devices under your micro-computer's control with our new **OUTPORTER-2**. Each channel functions as an independently programmable, ON/OFF switch.


FEATURES:

Each channel capable of handling AC or DC loads up to 100 watts

Program control by means of a single BASIC or machine language instruction

Independent channel status indicators

Master channel reset switch



TRS 80 is a trademark of The Tandy Corp.

The **OUTPORTER-2** is a complete unit and comes with onboard power supply, computer connect cable and all instructions necessary to make installation fast and easy. Give your TRS 80 something it's wanted for a long time: the world.

Price \$189.95

APPLICATIONS:

Security

Environmental control

Automation

Experimental

To order, or for free information, write:
Interplex Technology Corporation
P.O. Box # 214
Eastchester, NY 10709

MODEL III CORNER

Hubert S. Howe, Jr.

This Month: Cassette Input and Output

Transferring data between memory and the cassette tape recorder is similar to reading the keyboard or displaying characters on the video monitor. It is not really necessary for a programmer to know how such a transfer works, as long as he knows how to use the ROM subroutines that carry out the essential operations. One important difference between the keyboard and video display of the TRS-80 Model 3 on the one hand, and the cassette recorder on the other, is that the former are memory mapped, whereas the cassette recorder is interfaced through an input/output port, number 255 (hexadecimal FF). Turning the motor on and off is handled through port 236 (EC hex), bit 1. (The reader is advised against outputting values to this port without going through the system, since it also handles several other functions, including enabling and disabling the I/O bus, video waits, the alternate character set, and the 32-character mode.) Only certain bits of this port are used. The disks and line printer also use ports, as do the RS-232-C interface and various other peripherals. The TRS-80 has much room for expansion of input and output devices using either method.

Cassette ROM Subroutines

The addresses of ROM subroutines that are used for cassette input and output are summarized in Table 1. All are located between addresses 01D9H and 0313H, but actually branch to the area above 3000H. ("H" is often appended to addresses to remind you that they are hexadecimal numbers.)

Address	Function
01F8H	Turns cassette off. Uses register A.
0235H	Read byte, which is returned in A. Uses no other registers.
0264H	Write byte in A to cassette. Uses no other registers.
0287H	Write leader and sync byte. Turns on motor. Uses AF, C.
0296H	Read leader and sync byte. Turns on motor. Uses AF. Two asterisks appear in the upper right corner of the video display when leader and sync byte are found.

Table 1: Summary of cassette ROM routines.

All cassette input and output operations in assembly language can be done using these subroutines. All standard tape formats are readable. (Some programmers have developed non-standard methods that encode the bits in some different way. These operations are beyond the scope of this discussion.)

The beginning of a file on the cassette tape is signified by a "leader and sync byte," which is actually a succession

of 255 zeros followed by A5 (the sync byte). Each bit of data is read from the tape separately. This means that the timing of the routine that reads the bits is extremely crucial. This is why you must disable interrupts (CMD'T') in Disk Basic when reading cassettes. It is also why TRS-80 owners who have had the clock speed modified must switch to the older, slower speed in order to read standard cassette tapes.

Once the cassette tape is turned on and the leader and sync byte located or written, it is the programmer's responsibility to keep up with the speed of the cassette in order to read or write data properly. (Writing data may be less crucial than reading it.) The data-transfer speed of the cassette is either 500 or 1500 baud ("baud" means "bits per second"), so that a bit must be read or written every 2 milliseconds for 500 baud and every 2/3 millisecond for 1500 baud. What this means is that, for most purposes, all you can do is to read or write data into or out of memory and stop the cassette when you want to do some computation. Each time you stop the cassette, you must start it again with a leader and sync byte combination, to make sure that no data is lost due to the start and stop motion of the cassette. Any program that does not keep up with the baud rate will lose bits of data, thus reading incorrect values.

The TRS-80 Model 3 has two cassette speeds, which are indicated by the value in memory location 16913 (4211H): zero indicates low speed (500 baud), and any other value indicates high speed (1500 baud). Actually, the computer uses many other RAM locations as well. Location 420CH contains the address of the tape writing subroutine, and 420EH the tape reading subroutine. These values are set when the leader and sync routines are called, which check location 4211H for zero and act accordingly.

If the high cassette speed is being used, the computer requires an interrupt to enter and exit the routine. This is not required by the low cassette speed. What this means is that the break vector at location 400CH and the interrupt vector at 4012H must be restored to a JP instruction for a high speed cassette read operation, in case it had been changed, but not for a low speed read. Finally, on the Model 3 it is possible to terminate a cassette read operation by pressing the BREAK key. If BREAK is typed, the computer jumps to location 4204H, so this location needs to be set to the address where you want your program to resume should you type BREAK.

Tape Formats

Standard tape formats have been developed by Radio Shack to indicate what the data on the tape represents, where it goes, when to stop the cassette, and what to do after stopping. There are four standard tape formats: Basic programs, Basic data, machine-language object tapes (the SYSTEM format), and Editor/Assembler symbolic program

MULTIDOS

Model III Now Available!

WHAT DO YOU USE YOUR TRS-80® For?

★ Word Processing ?

MULTIDOS will permit you to 'grab' a formatted diskette, shove it into a track compatible drive, and write to it — no matter if it is single density, double density, or DBLDOS** density. This is possible because of **MULTIDOS'** automatic density, recognition which includes diskettes formatted by DBLDOS** — similar to NEWDOS/80 2.0.

★ Basic Programming ?

"MULTIDOS' BASIC is unequaled, in both features and size, among TRS-80® Disk Basics.
— Paul Wiener, 1982

Included is **B BASIC/CMD** which has all of the "BOSS" single step and trace features. Now you can insert 'break points' to turn on/off the trace and/or single stepping in your BASIC program. Now you can save the screen as formatted and look at variable values. Afterward, return the screen as before and continue your BASIC program.

★ Whatever — MULTIDOS Is Easy To Learn, Easy To Use

DOS commands may be repeated, even multiple DOS commands. Systems utilities never require more than 2 keystrokes per query

Now That's Easy! To Make It Easier There is a 'Help File'!

MULTIDOS Now Available From:

WARLOCK WAREHOUSE
1691 Eason, Pontiac, MI 48054
(313) 673-2224 or (313) 673-8700

— AND —

POWERSOFT
11500 Stemmons Fwy, Suite 125
Dallas, Texas 75229
(214) 484-9428

Cosmopolitan Electronics Corporation

P.O. BOX 234 • PLYMOUTH, MI 48170

(313) 397-3126

— Dealer Inquiries Welcomed —

MULTIDOS
Model I or Model III

Only **\$79⁹⁵**

(Watch the Competition Squirm!)



COD - Cash or Certified Check

Allow 2 Weeks For
Personal Checks To Clear.

ADD \$3.00

Shipping & Handling

Michigan Residents
Include 4% Sales Tax

files. Other formats, such as data files for the Visicalc program, have been devised for various reasons, but will not be discussed here.

1. Machine Language Object (SYSTEM) Tapes

An "object program" is a program in machine code ready to run on a computer. When stored on an external medium such as a cassette tape, it is necessary only to dump it into memory and jump to the starting location.

The object-program format is also known as the SYSTEM format because of the Basic command used to read such tapes. Data is written on the tape in the form of blocks less than 256 bytes in length. Each block begins with a header byte identifying what kind of block it is. There are three types of blocks: FILENAME, DATA, and ENTRY. FILENAME is first, followed by any number of DATA blocks. The ENTRY block comes last, after which the cassette is turned off. The whole tape has the structure shown in Table 2.

The fact that each data block has its own address means that data can be loaded anywhere in memory, and that the same tape can contain data that goes into several different areas. Usually, only the Editor/Assembler program produces such tapes (through the use of different ORG statements), because monitors such as TBUG or Monitors 3 and 4 (as well as the TAPEDISK utility program) require that you specify one contiguous block. If the checksum is wrong, or if the header byte is not 55, 3C, or 78, an error is produced. If reading the cassette under SYSTEM, a "C" replaces one of the asterisks in the upper right corner.

(Leader and Sync Byte)

Filename Header	55H
File Name	6 bytes (ASCII), filled with blanks if name less than 6 characters.
Data Header	3CH
Count Byte	Number of data bytes to follow (1-256)
Load Address	2 bytes, LSB/MSB, indicating where data is to be loaded
(Other Data Blocks)	
Entry Header	78H
Entry Address	2 bytes, LSB/MSB

Table 2: Object program cassette format.

2. Editor/Assembler Source Program Tapes

Source tapes for the Editor/Assembler program have a format different from other tapes, which is summarized in Table 3. Following the leader and sync bytes, there is an ID byte (D3) and the six-byte name of the tape. Following the name, individual statements occur in separate blocks until the endfile byte 1AH is reached.

This format is essentially a dump of the memory area that holds the source program when running the Editor/Assembler program, except that when the program resides in memory, the line numbers are stored in two bytes (LSB/MSB). The tape thus takes more room than the

(Leader and Sync Byte)	
Filename Header	D3H
File Name	6 bytes (ASCII), padded with blanks

Individual program statements:	
Line Number	5 bytes, ASCII-encoded, with bit 7 (parity) set
Statement Code	(Any length). TAB (right arrow) key encoded as 09.
Carriage Return	0D (ENTER key)
(Last statement - END	encoded in same manner)
End Byte	1AH (shift down-arrow)

Table 3: Editor/Assembler source cassette tape format.

program in memory. This is also the format used to hold symbolic files on disk.

3. Level II Basic Program Tapes

A Level II Basic program tape is essentially a dump of the program as it is stored in memory. This is not the way in which you type it in, nor the way it is listed when you print it, because all of the key words are translated into a binary code. Statement numbers are stored in two bytes. This is why they may have a maximum value of 65529 (65535 less a few values used for special purposes). The only recognizable data is the ASCII text in PRINT statements, variable names, and constants. The complete format is shown in Table 4.

(Leader and Sync Byte)	
Header	D3 D3 D3
File Name	First byte only, ASCII
Program Statements	Starts loading directly into 42E9H (Level II) or 68BAH (Disk Basic)
End Flag	00 00 00

Table 4: Format for BASIC program tapes.

This is also the standard format used to store Basic programs on disk, except that disk storage also provides the "ASCII" option (SAVE "PGM",A), which stores the program in exactly the same way that it is printed by a LIST command.

4. Electric Pencil and SCRIPSIT Data Tapes

While the data saved by the Electric Pencil and SCRIPSIT word-processing programs are different (SCRIPSIT sets bit 7 for many data bytes), the tape formats are the same, so that data prepared from one program can be used with the other. There are no header bytes or names on the tape. Data are simply saved in blocks, where the first byte is the length (1-256, with zero indicating 256), the next bytes are data, and the last byte is a checksum. The end of file is recognized by a data value of zero for the last byte in the block. This information is summarized in Table 5.

(Leader and sync bytes)	
Block length (1-256)	
Data Bytes (as many as in length)	
Checksum	

Last byte = zero to end file

Table 5: Format for Electric Pencil and SCRIPSIT data tapes.

5. Level II Basic Data Tapes

Because of the one important point mentioned above — that you must write a new leader and sync byte each time that you start or stop the cassette — Level II Basic data tapes are stored in a very inefficient manner. Each time a Print #-1 or INPUT #-1 is executed, a new leader and sync byte is written or read. A Basic program can take advantage of this situation, by trying to include as much data as possible within a single statement, but it is impossible to escape the fact that most of the time is spent reading the leader and sync bytes. To compound this problem, all data tapes are written at low speed (500 baud), regardless of what is specified in location 16913.

The exact format of a data tape is so simple that a table is not necessary. After the leader and sync byte comes the data itself, terminating in a carriage return. Individual items in the list are separated by commas. For this reason a comma cannot be included in a string saved on cassette tape (nor can a carriage return). Strings are written simply as a series of characters. All numbers, whether they represent integers or single- or double-precision values, are stored as ASCII strings surrounded by blank spaces. Thus, a number could be written as an integer and read as a single- or double-precision number or string. The decimal point is included if present. A string consisting of numerals can be written as a string and read as a number, but if it contains any non-numerical characters, an error is produced. The warning in the LEVEL II BASIC REFERENCE MANUAL is not totally correct. It is possible to read data in some form other than that in which it was written, but you must always read the same number of items. The carriage-return character (0DH) is the cue to stop the cassette when data is being read. ■

INFORMATION RETRIEVAL SYSTEM

continued from page 18

article in the November 1979 issue of the Radio Shack Microcomputer News for the description of the program. I have made some minor changes to the program but the body of the program is basically the same.

```

10 ' FROM "LIST/BAS"
20 ' FROM RADIO SHACK MICROCOMPUTER NEWSLETTER, 11/79
30 ' LISTER/BAS 2.0 - BASIC PAGE LISTER
40 ' COPYRIGHT (C) 1979 TANDY CORP.
50 ' MODIFIED BY PETER ANSBACHER, 918 SOUTH RUSTIC ROAD,
  COLUMBIA, MO 65201
60 ' MAY 1, 1981
70 '
80 CLEAR 1000

```

```

90 DEFINT A-Z
100 '
110 ' ATTEMPT TO OPEN REQUESTED FILE; ERROR TRAP IF NOT FOUND
120 '
130 CLS : PRINT TAB(20) "BASIC PAGE LISTER 2.0" : PRINT
140 LINE INPUT "ENTER FILESPEC: " ; F$
150 ON ERROR GOTO 960 : OPEN "I", 1, F$
160 ON ERROR GOTO 990 : PG = 0 ' PAGE COUNT SET TO ZERO
170 '
180 LINE INPUT "ENTER TITLE: " ; TL$
190 LINEINPUT "ENTER TIME AND DATE: " ; DT$
200 LINE INPUT "ENTER PAGE WIDTH ( 64 TO 132, DEFAULT = 80 ) :
" ; WDS
210 IF WDS = "" THEN WDS = "80"
220 WD = VAL( WDS )
230 IF WD < 64 OR WD > 132 THEN PRINT "** BAD WIDTH (64 -
132 ONLY) *" : GOTO 200
240 INPUT "DO YOU WANT EACH 'STATEMENT' ON A SEPARATE LINE
(Y/N) " ; SL$
250 IF LEFT$( SL$, 1 ) = "Y" THEN F1 = 1 ELSE F1 = 0
260 PRINT : INPUT "TYPE 1 FOR SINGLE SPACE, 2 FOR DOUBLE " ;
SP
270 '
280 ' *** MAKE SURE THE PRINTER IS READY ***
290 '
300 GOSUB 1030 ' SEE IF WANT TO PRINT LINE NUMBERS
310 PRINT : PRINT "SET PRINT HEAD OVER PERFORATIONS,"
320 PRINT : LINE INPUT "TURN ON PRINTER - THEN PRESS <ENTER>"
; AS
330 IF PEEK(14312) > 127 THEN PRINT "** PRINTER NOT READY

```

```

*" : GOTO 310
340 POKE 16424, 67 : POKE 16425, 1 ' SET LINE/PAGE AND LINE
COUNT
350 GOSUB 1220 ' GET LINE AND ADD LINE NUMBERS
360 GOSUB 660 : GOTO 410
370 GOSUB 660
380 IF EOF( 1 ) THEN 560
390 GOSUB 1220 ' GET LINE AND ADD LINE NUMBERS
400 IF F1 = 1 THEN GOSUB 670 : GOTO 380
410 W1 = WD : T = 0
420 W = W1 : IF LEN( L$ ) < W THEN W = LEN( L$ )
430 J = INSTR( L$, CHR$(10) ) ' CHECK FOR LINEFEED
440 IF J > 0 THEN W = J - 1 ELSE IF LEN( L$ ) > W1
THEN J = -1
450 LPRINT TAB(T) ; LEFT$( L$, W )
460 IF J <> 0 AND T = 0 THEN T = 5 : W1 = W1 - T
470 IF SP = 2 THEN LPRINT " " ' DOUBLE SPACE
480 IF J > 0 THEN W = W + 1
490 L$ = RIGHT$( L$, LEN(L$) - W )
500 IF L$ = "" THEN 530
510 IF PEEK( 16425 ) > 62 THEN LPRINT CHR$(12) : GOSUB 660
520 GOTO 420
530 IF PEEK( 16425 ) < 63 THEN 380 ' PAGE FINISHED?
540 LPRINT CHR$(12)
550 IF EOF(i) THEN 570 ELSE 370
560 LPRINT CHR$(12) ' ALL DONE
570 PRINT : PRINT "** END-OF-LISTING *"
580 PRINT
590 PRINT "SKIP TO TOP OF NEXT PAGE, ( <ENTER> = YES, N =
NO ) ? " ;

```



NEW from COMPASS SYSTEMS!

More Help for Dungeon Masters!



THE DUNGEON MASTER'S APPRENTICE

MODULE II

Spend more time conducting your campaigns and leave the paperwork to your apprentice. Your humble servant has added three new routines to his repertoire:

- You Called?
- EXPERIENCE •
 - CHARACTER ADVANCEMENT •
 - NON-PLAYER CHARACTER GENERATION •

Like Module I, in Module II you'll find your apprentice to be an accomplished typist (on any system-compatible printer) and a meticulous filer (cassette or diskette).


AVAILABLE FOR TRS-80, MODELS I and III
THE DUNGEON MASTER'S APPRENTICE, MODULE II
 Experience, Character Advancement and NPC's

CASSETTE (16K, LVL II, minimum) \$19.95
 DISK (32K, 2 Drive, minimum) \$29.95

The Dungeon Master's Apprentice, Module I
 Character Generation

CASSETTE (16K, LVL II, minimum) \$19.95
 DISK (32K, 2 Drive, minimum) \$29.95

LEGENDS of the LOST LABYRINTH



You've heard the stories of the fabled *Lost Labyrinth*— tales of fabulous treasure and horrible dangers. Are the legends true? Now is your chance to find out! We'll get you inside this wizard's treasure trove. Whether you'll ever be heard from again will depend on your powers of perception and your quick wits.

The *magic* of the *Lost Labyrinth* is such that each time you enter, you'll find a completely *new* dungeon to explore. And the better you get, the more challenging the Legend becomes.

AVAILABLE FOR TRS-80, MODELS I and II
LEGENDS of the LOST LABYRINTH
 A Solo Dungeon Adventure Game

CASSETTE (32K, LVL II, minimum) \$19.95
 DISK (32K, 2 Drive, minimum) \$29.95

Dealer Inquiries
Invited

COMPASS SYSTEMS, INC.
 VILLAGE SQUARE CENTER, BOX 388, E. HAMPSTEAD, N.H. 03826
 (603)329-5603

VISA & MasterCard
Accepted

```

600 LINE INPUT A$
610 IF A$ = "" THEN LPRINT CHR$(12)
620 END
630 '
640 ' ** PRINT DASH AND HEADING **
650 '
660 GOSUB 820 : GOSUB 860 : RETURN
670 NN = 0 : FOR J = 1 TO LEN( L$ ) : V$ = MID$(L$, J, 1) :
L = L + 1
680 LPRINT V$ ;
690 IF L >= WD THEN LPRINT " " : GOSUB 770 : LPRINT
TAB( 10 ) ; : L = 10
700 IF V$ = CHR$(34) AND NN = 1 THEN NN = 0 : GOTO 720
710 IF V$ = CHR$(34) AND NN = 0 THEN NN = 1
720 IF V$ = ":" AND NN <> 1 THEN LPRINT " " : GOSUB 770 :
LPRINT TAB( 5 ) ; : L = 5
730 NEXT J
740 LPRINT " " : L = 0
750 GOSUB 770
760 RETURN
770 IF PEEK( 16425 ) > 62 THEN LPRINT CHR$(12) : GOSUB 660
780 RETURN
790 '
800 ' *** PRINT DASHED LINES FOR PERFORATIONS ***
810 '
820 LPRINT STRING$( 1, " " ) : GOSUB 920 : RETURN
830 '
840 ' *** PRINT HEADING AND PAGE NUMBER ***
850 '
860 LPRINT LEFT$( TL$ + STRING$( 30, 32 ), 30 ) ; " " ;
DT$ ; " " ;
870 PG = PG + 1 : LPRINT USING "PAGE ###" ; PG
880 LPRINT STRING$( WD, "=" )
890 '
900 ' *** PRINT TWO BLANK LINES ***
910 '
920 LPRINT " " : LPRINT " " : RETURN
930 '
940 ' *** ERROR TRAPPING ***
950 '
960 IF ERR / 2 + 1 = 54 THEN PRINT "* FILE NOT FOUND *" :
RESUME 140
970 IF ERR / 2 + 1 = 65 THEN PRINT "* BAD FILE NAME *" :
RESUME 140
980 PRINT : PRINT "ERROR #" ; ERR / 2 + 1 ; "IN LINE" ; ERL :
STOP
990 RESUME
1000 '
1010 '*****
1020 '
1030 ' SEE IF WANT TO PRINT LINE NUMBERS
1040 '
1050 PRINT
1060 PRINT "PRINT LINE NUMBERS FROM 1 TO N FOR EACH LINE
(Y/N) ? " ;
1070 LINE INPUT YN$
1080 LN = 0
1090 IF YN$ <> "Y" THEN GOTO 1180
1100 PRINT
1110 PRINT "NOTE: 1 = PRINT LINE NUMBERS AT BEGINNING OF
LINE"

```

```

1120 PRINT "      2 = PRINT LINE NUMBERS AT END OF LINE"
1130 PRINT
1140 PRINT "      SELECT " ;
1150 INPUT LN
1160 IF LN < 0 OR LN > 2 THEN 1100
1170 LL = 0 ' LINE NUMBER TO PRINT
1180 RETURN
1190 '
1200 '*****
1210 '
1220 ' GET LINE AND ADD LINE NUMBER
1230 '
1240 LINE INPUT #1, L$
1250 IF LN = 0 THEN GOTO 1330
1260 LL = LL + 1 ' INCREMENT LINE NUMBER
1270 IF LN = 2 THEN 1320
1280 ' ADD LINE NUMBER TO BEGINNING OF LINE
1290 L$ = "<" + STR$(LL) + "> " + L$
1300 GOTO 1330
1310 ' ADD LINE NUMBER TO END OF LINE
1320 L$ = L$ + " <" + STR$( LL ) + ">"
1330 RETURN
1340 '
1350 '*****
1360 '

```

How to Modify the SORT Program to Run in 32K

The SORT program is designed to run in 48K. If your computer has 32K, you can make the following changes to enable the program to run on your computer:

1. Set Memory Size to 48895.
2. Change the following lines in the program to:

```

170 CLEAR 15000
190 DIM A$(1000)
680 DEFUSR = &HBF00
740 POKE I7 - 16641, I8
760 IF I6 <> THEN STOP

```

3. Change all 23 occurrences of 255 to 191 in the data statements.

Note: It is not practical to run this program in 16K of memory. However, if you want to try to get it to work, make the following changes:

1. Set Memory Size to 32512.
2. Change the following lines in the program to:

```

680 DEFUSR = &H7F00
740 POKE I7 - 32511, I8
760 IF I6 >< 22393 THEN STOP

```

3. Change all 23 occurrences of 255 to 127 in the data statements.

4. Change line 170 to clear enough string space. Experiment with this value.

5. Change line 190 to dimension A\$ to the maximum number of lines allowed. Experiment with this value.

Peter Ansbacher
918 S. Rustic Road
Columbia, MO 65201 ■

I's, J's AND THEIR RELATIONSHIP TO BASEBALL

C. Brian Honess

As I write this article, baseball is back on the TV, and I think that baseball will make a terrific example program to illustrate working with a matrix and with subscripts. In fact, it doesn't really have to be major league baseball, it can be your local Little League, or it doesn't even have to be baseball — we can work with most any sport wherein we're interested in the percentage standings, and the number of games behind the leader each of the various teams is.

Let's make up some names of Little League teams, say 10 of them, along with as team number, and let's see how they might stand as of this morning:

TEAM					
NAME	NUMBER	WON	LOST	PERCENT	GAMES BEHIND
EAGLES	6	13	5	.722	
TIGERS	1	11	6	.647	1 1/2
RABBITS	7	11	7	.611	2
TURTLES	10	11	8	.579	2 1/2
BEARS	3	9	10	.474	4 1/2
LIONS	2	8	9	.471	4 1/2
BIRDS	8	8	10	.444	5
CAMELS	9	8	11	.421	5 1/2
MULES	5	7	11	.389	6
SNAILS	4	3	12	.200	8 1/2

You'll notice that the number of games played by each of the teams varies between 15 and 19. Now, let's consider the games that were played tonight. All 10 teams played, and all 5 games were completed — none rained out, and we'd like to update our standings table.

TEAM & NO.	RUNS	VS.	TEAM & NO.	RUNS
TIGERS 1	6		BIRDS 8	1
SNAILS 4	4		TURTLES 10	1
BEARS 3	5		LIONS 2	3
MULES 5	3		CAMELS 9	1
EAGLES 6	3		RABBITS 7	2

So, team 1 beat team 8 by a score of 6 to 1; team 4 beat team 10 by a score of 4 to 1, etc.

In order to find the "win/loss percentage" for a particular team, we need only calculate:

$$\frac{\text{No. of wins}}{\text{No. of wins} + \text{No. of losses}}$$

but the calculation for the number of games a particular team is behind the leader, is a little more difficult:

$$GB_j = \frac{(W_1 - L_1) - (W_j - L_j)}{2}$$

which means: to find the number of games behind, that the "j"th team is, we take the difference between their wins and losses, and subtract this from the difference between

the wins and losses for the first place team, and then divide by 2. For example, consider our starting standings on the previous page, and say we want to find out how many games behind the CAMELS are, team 9.

$$GB_9 = \frac{(W_1 - L_1) - (W_9 - L_9)}{2} = \frac{(13 - 5) - (8 - 11)}{2}$$

$$= \frac{8 - (-3)}{2} = \frac{8 + 3}{2} = 5 \frac{1}{2}$$

which is what the standings say!

The inputs to the program will be the old standings, plus the results of the games played since the standing were last updated. When the old standings are entered, all we need to enter is the team number and the number of games won and lost for each team, since we'll have no need for the old percentage wins, and games behind figures. Then we'll enter the number of games involved in our update run, and then enter the teams playing and the scores of each game, and then calculate and display a new standings table.


The rough flowchart shows the order in which we'll do these tasks. I'm showing everything being "keyed" in (note the shape of the "keyboard" symbol), but you could just as well use DATA statements to READ in the old standings, etc. Also, I show the new table being displayed on a CRT (note the "tube" symbol), but you may be fortunate enough to own a printer, and you might even want to write the table onto disk, so it can be used as input for the next update run. The same thing could, of course, be done with a tape cassette.

Let's start by DIMensioning a 10 by 3 table for the old standings (just the team number, and the number of wins and losses for each of the 10 teams).

```
20 DIM T(10,3)
```

Now we'll load it with our old standings. There are many ways to do this — you could INPUT them a row at a time, or a column at a time — or you could READ them, using DATA statements. I'll do it that way (for absolutely no particular reason):

```
25 FOR I = 1 TO 10
30 READ T(I,1), T(I,2), T(I,3)
35 NEXT I
41 DATA 6,13,5
42 DATA 1,11,6
43 DATA 7,11,7
44 DATA 10,11,8
45 DATA 3,9,10
```



"Rough" flowchart for updating standings, for any number of teams, playing any number of games between update runs.

```

46 DATA 2,8,9
47 DATA 8,8,10
48 DATA 9,8,11
49 DATA 5,7,11
50 DATA 4,3,12
  
```

Now we'll have to find out how many games are involved in the update run:

```
55 INPUT "HOW MANY GAME RESULTS DO YOU WANT TO ENTER";N
```

and we'll INPUT them (assuming the winning team is listed first), and increment the correct "win" and "loss" totals:

```

60 FOR I = 1 TO N
65 INPUT T1, T2
67 FOR J = 1 TO 10
68 IF T(J,1) <> T1 THEN 70
69 X = J
70 NEXT J
71 T(X,2) = T(X,2) + 1
72 FOR J = 1 TO 10
73 IF T(J,1) <> T2 THEN 75
74 X = J
75 NEXT J
76 T(X,3) = T(X,3) + 1
77 NEXT I
  
```

Now it's time to calculate the new percentages, and then the games behind figures, but wait a minute — where will we put them? How about in the same table, in a 4th and 5th column? A good idea, so let's just go back and change line 20, to reflect the fact that we need a 10 by 5 table:

```
20 DIM T(10,5)
```

Now we can calculate the percentages:

```

85 FOR I = 1 TO 10
90 T(I,4) = T(I,2) / (T(I,2) + T(I,3))
95 NEXT I
  
```

Now, the standings may have changed, by virtue of the update, so let's sort the table before we print it, using the newly-calculated percentages as a basis for the sort.

There are a number of variations of a sorting technique called the "bubble-up" or "push-up" sort. Basically, what we'll be doing is going through the list of percentages and comparing the first one with each of the other nine, in turn. When we find one that is larger than the first one, we'll simply switch them, so that the largest one in the list will therefore "bubble-up" to the top. Then we'll go through the list starting with the second number, and compare it with each of the other eight numbers in turn, "pushing-up" the largest one — and then starting with the third one, etc. down through the ninth, we'll swap them, and the list will be sorted.

The only real difficulty is that we can't switch two numbers in storage without using a third temporary location. This is because if we want to switch two numbers, and we bring the second number into the location occupied by the first number, it will destroy the first number when we try to retrieve it to put it into the second location! For this reason, I'll set up four temporary storage locations, X1, X2, X3 and X4, to hold the four numbers in any one row of the table when we want to make a switch. Here then, is the sort routine:

```

100 FOR I = 1 TO 9
105 JJ = I + 1
  
```

```

110 FOR J = JJ TO 10
120 IF T(I,4) > T(J,4) GO TO 190
130 X1 = T(I,1)
135 X2 = T(I,2)
140 X3 = T(I,3)
145 X4 = T(I,4)
150 T(I,1) = T(J,1)
155 T(I,2) = T(J,2)
160 T(I,3) = T(J,3)
165 T(I,4) = T(J,4)
170 T(J,1) = X1
175 T(J,2) = X2
180 T(J,3) = X3
185 T(J,4) = X4
190 NEXT J
195 NEXT I

```

6	14	5	.736842	0
1	12	6	.666667	1.5
7	11	8	.578947	3
10	11	9	.550000	3.5
3	10	10	.500000	4.5
2	8	10	.444444	5.5
5	8	11	.421053	6
8	8	11	.421053	6
9	8	12	.400000	6.5
4	4	12	.250000	8.5

and if you compare this table to the original, you'll see there have been a few changes.

There are several changes and additions we can make in the program. In line 65, we could input the two teams that played, T1 and T2, as well as the two scores, call them R1 and R2, and then have the program update the won/lost columns of the correct teams. Instead of using team numbers, you could modify the program to use the team names. And, you might add a little nicer output print format for the table. How about if I leave the first two to you, and I'll tackle the output formatting?

Let's add the following lines to the program. Notice that some of the existing lines will be overlaid, but this is OK, as I've adjusted all the line numbers.

(Program on page 54)

Line 100 tells us which line of the table we're going to use for comparing to all the other lines, and line 105 simply says to start comparing with the next line in the table, after the one you're comparing, because there is no sense going up and comparing with higher lines that have already been considered, and "bubbled-up"! If the line we're comparing is already larger, line 120 says to not bother doing any switching, and to go to the loop bottom and then consider the next comparison. Lines 130 through 185 are the 12 moves that it takes to switch places with the two lines of four items each, using the four temporary locations.

And now, we're ready to calculate the "games-behind" values, which go in the 5th column of the Table T. First, though, we'll set the first team to zero.

```

200 T(1,5)=0
205 FOR I=2 TO 10
210 T(I,5)=((T(I,2)-T(I,3)) - (T(I,2)-T(I,3))) / 2
215 NEXT I

```

And now we can PRINT the results:

```

230 FOR I=1 TO 10
235 PRINT T(I,1);T(I,2);T(I,3);T(I,4);T(I,5)
240 NEXT I
250 END

```

Let's try a RUN, with the test data from the first part of the article. When you're asked for the number of games, enter 5. Then enter:

```

? 1,8
? 4,10
? 3,2
? 5,9
? 6,7

```

which corresponds to the numbers of the winning and losing teams, respectively, for each of the 5 games played. We have not used very fancy output formatting, so the results should be the following values:

When you run this, you'll agree that there has been a real
text continued on page 55

Introducing...

COLORZAP™

A powerful utility that opens a window into the Color Computer's disks.

COLORZAP uses the power of the Color Computer to provide both rapid scanning and full screen modification capabilities. You can now examine, modify, and copy programs or data while they're stored on disk. Access them by filename or location.

COLORZAP is programmed largely in BASIC so that you can modify it if you'd like, but part of it is in machine language to provide fast response. All accesses to disk are performed with standard interfaces, so any standard Color Computer disk can be examined. You can directly access the disk's directory and control information to examine a clobbered disk, recover a killed file, or find parts of a file when other parts have been lost. With this new window into its disks, the Color Computer sheds its image as a toy. Now you can use this exciting machine like other powerful microcomputers.

For the TRS-80 Color Computer. Available on disk with an accompanying manual from **Software Options**, 19 Rector Street, New York, N.Y. 10006. 212-785-8285. **Toll-free order line: 800-221-1624.** Price: \$49.95 (plus \$3.00 per order shipping and handling). New York State residents add sales tax. Visa/Master-card accepted.



POCKET COMPUTER CORNER

A Retail Package for the Pocket Computer

S. M. Zimmerman, Ph.D., and L. M. Conrad

Copyright © Zimmerman and Conrad, 1982

The ability to package program routines with the pocket computer can be of value to the retail merchant. This collection of programs includes:

1. DISC—A routine for discounting a sale from a given price.
2. GPM—This gross profit margin routine uses the selling price as the base for profit calculations
3. MARKUP—This routine uses costs as the base for profit calculations
4. TAX—This routine is designed to calculate sales tax information.

The low power memory of the pocket computer means the merchant may load the programs into the computer and have them available whenever they are needed.

We used PRINT statements in our pocket computer to produce the output. This means the user has the choice of using the display followed by an ENTER or the printer if one is available.

The theory for all routines used is simple. We will briefly review the theory and equations used in one of the routines. The operation of the program will then be reviewed, followed by a brief discussion detailing our program.

THEORY . . . DISC

The sales price of an item may be calculated by the following relationships:

$$\text{sales price} = \text{price} - \text{discount} * \text{price}$$

In the above equation the discount must be a decimal.

Working backwards the price may be calculated with the following relationship:

$$\text{price} = \text{sales price} / (1 - \text{discount})$$

Again the discount must be expressed as a decimal.

The last equation used in this routine is for the purpose of calculating the discount as a percent. The equation used follows:

$$\text{discount} = (\text{Price} - \text{sales price}) / \text{price} * 100.$$

The result of this equation is to produce the discount as percent with the original price as a base.

THEORY . . . GPM (Gross Profit Margin)

One advantage of this approach is that the selling price is used as its base of calculations. This is the same base which

is used for discounting above. By using the same base in these two routines the merchant has an easier time in figuring the amount of discount he can allow in any given circumstance.

Equations used for this routine are:

$$\text{gross profit margin} = (\text{price} - \text{cost}) / \text{price} * 100$$

$$\text{cost} = \text{price} - \text{gross profit margin} * \text{price}$$

$$\text{price} = \text{cost} / (1 - \text{gross profit margin})$$

In all the above equations the gross profit margin is inputted as a decimal. The value is outputted from the first equation as a percentage.

THEORY . . . MARKU

This approach uses the cost of a item as its base. Using this method of calculating selling price is not popular because it is more difficult and subject to potential costly errors.

Equations used in this routine are:

$$\text{markup} = (\text{price} / \text{cost} - 1) * 100$$

$$\text{cost} = \text{price} / (\text{markup} + 1)$$

$$\text{price} = \text{cost} + \text{markup} * \text{cost}$$

The value of markup is inputted as a decimal in all the equations. The value of markup in the first equation is outputted as a percentage.

THEORY . . . TAX

Sales tax is widely used and understood. We included this routine in our program for completeness. The equations are:

$$\text{tax} = \text{tax rate} * \text{price}$$

$$\text{gross price} = \text{price} + \text{tax}$$

$$\text{tax rate} = (\text{gross price} - \text{price}) / \text{price} * 100$$

$$\text{price} = \text{gross} / (1 + \text{tax rate} * \text{gross price})$$

The above equations are straightforward except for the calculation of price. This is to be expected, in that price is the base of the calculations. We have defined gross price as the price of the item plus the tax. The tax rate is inputted in terms of a decimal and outputted as a percentage.

RUNNING the PROGRAM

The program is designed to be operated in the RUN and the DEFInable MODEs. In either MODE the program may be started by typing RUN or RUN "RETAIL". The main menu appears on the display as:

DISC GPM MARKUP TAX?

To select an item from this menu the user types the name desired. For example, to figure the gross profit margin one would type GPM.

It is possible to go to any one of the alternative routines. For example; if you type RUN "GPM" you will go directly to the gross profit margin routine without going through the main menu. This ability will be advantageous in speeding up the program for individuals who make extensive use of the program.

Let's review the operations of each alternate routine in turn.

RUN "DISC"

The menu for this routine is:

PRICE DISC% SALE?

You must now select the item you wish to solve for. If you are interested in PRICE then type PRICE and hit ENTER. The result will be:

DISC% SALE?

You are being asked to input the value for discount as a percentage followed by the sales price. Assume the discount is 10% type 10 and hit ENTER. You will now see:

?

If the sales price is \$50.00 you should type 50 and hit the ENTER key. The outputs are:

PRICE 55.5555556

SALE 50.

DISC% 10.%

If you are using a printer, the three items will be produced automatically. If you are using the display, you will have to hit the ENTER key between results.

We did not include a routine to round off the output values. We felt that users would prefer to see the actual number and to make the round off-truncation decision themselves.

After the computer has completed the above output the main menu will again appear on the display. In our design of the program we decided to allow the option of having the flow return to the main menu or to the working menu for the section being used. We will show you how to rewrite the program to have it perform in the manner you prefer in the section reviewing the program.

If you selected DISC% in the working menu you will see:

PRICE SALE?

Introducing...

Data-Writer™

A powerful information processing system that interfaces text processing and data management.

Users have praised Midwest Data System's Auto-Writer for its unique, versatile approach to data base management.

Now DATA-WRITER does even more:

- New Data Entry program to create your data base or add records to an existing data base. It has error checking features and supports both fixed and variable length fields.
- New File Editor lets you edit your data base without an independent word processor. Or, if you prefer, use your own word processor (Electric Pencil, Lazy Writer or Scripsit) to create and edit your data base.
- New Field Manager that lets you add, delete, re-order or append fields and merge or split data bases.
- New interactive, double-precision Math program that processes up to 20 equations of up to 255 characters using numbers you enter and your data base field labels. It includes an in-memory scratch pad to store temporary values. Insert them into other equations for a cascade of increasingly complex mathematical statements. Store your series of equations on disk as procedure files to use any time you need them.
- New two-level Sort that enables you to use nested sorts for complex ordering of data files. Sort on any field, without having previously designated it as a key.
- New Mailing Label program that allows you to print multiple labels from one to four across and to insert a variable from the keyboard or a fixed message on every label.
- Form Letter processor that allows you to insert data from your data base into a form letter or contract.
- Report Generator for columnar tabulations with automatic headings, pagination, totals and subtotals, and sophisticated formatting control. **DATA-WRITER'S** unique flexibility enables you to modify your report format as you wish, without the need to scrap it and start fresh.
- Powerful Select-If command that lets you define a subset of your data base. New instring selection capabilities. With Select-If and Sort, you can create dozens of new data bases for specific purposes.
- Statistical check on your data base to locate data entry errors. Stats also reports maximum entered data length for each defined field, a tremendous aid when designing a report.

DATA-WRITER is both powerful and easy to use. It has speed and versatility not available in any so-called data base management system. As one Auto-Writer user said, "Why hasn't someone done this before!"

For the TRS-80 Model I/III (48K, 2 disk drives, lower case required). Available at your favorite software store, or order from **Software Options**, 19 Rector Street, New York, N.Y. 10006. 212-785-8285. **Toll-free order line: 800-221-1624.** Price: \$125 (plus \$3 per order shipping and handling). New York State residents add sales tax. Visa/Mastercard accepted.



**SOFTWARE
OPTIONS INC.™**

Assume you answer 55.55 and 50. to these two questions in order. The result will be:

PRICE 55.55
SALE 50.
DISC% 9.9909991%

You had to use the ENTER key between results if you were outputting to the display. We also note the percent of the discount calculated from the above is not exactly 10%. This is as expected. If we are working with even pennies it is not possible to always produce even results.

To be complete, we recycled once more requesting the SALES price as our output. The following results were obtained:

PRICE 55.55
SALE 49.995
DISC% 10.0%

This completes the three alternatives in the DISC% menu. The results when solving for any unknown was the same except for a slight round off error as noted.

RUN "GPM"

Operation of all the routines are similar. The menu for this routine is:

GPM COST PRICE?

Operation of this menu consists of selecting the alternate you wish to solve for, and then input in the other two factors. In turn we have listed the item to be solved for and the output we obtained:

Solving for GPM

PRICE 55.55
COST 50.
GPM 9.990991%

Solving for COST

PRICE 55.55
COST 49.995
GPM 10.0%

Solving for PRICE

PRICE 55.555555556
COST 50.
GPM 10.0%

The numbers we selected were similar to the DISC% run to illustrate how similar these two approaches were.

RUN "MARKUP"

The menu for this routine consists of the following:

COST MU% PRICE?

In turn the output for the unknown selected with its input reproduced, follows:

Solving for COST

PRICE 50.
COST 45.45454545
MARKUP 10.0%

Solving for MARKUP

PRICE 50.
COST 45.45
MARKUP 10.0110011%

Solving for PRICE

PRICE 49.995
COST 45.45
MARKUP 10.0%

The problem of round off again appears in our calculations. As we can see for all practical purposes the problem is minor.

RUN "TAX"

The tax routine is different from our other routines. Here there are four factors of interest, rather than three, however, only two factors are needed to produce all four of the factors. We had to select which items of input to use in each part of our routine.

The menu for this routine is:

TAX TAX% GROSS PRICE?

We will now identify the output of each, in turn, and specify the items we selected to input.

Solving for TAX with inputs of TAX% and PRICE

PRICE 50.
TAX 3.
GROSS 53.
TAX% 6.0%

Solving for TAX% with inputs of GROSS and PRICE

PRICE 50.
TAX 3.
GROSS 53.
TAX% 6.0%

Solving for GROSS with inputs of TAX% and PRICE

PRICE 50.
TAX 3.
GROSS 53.
TAX% 6.0%

Solving for PRICE with inputs of GROSS and TAX%

PRICE 50.
TAX 3.
GROSS 53.
TAX% 6.0%

Attention

BARGAIN HUNTERS

Receive Hundreds of Classified Ads
Like These Every Month

HARD DISK DRIVE Diablo Mod 31
1.2 MByte std. density. Includes
power supp. and cable, rack mount
slides, amd manual. Excellent
condition \$450. Call 305-1601-1601

IMPACT PRINTER 165 CPS Serial
and parallel interfaces-Eight
Selectable character sizes-Single
and double width characters-uses
standard plain paper - same
mechanism as the integral data
mechanism as the integral data
system. 1 year old \$589.

HEATHKIT H-11/DEC LSI-11
system, 32K Byte storage, reader 1
punch, video terminal, complete
software. Cost \$4500 assembled,
\$3500 kit. Like new. Sell for \$2250.
305-962-6677. 2058 Griffin Rd., Ft.
Lauderdale, FL 33312.

FOR SALE: Interdata (Perkin-Elmer)
7/16 Mini with 32KB core, front
panel, 50A PWR supply. Includes
HS tape reader, interfaces for LP, 2
(TTY), and RS-232 (Full duplex,
programmable). Includes manuals
and much SW (Basic, Fortran, OS,
etc.). \$800 - After 6 PM 303-2035

COMPUTER AUTOMATION ALPHA
16; 16 k-word core memory, RTC,
PF-R. Modified Mod. ASR-33 TTY.
Manuals, utilities, assemblers and
many option boards - 16 bit I/O
Driver, 16 bit I/O, Asynch modem
contr. 64 bit output, 10 bit A/D -
D/A. Fairly complete documenta-
tion. Up and running in Fortran.
Not much more than TTY at \$1000.
Herb Sauer, 303-494-8724.

FOR SALE: Heath H9 video ter-
minal, excellent condition, \$175 or
best offer. You ship. [214] 962-4484

WANTED: DIGITAL Group 32K
memory board without memory
chips and Phi deck controller board
(kit, assembled or not working).
Call 305-1510-NW 35th.

PET COMPUTERS moving up to LSI-
11 Pet business system priced to
sell PET 2001-16N Computer \$800,
2040 Dual Floppy 340K (holds more
data than 6 TRS-80 disks) \$1,100
Digital cassettes (2) \$60 each
System complete with Text Editor,
disk sort, database software, real
estate software and more \$2,100.
Call PAUL (313)971-8447

COMPUTER SHOPPER, the new buy, sell, and trade publication, is ready to help you with the latest information on personal, small business and large-system computers, accessories and software.

Each ad-packed issue is full of bargains you are looking for. Included are ads from individuals throughout the United States who are selling their good, pre-owned equipment just so they can trade-up to new equipment coming on the market.

But, COMPUTER SHOPPER'S bargains won't be yours unless you subscribe. This useful, money-saving publication can become your way to communicate with other buyers, sellers, and traders all over the nation.

Whether you are a hobbyist or a part-time user, COMPUTER SHOPPER will put you in touch with the nationwide computer marketplace in time for you to take advantage of bargain opportunities.

Have something to sell? A COMPUTER SHOPPER subscriber probably wants to buy it.

Looking for a part, component or even a complete system? A COMPUTER SHOPPER subscriber probably wants to sell it.

COMPUTER SHOPPER is THE marketplace for anything in computers and is read by thousands of people who are ready to buy

COMPUTER SHOPPER offers a unique format in which classified ads are categorized for fast location of specific items. Combining this with low individual ad rates — 12 cents a word —



makes it the ideal place for buyers and sellers to communicate. And, its mix of individual, dealer, and manufacturer ads enable subscribers to find what they want at the best price possible.

COMPUTER SHOPPER will work for you in other ways, too. If you are just thinking about getting into computers, it can help you learn product availability and prices before you make a decision. And, through the timely ads, COMPUTER SHOPPER will keep you abreast of changes in the market which could create bargain opportunities for you.

BUT COMPUTER SHOPPER cannot work for you unless you subscribe.

Want to look us over first? We'll give you your first issue FREE and then bill you for the next 12. If you are not convinced COMPUTER SHOPPER suits your needs, just write "cancel" on the invoice and return it.

And, to let COMPUTER SHOPPER start working for you right now, with a paid subscription we'll also give you a FREE classified ad to sell your pre-owned equipment or to find equipment you want.

If you don't need to use the free classified ad now, use it anytime during your subscription.

Subscription \$10/year, 12 issues plus your first free one. Bank cards accepted. Money back guarantee.

The Nationwide Marketplace for Computer Equipment
COMPUTER SHOPPER
P.O. Box 23 • Titusville, Florida 32780
Telephone 305-269-3211

MasterCharge or VISA orders only, call TOLL FREE 800-327-9920.

EXAMINATION OF PROGRAM

The program has been structured by the use of statement numbers. Statement number 1 is the main menu. This line has the name "RETAIL" in front of it. This is the method used to find the line when you type RUN "RETAIL". The GOTO statement at the end of this line sends the flow of the program to a line with a name marker.

The "MARKUP" routine is found in lines 11 through 14. The first line of the routine is the main menu and is identified with the word "MARKUP". Again this is the method used to find the line from the main menu or when you type RUN "MARKUP". Lines 12 and 13 are used to perform the calculations needed to produce the specified results. The last line in this set prints the results and then returns the flow of the program to the main menu. If you wish to have the program recycle change the GOTO "RETAIL" at the end of line 14 to GOTO "MARKUP".

* Lines 20 through 24 are for the "GPM" gross profit margin routine and are organized in a manner similar to lines 11 through 14. The first line is the working menu, the middle lines do the calculations, and the last line prints the results. Again if you change the GOTO "RETAIL" in line 24 to GOTO "GPM" you can force the program to recycle to the working menu only.

The "TAX" routine is found in lines 30 through 35. They are organized in exactly the same manner as the remainder of the program.

The last routine, "DISC", is found in line 40 through line 44. Again this routine is organized in a like manner to the preceding routines. The last two routines can be made to cycle to themselves in the same manner as the first two routines.

PROGRAMMING THE POCKET COMPUTER

We have used some features of the pocket computer that are different from other computers we know of. For example, the THEN may not be used with the IF statement except in place of the GOTO statement. We tried using extra THEN statements and obtained an error.

The identification of a line with a name such as "RETAIL" only works in the pocket computer. In addition the statement .10M in your pocket computer is almost the same as .01 * M. Both are multiplication instructions, the difference seems to be in the hierarchy of operations. The .01M has a higher hierarchy than .01 * M.

The GOTO A\$ in line 1 and the GOTO "RETAIL" in lines 14, 24, 35, and 44 are also unusual statements and we believe unique to the pocket computer. The GOTO A\$ directs the flow of the program to a line with a name that matches the string variable A\$. The GOTO "RETAIL" directs the program to a line with the name "RETAIL", such as line 1.

SUMMARY

This collection of programs may be used by the retail merchant at the point of sale. They can calculate many of the different factors which concerns the retailer, discounting information, gross profit margin, markup, and tax information. The routines are easy to input into the computer and can be stored for instantaneous use in the pocket computer's low power memory.

This is just one example of what may be done with the pocket computer. We have two books being published shortly by WM. C. BROWN Publishing Company addressing the use of the pocket computer. One book is instructional while the second book is a collection of programs in various fields.

LISTING

The following listing has some extra space left between the individual routines. The lines have been left to make it easier for you to understand the program, do not try to input blank lines into your pocket computer. We know of no way to do this.

Other than the addition of these blank lines we have copied the list exactly as it will appear in your pocket computer.

```
1:"RETAIL" INPUT "DISC GPM MARKUP TAX?";A$:GOTO A$
```

```
10:"MARKUP"INPUT "COST MU% PRICE?";A$
```

```
11:IF A$="MU"INPUT "PRICE COST?";S:INPUT C:M=(S/C-1)*100
```

```
12:IF A$="COST"INPUT "PRICE MARKUP?";S:INPUT M:C=S/(.01M+1)
```

```
13:IF A$="PRICE"INPUT "COST MARKUP?";C:INPUT M:S=C*(.01M+1)
```

```
14:PRINT "PRICE ";S:PRINT "COST ";C:PRINT "MARKUP ";M,"%":
```

```
GOTO "RETAIL"
```

```
20:"GPM"INPUT "GPM COST PRICE?";A$
```

```
21:IF A$="GPM"INPUT "PRICE COST?";S:INPUT C:G=(S-C)/S*100
```

```
22:IF A$="COST"INPUT "PRICE GPM?";S:INPUT G:C=S-.01GS
```

```
23:IF A$="PRICE"INPUT "COST GPM?";C:INPUT G:S=C/(1-.01G)
```

```
24:PRINT "PRICE ";S:PRINT "COST ";C:PRINT "GPM ";G,"%":
```

```
GOTO "RETAIL"
```

```
30:"TAX"INPUT "TAX TAX% GROSS PRICE?";A$
```

```
31:IF A$="TAX"INPUT "TAX% PRICE?";U:INPUT P:T=.01UP:G=P+T
```

```
32:IF A$="TAX%"INPUT "GROSS PRICE?";G:INPUT P:U=(G-P)/P*100:
```

```
T=.01UP
```

```
33:IF A$="PRICE"INPUT "GROSS TAX%?";G:INPUT U:P=G/(1+.01U):
```

```
T=.01UP
```

```
34:IF A$="GROSS"INPUT "TAX% PRICE?";U:INPUT P:G=P+.01UP:
```

```
T=.01UP
```

```
35:PRINT "PRICE ";P:PRINT "TAX ";T:PRINT "GROSS ";G:PRINT
```

```
"TAX% ";U,"%":GOTO "RETAIL"
```

```
40:"DISC"INPUT "PRICE DISC% SALE?";A$
```

```
41:IF A$="PRICE"INPUT "DISC% SALE?";D:INPUT S:P=S/(1-.01D)
```

```
42:IF A$="DISC%"INPUT "PRICE SALE?";P:INPUT S:D=(P-S)/P*100
```

```
43:IF A$="SALE"INPUT "PRICE DISC%?";P:INPUT D:S=P-.01DP
```

```
44:PRINT "PRICE ";P:PRINT "SALE ";S:PRINT "DISC% ";D,"%":
```

```
GOTO "RETAIL"
```

Steven M. Zimmerman, Ph.D.

College of Business

University of South Alabama

Mobile, Alabama 36688

Leo M. Conrad

Imagineering Concepts

P.O. 9843

Mobile, Alabama 36691-0843 ■

ASSEMBLY LANGUAGE FOR BEGINNERS (PART 6)

Joseph Rosenman

"Central Processing Unit." The place where the computer "processes" information. If we were to open up our TRS-80, we would see a big chip marked (what else) Z80. In our computers, this is the CPU. How does it work? Just as we write machine language instructions to tell the CPU what to do, it (the CPU) contains special instructions that tell it how to execute the instruction. We have described machine language as the most primitive level of programming a microcomputer. While this is true, many things must happen inside the CPU during the execution of the instruction. When the machine instruction enters the CPU, the code "triggers" special "micro-code". This code tells the CPU how to execute the instruction.

I have already mentioned the various registers in the Z80 microprocessor. All CPU's have a "brain in a brain," that tell it "how to do it." This is usually known as the Control Unit. In addition to the Control Unit, Registers, and Microcode, there is the Arithmetic Logic Unit. The ALU is actually a special invisible register that is responsible for all data manipulation. Unfortunately, I have been unable to inspect a detailed diagram of the internal architecture of the Z80. It is possible that all of the Shifts, Rotates, Adds, Subs, Ors, Ands, Xors, Negs, and whatever else are performed directly in the ALU. Some CPUs will include a special Shift register, and other assorted devices to facilitate internal processing. I regret the fact that I'm not sure, but I believe the ALU in the Z80 "does it all."

What is the point of this discussion? Basically, it is intended to provide a "flavor" of what is going on inside the CPU. It is an interesting fact that, inside the CPU, there is a virtual computer within a computer. The microcode (which is a permanent resident program) is similar to your "user" program. (There are even computers that allow the micro-code to be programmed. These systems are known as "micro-programmable" computers.) The registers in the CPU are similar to your programs DATA memory. The Control Unit is like the CPU. What does the Control Unit actually do? It changes the electrical signals travelling on the "BUS", thus causing events to take place. Some events include: Select a memory address, read or write the data in memory, send or read a value from an I/O port, etc. It may surprise you to know that the single machine language instruction might cause ten, twenty, even one hundred micro-code instructions to be executed. If the subject of micro-programming is of interest to you, I strongly recommend "An Introduction to Microcomputers, Volume 1," by Adam Osborne (Osborne & Associates. Inc., Berkeley, CA, 1976). This book includes a detailed discussion on "concepts of micro-programming." It is not easy going, so you might want to start with Volume 0 (there really is a Volume 0).

Now, back to programming! Here is the problem: Put the number 0 in address 7000, 1 in 7001, 2 in 7003, and a 3 in 7004. Here is memory before, the program, and memory after.

```
7000 35 44 23 87 45 11 00 E1 43 54 65 5F 45 25 15 87
7010 09 F4 3B AA 00 AC A2 55 3D 2C 44 32 FF FA 50 37
```

Label	Command	Argument	Comment
	LD	HL,7000H	;Start Address
	LD	A,0	;Start value
	LD	(HL),A	;Save a 0
	INC	HL	;HL=HL+1
	INC	A	;A=A+1
	LD	(HL),A	;Save a 1
	INC	HL	
	INC	A	
	LD	(HL)	
	INC	HL	
	INC	A	
	LD	(HL)	

```
7000 00 01 02 03 45 11 00 E1 43 54 65 5F 45 25 15 87
7010 09 F4 3B AA 00 AC A2 55 3D 2C 44 32 FF FA 50 37
```

What do you suppose INC HL means? It means take whatever is in the HL register, and increment it (add one to it). Rather than reloading a new address into HL (and a new constant in A), we allow the program to do it for us. Notice that it is possible to use an INC with both 16 bit and 8 bit registers. In fact, it is possible to INC or DEC all of the standard registers (A, B, C, D, E, H, L, BC, DE, HL, IX, and IY). There is a difference between 8 bit and 16 bit INCs and DEC. Only the 8 bit INCs and DEC set the status flags. I trust that you have all realized that a DEC is a Decrement (subtract one).

Next on our agenda is the JP (Jump) instruction. A jump causes the program to go to some other location, and continue execution at that location. I know, it sounds terrible. In reality, this is very much like a GOTO statement in BASIC. Since I mentioned BASIC (did I mention BASIC???) , let's recall the FOR/NEXT statement. This structure usually involves the INC or DEC of a value, and a GOTO. Consider:

```
FOR I=9 TO 0 STEP -1
  (whatever)
NEXT I
```

This will count down from 9 to 0, doing "whatever" each time, then jumping back to the DEC again. When is it time to stop jumping back to "whatever"? When the index (I) equals 0. This means that the zero value needs to be tested each "pass" through the "loop". Let's change the program slightly:

```
DIM ADDR(8) : ' ADDR is an integer array.
REM We "happen to know" that ADDR is at address
7000H.
```

```

J=0 : ' J is the index into the ADDR array.
FOR I=9 TO 0 STEP -1
  ADDR(J)=I
  J=J+1
NEXT I

```

Here is the next problem: Fill memory with sequence of numbers from 9 to 0, starting at 7000H. Now, let's write this program in assembly language.

```

7000 00 01 02 03 45 11 00 E1 43 54 65 5F 45 25 15 87
7010 09 F4 3B AA 00 AC A2 55 3D 2C 44 32 FF FA 50 37

```

Label	Command	Argument	Comment
	LD	HL,7000H	;Start Address
	LD	A,9	;Start value
LOOP	LDPPP	(HL),A	;Save value in memory
	INC	HL	;Point to next address
	DEC	A	;This is both a count & data
	JNZ	LOOP	;If A isn't zero, repeat.

; All done!

```

7000 09 08 07 06 05 04 03 02 01 54 65 5F 45 25 15 87
7010 09 F4 3B AA 00 AC A2 55 3D 2C 44 32 FF FA 50 37

```

Now we're getting somewhere! What's new here is the JNZ and the Label: LOOP. JNZ stands for "Jump when not zero." Jump when WHAT is not zero? How does it know? Very simple, it looks at the status flags in the F register. There is a special flag known as the ZERO flag. If you look up the DEC A instruction in the Z80 reference table, you will see that this instruction sets the flags according to the result. This means that if the number in A is decremented to zero, the Z flag will be set. In every other case, the Z flag will be cleared. The argument of the JNZ instruction contains the place to "jump to." This field will always an address. Just one question, what address is LOOP???

In assembly language, we use something known as SYMBOLIC addresses. The way this works is we use a symbol to represent a specific value. In this case, the symbol LOOP is associated with the address of the: LD (HL),A instruction. How did LOOP come to represent the address of this instruction? This is so because the LOOP symbol appears in the LABEL field of the instruction. Whenever we need to jump to an address, define a table, or CALL a subroutine, we will use a label to indicate the "target" address. What are the advantages of using a symbol instead of an absolute address? First of all, readability. It is much easier to write, alter, or just understand a program where the "English-like" symbols are used. The second advantage is relocatability. The "Loop" program could be located at 7000H, 0C00H, even 4629H. It wouldn't matter where, since the jump is always to the target instruction, not to the absolute address.

When the program has been assembled, all of the symbols are converted into absolute addresses. Machine language has no symbols. In fact, for machine language to work, it must have no ambiguities. The assembler, on the other hand, is designed to aid the programmer. Symbols are the key. A symbol is constructed of upto 6 alphanumeric characters, and must begin with a letter. There are several symbols that are reserved. They are: A, B, D, E, E, H, L, I,

R, IX, IY, SP, PC, AF, BC, DE, HL, C, NC, Z, NZ, M, P, PE, PO. These reserved symbols represent the registers, and the status flag codes. Whenever a symbol is being defined, it will appear in the LABEL field. Whenever a symbol is being accessed, it will appear in the ARGUMENT field. While several different things might appear in the ARGUMENT field (i.e., registers, constants, symbols, etc.), only symbols can appear in the LABEL field. One more fact about symbols: they can also be used just to make a program more readable. You don't have to access the symbol from another instruction.

Let's return to our program. The problem: alter the program so that the numbers are stored in ascending order, rather than descending order. There is a problem that will soon present itself. When does the program know that it is done? In the first version, the program completed when the A register equalled 0. Since it is starting at 1 and then incrementing, it won't reach 0 until it has counted all the way upto 256! Since we don't yet know another way to determine whether the program is completed, we have to "re-design" the program, so we can still use our test for zero.

```

7000 09 08 07 06 05 04 03 02 01 54 65 5F 45 25 15 87
7010 09 F4 3B AA 00 AC A2 55 3D 2C 44 32 FF FA 50 37

```

Label	Command	Argument	Comment
	LD	HL,7008H	;Start Address
	LD	A,9	;Start value
LOOP	LD	(HL),A	;Save value in memory
	DEC	HL	;Point to next address
	DEC	A	;This is both a count & data
	JNZ	LOOP	;If A isn't zero, repeat.

; All done!

The changes are so simple you might not even notice them. First of all, the starting address was changed from 7000H to 7008H. Now the starting address is the old ending address, and vice versa. The only other difference is that the INC HL was changed to a DEC HL.

Next month, we will discuss assembler directives and ASCII.

Joseph Rosenman
35-91 161 Street
Flushing, NY 11358 ■

continued from page 47

```

229 CLS : PRINT
230 PRINT "           LATEST STANDINGS "
231 PRINT "           ----- "
232 PRINT
233 PRINT "PLACE  TEAM  WON  LOST  PERCENT  G.B."
234 AS= " ##  ##  ##  ##  .#####  #.#"
235 FOR I=1 TO 10
240 PRINT USING AS; I;T(I,1);T(I,2);T(I,3);T(I,4);T(I,5)
245 NEXT I
249 GOTO 249
250 END

```

PROGRAM CONVERSION (PART VII)

Richard Kaplan

This month I will conclude my discussion of "obscure" and relatively unknown differences between the TRS-80 Models I, II and III. These include upper/lower case confusion (alert readers will note that I erroneously stated that I would cover this subject last month), error codes, and several additional operating system functions.

UPPER/LOWER CASE MODIFICATION

Both the Model II and the Model III will support upper and lower case characters, but not the Model I, right? Wrong! Although it is true that an unmodified Model I cannot display lower case characters, this computer can internally distinguish between the two character sets. In other words, a character entered with the shift key depressed is considered to be completely distinct from the same character without the shift key (except that they both look the same on the screen, of course). This "difficulty" can result in extreme confusion and frustration for a programmer, especially if a disk or RS-232 transfer procedure was implemented.

To give an example of a potentially troublesome situation, suppose one wishes to transfer the following Model III program to the Model I:

```
10 INPUT "WHAT IS THE THIRD LETTER OF THE WORD 'computer'";X$
20 IF X$="m" THEN PRINT "CORRECT!!": END
30 PRINT "WRONG, DUMMY!"
```

I'S, J'S AND THEIR RELATIONSHIP TO BASEBALL

continued from page 47

big improvement, by using the PRINT USING statement. You may want to "dress it up" even more, with borders, etc.

A few comments on how I set up the headings might be in order. I first did line 233, placing the headings where I wanted them. Then I did line 234, but notice that I've spaced the opening double-quote right under the opening double-quote from line 233. This allows me to very easily go across and line things up right under the headings. Next I did the table title, line 230, centering it between the opening and closing double-quotes in line 233. Then it was easy to add the other PRINT statements for line skips, and then the loop and the PRINT USING. Note, too, that I went ahead and listed the "place" each team is in, by simply printing "I", in the loop. Of course there is a little problem if there is a tie, and you might want to modify your program to take care of this situation. An easy way around this might be to print an asterisk somewhere on the lines of the two or more teams that are tied.

C. Brian Honess
22 Shaftesbury Lane
Columbia, SC 29209 ■

If this program were run on the Model III, the word 'computer' would be displayed in lower case, and the corresponding input would assumably be in lower case as well. If this program were transferred through an RS-232 interface, or if it were on a disk converted by most disk conversion routines to transfer from the Model III to the Model I, the lower case characters in lines 10 and 20 would be displayed as upper case, but they would really be in lower case. This might result in the following scenario when you RUN the program:

```
WHAT IS THE THIRD LETTER OF THE WORD 'COMPUTER'? M
WRONG, DUMMY!
```

If the preceding 'M' were entered, however, while simultaneously depressing the SHIFT key, the program would have accepted the user input.

To further clarify the use of the SHIFT key on the Model I, examine the following commands and their results:

```
PRINT ASC("A")
65
```

```

HOW ABOUT YOUR OWN PERSONAL RUBIC CUBE COACH?
16K LEVEL II OR 32K DISK   ***   ONLY $14.95 !!!
THE 'RUBIC CUBE COACH' WILL TURN YOUR TRS-80 INTO A
POWERFUL TOOL TO HELP DEVELOP YOUR SKILLS IN SOLVING THE
POPULAR PUZZLE. YOU CAN DESCRIBE YOUR OWN CUBE TO THE
COMPUTER AND THEN EITHER RACE AGAINST THE COMPUTER OR HAVE
IT SOLVE YOUR CUBE FOR YOU - SHOWING YOU EACH TURN EVERY
STEP OF THE WAY! IT EVEN ALLOWS YOU TO USE ITS OWN TECH-
NIQUES OR ENTER YOUR OWN TO EXPERIMENT WITH! AND MORE!
(714) 621-7747
H&S COMPUTER CO.--1024 ALANOSA DR.--CLAREMONT, CA 91711
```

```

NEW          FLIP-N-PRINT          NEW
FLIP-N-PRINT ends the problems with constantly
changing printer cables. FLIP-N-PRINT allows you
to connect two printers to the line printer port
on your ModI/III. Simply flip the switch to select
either printer. Complete $54.95
TRS-80/RS-232 ADAPTER: Connect RS-232 Printer to
line printer port on ModI/III. NO SOFTWARE DRIVER
REQUIRED. Leaves TRS-80 RS-232 port free for modem
use. Set at 1200 baud, or specify rate (300-9600)
Model TU-8014 Complete $79.95
VIRGINIA MICRO SYSTEMS, 14415 Jeff Davis Hwy
Woodbridge VA 22191, (703)491-6502
Add $2.00 for Shipping          VA Residents add 4%
```

PRINT ASC("A") (this time with SHIFT held down)
97

Evidently the SHIFT key has altered the ASCII value of the character depressed, even though its appearance has remained unchanged.

The bottom line is that you must be extremely cautious in transferring programs that contain lower case characters, especially those that involve string comparisons. Some disk conversion utilities automatically change lower case to upper case, but this can be a disadvantage if one wishes to later convert the program to the Model III and still retain some of the lower case (such as in user prompts). In any case, if one ever encounters an instance in which a string comparison does not appear to be functioning correctly, the best advice is simply to retype the entire line. You may be pleasantly surprised!

IF — THEN

A quite trivial and totally unnecessary incompatibility in Model II BASIC is the requirement that a THEN statement be included in every IF—THEN clause that contains anything more than a GOTO statement. For example, the following program:

```
10 IF A=0 PRINT "A EQUALS 0"
```

will function correctly on both the Model I and the Model III, but on the Model II it will cause a syntax error. An equivalent conversion would be the following:

```
10 IF A=0 THEN PRINT "A EQUALS 0"
```

The best approach to take when developing software that you wish to convert for the Model II is to include the THEN statement in every IF — THEN clause. This may seem to be completely unnecessary (after all, if the Model III's interpreter can understand the command, someone should be able to develop the same capability for the Model II), but of all compatibility problems among TRS-80s, this one is probably the easiest to work around.

SHIFT @ VS. HOLD

Quite often when running a BASIC program you may wish to momentarily halt the screen display. This can be achieved easily on any of the three TRS-80s.

On the Model I or Model III, pressing the SHIFT and @ keys simultaneously will halt the screen. Pressing any key will cause the computer to resume normal operation. On the Model II, the HOLD key is specifically designed for this purpose. Pressing HOLD will halt the program, any pressing any key will cause the program to resume.

The SHIFT @ vs. HOLD "incompatibility" does not pose a problem for programming so much as for documentation. Instructions for programs that run on all TRS-80s should include an explanation of this difference.

ABBREVIATED COMMANDS

The Model III recognizes many abbreviations of BASIC commands which are only supported by Model I when

using operating systems other than TRSDOS, and are not available at all on the Model II.

The three keys SHIFT ↓ Z, all pressed simultaneously, will display the last line of a Model III BASIC program. As with the other functions to be mentioned, many alternative Model I operating systems (such as DOSPLUS) also support this abbreviation.

SHIFT ↑ is a Model III abbreviation that will list the first existing line in a program in memory. ↓ will list the line following a line currently displayed, ↑ will show the line immediately before a line currently displayed.

Typing a period on the Model III will display the last line edited or listed, while on the Models I and II you must type LIST, then period.

The comma is a Model III abbreviation which will allow you to edit the last line edited or listed. The equivalent Model I or II command would be EDIT, then period.

Finally, E and L are Model III abbreviations for EDIT and LIST. These abbreviations must be followed by a line number (for instance, E60 or L100).

The preceding explanations of Model III abbreviations were offered not as a guide in program conversion, per se, but in order to provide new users of the Model III a look at some of the new functions available on this computer.

SYSTEM "SCREEN" VS. SHIFT ↓ *

On the Model II (with TRSDOS 2.0) the command SYSTEM "SCREEN" will route an exact replica of the screen to a line printer. On the Model III (or the Model I with an alternative operating system such as DOSPLUS) the command SHIFT ↓ * will perform the same function.

One disadvantage of the Model III screen dump facility is that it cannot be used from within a BASIC program. It can be used during the execution of a program by pressing the appropriate keys, but it cannot be made part of the actual program. This can be overcome by writing a screen-dump routine which PEEKs into memory and PRINTs out the appropriate characters, or by giving the operator on-screen instructions to press SHIFT ↓ *.

On the other hand, a disadvantage of the Model II screen-dump facility is that while it can be part of a BASIC program, it cannot be used during the execution of a program unless the SYSTEM "SCREEN" command is actually a statement in the program. The only other way to use this function during execution of a BASIC program would be to BREAK the program and give the SYSTEM "SCREEN" command, then type CONT to resume program execution. However, this method would put the manual commands on the screen, and they would also be printed out.

VARIABLE REFERENCING

Under Model III TRSDOS, the command CMD"X","ZZZ" will search an entire BASIC program and produce a listing of all line numbers in the program where ZZZ appears. This feature can be very useful in debugging or editing programs.

The Model I can produce a variable or text reference only under control of an alternative operating system. Under DOSPLUS, for example, the command CMD"REF",S=INPUT will list all lines with the keyword INPUT. CMD"SR","INPUT" would perform the same func-

tion, but the actual text of the lines would also be displayed.

The Model II cannot display a reference of variables, text, or keywords, except by running a utility program designed to perform this function.

As I mentioned with the abbreviations, this information is provided not because it is directly pertinent to program conversion, but because it is useful to anyone developing software on the Model III.

ERROR CODES

An error code is a numerical value generated any time an error is detected by a computer. On all three TRS-80s, this value may be determined by accessing the value of ERR. The ERR value corresponds to a value listed in your computer manual, where you will find a detailed explanation of the specific error.

On the Models I and III, ERR does not generate the same value as the one listed in the computer's manual. The expression $ERR/2 + 1$ must be used in order to get the proper code. On the Model II, the ERR value is correct as is.

Frequently ERR is used within an error-handling routine to display a message associated with a specific error condition. For example,

```
60000 IF ERR=106 THEN PRINT "FILE DOES NOT EXIST"
60010 IF ERR/2 + 1 = 2 THEN PRINT "SYNTAX ERROR"
```

The foregoing routine would check to see if a "FILE NOT FOUND" error occurred on the Model I or III, and, if so, it would print an appropriate message. If not, it would proceed to check for a syntax error. (Note that ERR, not $ERR/2 + 1$, is used on the Models I and III for error codes greater than 100, which are TRSDOS errors. This is not documented very clearly in the Model I or Model III manuals.)

Error codes on the Model II are somewhat different than those on the other two models. Consult the chart below for a detailed comparison of error codes. To give an example of an equivalent error-handling routine for the Model II for a "FILE NOT FOUND" error and a syntax error:

```
60000 IF ERR=53 THEN PRINT "FILE DOES NOT EXIST"
60010 IF ERR=2 THEN PRINT "SYNTAX ERROR"
```

Note the use of 53, not 106, to denote a non-existent file. Also note that although all models use 2 to denote a syntax error, the Models I and III use the expression $ERR/2 + 1$, whereas the Model II simply uses ERR.

ERROR CODE CONVERSION CHART

This chart lists equivalent error codes, where applicable, for the Models I, II, and III. A blank space in the chart denotes an error which is not applicable to a particular computer.

Note that the Models I and III use the expression $ERR/2 + 1$ to calculate the true error code for BASIC errors, while the Model II simply uses ERR. Errors which are not listed on the chart may generally be assumed to be equivalent.

continued on page 60

FREE business software directory

- Radio Shack's Model I, II, III.
- Heath's MBASIC and HDOS
- CPM: Xerox, Alto...
- IBM Personal Computer

"IDM2 is GREAT!" - publisher of 80-US

"(GL) superior to either the Osborne (SBSG & Taranto) or Radio Shack... MAIL-X has a greater capacity... more flexible than (R.S.)"

- columnist of 80-microcomputing

"imperceptively fast...(DBMS) is a good and reliable workhorse"

- publisher of Interface Age

Data base manager, integrated accounting package (AR, AP, GL & Payroll), inventory, word processing, and mailing list. Compare and be selective!




Micro Architect, Inc.

96 Dothan St., Arlington, MA 02174

LEMONAID NEWS

Now...\$1.00 Credit on PHONE orders
(417) 345 7643 til 10PM. MC-VISA-COD
PLUG IN LEMONAID LOADER IN SECONDS...
SAY GOODBYE TO TAPE LOAD WOES FOR GOOD!



LEMONAID LOADER PRICES
Deluxe Model LLQ...\$18.99
Std Model LL.....\$12.99

CTR80, 80A, 41, etc.

MORE Features to Take the CLOAD Off Your Mind!
Now the LemonAid is easier to use...a quick set-up switch for mulish pre-recorded tapes. AND a "loud" output jack with BUILT-IN volume adjust; use speaker or earphone to Pre-position tapes precisely, AND hear saves/loads automatically, OR, listen to games or other computer sound WITHOUT a separate amplifier!

AND like the original LemonAid...ends SYSTEM and CLOADing woes for TRS-80* model 1 AND low-speed model 3. Install in seconds. Plugs in. No rewiring. No tricky CTR volume. AutoMAGIC power. AND great for tape speedups like KWICOS** too!

Our GUARANTEE: The LemonAid will outload ANY loader at ANY price or your money back, NQA. Use with CTR80, 80A and similar recorders.

New Model LLQ [as described above] ... \$18.99 postpaid***
Model LL [Original...the loader leader] ... \$12.99 postpaid***

We Ship in A Hurry! Order by Model From:

LEMONS TECH SERVICES

325 N. Highway 65 P.O. Box 0429
Buffalo, MO. 65622 [417] 345-7643



*TRS-80, CTR-80, CTR-80A are trademarks of Tandy, Inc.

**KWICOS is trademark of KWIK Software

***Add \$3.00 Overseas. Pstg. and fees charged on CODs.

THE VERSATILE PEEKER

Friedhelm Hoehne

This small program was written primarily for the beginner, who can use it as a practical tool to understand how memory addressing is arranged in the TRS-80.

The program displays any memory location from 0 to 65535 in decimal, hexadecimal, and printable character notation. It translates and converts your decimal input address, displays the decimal real address, and the hexadecimal and decimal virtual address. Since hexadecimal conversion is very slow in Basic, a hex on/off switch is provided for convenience.

There are five function keys used by the program, as follows:

- ↑ Page backward (up arrow)
 - ↓ Page forward (down arrow)
 - Q Quit, enter new address or end program
 - H Hex on/off. Hex conversion toggle switch
 - S Scan, display continuously pre-selected function (e.g., page backward and hex = on).
- Press any key to stop the scan

```

1 'COPYRIGHT (C) 1981 BY
10 'FRIEDHELM HOEHNE
20 '6429 DIXON DRIVE
30 'RALEIGH NC 27609
40 'PHONE 919-782-6016
100 *****
110 '* "PEEK/BAS" A VERSATILE PEEK PGM *
120 '* ----- MOD: I/III ----- *
130 '*          CREATED 81-04-20 *
140 '*          UPDATED 81-05-12 *
150 '*****
200 CLS : CLEAR 500 : DEFINT A-Z : DEFSNG D,M
210 'F1$="#####":F2$="###":HEX$="OFF":SCAN$="OFF"
220 'L=64:L1$=STRING$(L-1,61):L2$=""+CHR$(192+L-3)+"="
230 'L3$=STRING$(L,32)
240 'HL$="          T H E   V E R S A T I L E   P E E K E R "
250 'H1$="VIRTUAL ADDRESS      REAL ADDRESS
      - - - CONTENTS - - -
260 'H2$="  HEX      DEC      DEC
      HEX      DEC      CHR
270 'H3$=(STRING$(L,61)):T1$=(STRING$(L,45))
280 'T2$=""+CHR$(91)+">  PAGE BW
<Q> QUIT          <H> TOGGLE SWITCH"
290 'T3$=""+CHR$(92)+">  PAGE FW
<S> SCAN =          HEX = "
300 CLS : PRINT HL$
310 PRINT @ 266,"<ENTER> TO CONTINUE OR <T> FOR TUTORIAL"
320 GOSUB 1230 : IF KB$<>CHR$(13) AND KB$<>"T" THEN 320
330 IF KB$=CHR$(13) THEN 630
340 CLS : PRINT HL$ : PRINT : PRINT L1$
350 PRINT"= THIS PROGRAM DISPLAYS ANY MEMORY LOCATION
FROM 0 TO 65535 ="
360 PRINT"= IN DECIMAL, HEX AND PRINTABLE CHARACTER
NOTATION. ="
370 PRINT L2$
380 PRINT"= IT TRANSLATES AND CONVERTS YOUR DECIMAL
INPUT ADDRESS, ="

```

```

390 PRINT"= DISPLAYS THE DECIMAL REAL ADDRESS, AND
THE HEX AND ="
400 PRINT"= DECIMAL VIRTUAL ADDRESS.
      ="
410 PRINT L2$
420 PRINT"= AS HEX CONVERSION IS VERY SLOW IN BASIC,
A HEX ON/OFF ="
430 PRINT"= TOGGLE SWITCH IS PROVIDED FOR YOUR
CONVENIENCE. ="
440 PRINT L1$: GOSUB 1280
450 CLS : PRINT L1$,L2$
460 PRINT"=          PROGRAM FUNCTION KEYS:
      ="
470 PRINT"=          -----
      ="
480 PRINT"= <>> = PAGE BACKWARD, ↑
      ="
490 PRINT"= <" ;CHR$(92) ;"> = PAGE FORWARD, (DOWN ARROW)
      ="
500 PRINT"= <Q> = QUIT, ENTER NEW ADDRESS OR END PROGRAM
      ="
510 PRINT"= <H> = HEX ON/OFF, HEX CONVERSION TOGGLE SWITCH
      ="
520 PRINT"= <S> = SCAN, DISPLAY CONTINUOUSLY PRE-SELECTED
FUNCTION ="
530 PRINT"=          E.G. PAGE BACKWARD AND HEX = ON
      ="
540 PRINT"=          PRESS ANY KEY TO STOP - SCAN -
      ="
550 PRINT L2$,L1$
600 '=====
610 '= INPUT/PROCESS RTN =
620 '=====
630 PRINT @ 896,"          ENTER PEEK START ADDRESS"; STRING$(35,32);
640 INPUT"FROM 0 TO 65535 OR <E> FOR END ";M$:MV=VAL(M$)
650 IF M$="E" THEN END
660 IF M$ < CHR$(48) OR M$ > CHR$(57) OR MV < 0 OR MV > 65535
THEN CLS : GOT0630
670 MR=MV-1:PG=0
680 CLS : PRINT H1$,H2$,H3$          'DISPLAY HEADER
690 PRINT @ 832,T1$,:PRINT T2$,T3$:HEX$; 'DISPLAY PF KEYS
700 IF PG=2 THEN 630          'NEW INPUT OR QUIT
710 P=193:IF PG=1 THEN MR=MR-20          'DECREMENT IF PAGE BW
720 FOR J=1 TO 10          'CLEAR
730 PRINT @ P,L3$,: P=P+64 ' DISPLAY
740 NEXT J: P=193          ' WINDOW
750 FOR J=1 TO 10
760 MR=MR+1 'INCREMENT REAL ADDRESS
770 IF MR > 32767 THEN MR=(-1*(65536-MR)) 'ADDRESS
780 IF MR < -32768 THEN MR=65536+MR          ' TRANSLATION
790 IF MR=>0 AND MR<= 32767 THEN MV=MR ELSE MV=65536+MR
800 CD=PEEK(MR): IF HEX$="OFF" THEN CH$=" ": MH$=" ":
GOTO 830
810 DEC=MV:GOSUB 1310 :MH$=H$ 'CONVERT
820 DEC=CD:GOSUB 1310 :CH$=H$ ' TO HEX

```

continued on page 60

™ TRS80 color

From the January 1981 issue of the CSRA Computer Club newsletter:

There was some amusement at the November meeting when the Radio Shack representatives stated that the software in the ROM cartridges could not be copied. This month's 68 Micro Journal reported they had disassembled the programs on ROM by covering some of the connector pins with tape. They promise details next month. Never tell a hobbyist something can't be done! This magazine seems to be the only source so far of technical informations on the TRS-80 color computer™. Devoted to SS-50 6800 and 6809 machines up to now, 68 Micro Journal plans to include the TRS-80 6809 unit in future issues.

To get the MOST from your 6809 CPU - This is the BEST SOURCE! The ONLY Magazine for the 6809 Computer. Months Ahead of All Others!

68 MICRO JOURNAL

5900 Cassandra Smith
HIXSON, TN 37343

USA
1 Yr. - \$24.50 2 Yr. - \$42.50 3 Yr. - \$64.50
*Foreign Surface Add \$12.00 Yr. to USA Price
*Foreign Airmail Add \$36.00 Yr. to USA Price
*Canada & Mexico Add \$5.50 Yr. to USA Price




DAISY WHEEL

New Smith Corona TP-1
Price Breakthrough

True letter quality printer for less than the cost of an office typewriter! Priced \$500 less than other popular daisy wheel printers!

SALE PRICE:
\$739



FEATURES:

- ★ Friction feed
- ★ 15 cps, 120 wpm
- ★ Changeable daisy wheels
- ★ Parallel or serial interface
- ★ Compatible with R/S, Apple, etc.



SUNLOCK SYSTEMS
4217 Carolina Ave.
Richmond, Va. 23222

To order call collect, 0-804-321-9191
We accept MasterCard, Visa and CODs




DAISY WHEEL

New Smith Corona TP-1
Price Breakthrough

True letter quality printer for less than the cost of an office typewriter! Priced \$500 less than other popular daisy wheel printers!

SALE PRICE:
\$739



FEATURES:

- ★ Friction feed
- ★ 15 cps, 120 wpm
- ★ Changeable daisy wheels
- ★ Parallel or serial interface
- ★ Compatible with R/S, Apple, etc.



SUNLOCK SYSTEMS
4217 Carolina Ave.
Richmond, Va. 23222

To order call collect, 0-804-321-9191
We accept MasterCard, Visa and CODs

Totally NEW!

ACCEL3

BASIC Compiler

Model I/III, all DOS

\$99.95

M/C, VISA
CA add 6%



ALGORIX

Allen Gelder Software

(415) 387-3131

Box 11721 San Francisco CA 94101

THE VERSATILE PEEKER

continued from page 58

```

830 IF CD < 32 OR CD > 127 THEN CC=32 ELSE CC=CD 'SELECT
PRTBLE CHRS
840 PRINT @ P,MH$;: PRINT TAB(8) USING F1$,MV;          'DISPLAY
850 PRINT TAB(23) USING F1$,MR;: PRINT TAB(42) CH$;      ' ADDRS
860 PRINT TAB(49) USING F2$,CD;: PRINT TAB(57) CHR$(CC); ' AND
870 P=P+64                                               'CONTENTS
880 NEXT J
890 IF SCANS$="ON " AND INKEY$="" THEN 710
900 SCANS$="OFF": PRINT @ 996,SCANS$;: GOSUB 1030
910 IF SCANS$="ON " THEN 710 ELSE 700
1000 '=====
1010 '= PAGING/SWITCHING SBR =
1020 '=====
1030 GOSUB 1230
1040 IF KB$<>CHR$(10) AND KB$<>CHR$(91) AND KB$<>"Q" AND
KB$<>"H" AND KB$<>"S" THEN 1030
1050 IF KB$="H" THEN 1100
1060 IF KB$="S" THEN 1120
1070 IF KB$=CHR$(10) THEN PG=0:RETURN 'PAGE FW
1080 IF KB$=CHR$(91) THEN PG=1 ELSE PG=2 'PAGE BW ELSE QUIT
1090 RETURN
1100 IF HEX$="ON " THEN HEX$="OFF" ELSE HEX$="ON " 'HEX TOGGLE
1110 PRINT @ 1018,HEX$;: GOTO 1030 ' SWITCH
1120 SCANS$="ON ": PRINT @ 996,SCANS$;:
RETURN 'SCAN SWITCH
1200 '=====
1210 '= INKEY$ SBR =
1220 '=====
1230 KB$="": KB$=INKEY$: IF KB$="" THEN 1230
1240 KB =VAL(KB$): RETURN
1250 '=====
1260 '= PAUSE SBR =
1270 '=====
1280 PRINT:PRINT"<ENTER> TO CONTINUE"
1290 GOSUB 1230 :RETURN
1300 '=====
1310 '= HEX CONVERSION SBR =
1320 '=====
1330 HX$="0123456789ABCDEF":HS$=" "
1340 IF DEC=0 THEN HS$=" 0": RETURN
1350 PWR=LOG(DEC)/LOG(16)
1360 FOR I=PWR TO 0 STEP -.1
1370 DIV=INT(16↑I+.5)
1380 CH=DEC/DIV
1390 HS$=HS$+MID$(HX$,CH+1,1)
1400 DEC=INT(DEC-CH * DIV+.5)
1410 NEXT I: RETURN

```

Friedhelm Hoehne
6429 Dixon Drive
Raleigh, NC 27609 ■

PROGRAM CONVERSION

continued from page 57

lent among all three models, bearing in mind the qualification mentioned in the preceding sentence.

The DISK BASIC error codes listed in this chart reflect the codes printed in Radio Shack's preliminary TRSDOS manual. I have used these codes in my program develop-

ment, and I find them to be accurate on the Model III I use, except that ERR/2+1 should *not* be used for these (DISK BASIC) codes. Simply ERR will generate the proper code.

About two weeks ago Computronics took delivery of a new Model III, and I noticed in its manual (the final version) that the Model III DISK BASIC error codes listed are the same as those for the Model I. I do know that Tandy has been supplying recent Model III's with a new ROM, but I do not know if this change in error codes is a result of a ROM difference or a difference in TRSDOS 1.3 operating systems.

As of our press deadline, I was unable to investigate further the complete background regarding the Model III DISK BASIC error messages. I will provide more information as I obtain it. In the meantime, I would advise Model III owners to test their error codes to see which ROM(?) and/or operating system(?) they have. If any reader has additional information regarding this situation, I would appreciate his sharing it with me.

ERROR	I	II	III

BASIC errors--Mod I & III			
owners use ERR/2+1			
Undefined User Function		18	
Resume w/o Error	19	20	19
Undefined/Unprintable Error	20	21	20
Missing Operand	21	22	21
Buffer Overflow/Bad File Data	22	23	22
L3 ("Disk BASIC Only%")	23		23
DISK BASIC errors--			
(Mod III owners check ROM!)			
Field Overflow	51	50	100
Internal Error	52	51	102
Bad File Number	53	52	104
File Not Found	54	53	106
Bad File Mode	55	54	108
File Already Open	56	55	110
I/O Error	58	56	114
Disk Full	62	59	122
End of File/Input Past End	63	60	124
Bad Record Number	64	61	126
Bad Filename	65		128
Direct Statement in File	67	65	132
Too Many Files	68		134
Disk Write Protected	69		136
File Access Denied	70		138

This concludes this month's tips on program conversion. As always, I am open to reader input. If you have successfully used a technique I described, if you have a specific topic you would like to see covered, or if you have a specific program you have difficulty with, please feel free to write to me.

Richard Kaplan
c/o H & E Computronics
50 North Pascack Road
Spring Valley, NY 10977 ■

IMB TRS-80* 16K

COLOR GAME
LIMITED OFFER!

FREE WE'LL SEND YOU OUR BONUS GAME OF THE MONTH
WHEN YOU BUY ANY 2 GAMES

NEW
ARCADE
GAME

16K COLOR EXTENDED HI-RESOLUTION GAMES**

GATOR ZONE

THE FIRST ANTI-PREPPY COMPUTER GAME
WHERE YOU'LL FIGHT OR LOSE YOUR SHIRT! \$18.95

STARBASE ATTACK \$12.95

METEOR STORM \$12.95

STAR SIEGE \$12.95

HIGH SPEED ARCADE GAME

KOSMIC KAMIKAZE \$18.95

IMB GALLOPING GAMBLERS EACH

illustrated memory banks

P.O. BOX 289
WILLIAMSTOWN, MA. 01267-0289

TEL. 413-663-9648

Master Card
and VISA accepted.


*TRS 80 is a TM of
Tandy Corp.

** CASSETTE

CERTIFIED CHECKS OR MONEY ORDERS ONLY
PHONE ORDERS — CALL MON-FRI 9-5 EST


GREEN LOOKS GOOD, BUT AT THIS PRICE GREEN LOOKS GREAT!

CRYSTAL GREEN filters EACH 7.95 + 2.00 postage = 9.95 U.S.



This is the original CRYSTAL GREEN filter for your TRS-80 MODEL I video display. The CRYSTAL GREEN filter is unlike any other green filter. HERE'S WHY.

- > EASY on the EYES
- > Uses NO TAPE, GLUE OR ADHESIVE of any type
- > Only takes SECONDS TO INSTALL because it FITS on the display
- > U.S. PATENT pending
- > RIGID ENOUGH so it doesn't need a cardboard frame for support
- > NOT TOO DARK
- > ATTRACTIVE DESIGN (will look like part of your video display)
- > STRICTEST QUALITY CONTROL ensures a QUALITY PRODUCT



SEE-THRU ENTERPRISES
933 FRANK AVE.
WINDSOR, ONTARIO
CANADA N8S 3P4

ONTARIO RESIDENTS add 7% sales tax.
24 hour DEMO LINE for inquiries 1-519-735-2995
TRS-80 is a trademark of Tandy Corporation

ZORLOF T.M.

THE MAGNIFICENT
WORD PROCESSING SYSTEM



For the TRS-80* Model I and III

- Written in last 280 machine language
- Full screen editing
- Single key control of all editing functions for ease of use
- Dynamic display of word count, line count, and free memory count
- Hold down repeat on all keys
- Superscripts and Subscripts
- Underlines, bolded, expanded, and condensed type styles - combine and intermix within a line
- Justifies lines to left margin, right margin, both margins, and centered
- Automatically justifies and word-wraps on the screen as you type
- Shift and shift lock for upper case
- Search, Replace, and Automatic Search & Replace
- Automatic tabbing
- Odd and even page user-definable headers, footers, and page number lines
- User-definable linespacing, sheet size, top, left, and bottom margins
- Move block of text
- Copy block of text to disk
- Insert block of text from disk
- Examine disk directory on any disk and kill files while editing
- Full screen editing of EDTASM* and BASIC text files
- Automatic renumbering for EDTASM* and BASIC files
- Print contents of screen function
- Print previewing formats text, inserts headers, numbers, pages, etc. on the screen without printing it on paper
- Page by page pausing capability for sheet fed printers
- Supports both parallel and serial printers
- Printer control code access
- Supports proportional spaced justifying on Centronics 737 and Line Printer IV*
- Also supports special capabilities of Epson MX-80, Microline, Diablo, Starwriter, and Qume printers
- Can be used with any TRSDOS* compatible disk operating system.

Note: Some features will only work if your printer has the mechanical capability

GUARANTEE

Many word processing systems claim theirs are the best, but few would dare to guarantee them. Not us! We are confident that you will find ZORLOF to be the most useful word processing system for the money, or you can return it for a full refund, and you may have up to 30 days to decide.



\$70.00

ANITEK
Software Products
P. O. Box 1136
Melbourne, FL 32935
(305) 259-9397

Specify Model I or III when ordering. Add \$2.00 shipping & handling. Florida residents add 5% sales tax. Visa and Master Card accepted, checks require 3 weeks to clear bank.

*Trademarks of Tandy Corporation and Apparat, Inc.



We review products from every source and carry ALL OF THE BEST



We offer products from
Mark Data • Micro Works
Shack • Book Publishers
NEC • Centronics • Moore

Color Invaders • Color Pac Attack
Monitor • Adventure Games • Text Editors
Assemblers • PASCAL • Magikube
Finance Programs • Color Data Organizer
Graphic Games • Disassembler

HARDWARE: 32K RAM Expansion Board • 16K RAM Set
Cables • Interfaces • Power Pack ROM Cartridge • Printers

ACCESSORIES: Books • Cassettes • Supplies • Service Manuals

Look to COMPUTERWARE for DISK SOFTWARE

*** NEW PRODUCTS ***

16 PLUS BOARD — just plug in to expand from 16K to 32K
PAC ATTACK — graphics action game — PAC ATTACK
32K versions of Editor, Assembler, Monitor, PASCAL, BERSERK game —
Micro Text (communications) — STAR BLASTER

Shipping from stock

CALL
OR
WRITE
FOR
COMPLETE
INFORMATION



Dept. C • Box 668
6809 Specialists Encinitas, CA 92024 • (714) 436-3512

Computerware is a trademark of Computerware.

Experience Shows - S.B.S.G. has over 11,000 Installed Systems!

**If you're not running
Small Business Systems Group
software . . . chances are
you're not running!**



**SMALL BUSINESS
SYSTEMS GROUP**

GENERAL ACCOUNTING SYSTEM For TRS-80™

S.B.S.G. has created the first completely user-configurable accounting system available for the TRS-80™.

User configurable? Each S.B.S.G. General Accounting System Module (except Order Entry) can be operated independently, or any of the modules can be combined in any configuration, providing a complete, coordinated system to fit the needs of your business.

The S.B.S.G. System allows you the maximum efficient use of available disk space. Each module will run on a standard 1 disk drive system (except for Model I systems, which require 2 drives). As you add more disk drives to your system, the amount of on-line data storage increases. Now here's an important fact. . . . the S.B.S.G. General Accounting System "spans" your disk drives - that means that you can instantly access your data on any of **up to 8 disk drives** at any time! Since your S.B.S.G. Accounting System is user-configurable, it will work with 1, 2, 3, 4 or more disk drive systems - and it is fully compatible with most hard disk drive systems (at additional cost).

General Ledger

The General Ledger accounting system consolidates financial data from other accounting subsystems in an accurate and timely manner. Major reports include Trial Balance, Income Statement, Balance Sheet, a user-defined report, and more. All data is maintained and reported by month, quarter, year and previous three quarters. Transactions may be entered via direct posting and external posting generated by A/R, A/P, Payroll - or any other user source.

Accounts Receivable

The objective of a computerized A/R system is to prepare accurate and timely monthly statements to credit customers. Management can generate information required to control the amount of credit extended and the collection of money owed in order to maximize profitable credit sales while minimizing losses from bad debts. This system is invoice-oriented. Invoices can be entered before they're ready for billing, after billing, or even after they are paid. Accounts Receivable allows entry of new invoices, credit memos, debit memos, or modification or deletion invoice and allows for progress payment. The transaction information includes: type of A/R transaction, P.O. #, description of P.O., billing date, general ledger sales account #, invoice amount, shipping and transportation charges, tax charges, payment, and progress payment information. Reports include: summary or detail listing of invoices not yet billed, open items (unpaid invoices), closed items (paid invoices), and aging. Statements may be printed at any time and follow the format of nationally available forms.

Order Entry

The Order Entry Module was designed as a supplement to the Accounts Receivable Module, and will not operate independently. This system allows you to add, change, delete, list and print invoices; apply an invoice to correct customer account; generate computer assigned invoice numbers; note type (invoice credit memo, debit memo); record customer order number, invoice date, shipping date, FOB location, method of shipping, salesman, and payment terms; print selected number of shipping labels; enter, display and correct 10 lines of data per invoice, noting the part number, description, price, quantity

ordered, extension, taxable or not. It also allows the user to enter, display and correct invoice totals, noting the invoice subtotal, taxes, shipping and handling, with disbursement up to 5 General Ledger accounts; print a transaction report; maintain a terms code file in the system; update Account Receivable and generate summary report totals. It automatically coordinates to the Inventory Module (if used) to determine description, price and out of stock status, and to immediately deplete inventory stock. Price fields are easily modified to include percent or dollar discount.

Payroll

Payroll involves many complex calculations and the production of reports and documents, many of which are required by government agencies. The Payroll system performs all necessary payroll tasks including file maintenance, pay data entry and verification, computation of pay and deduction amounts, and the printing of reports and checks. State and Federal Tax changes are easily implemented by the user via menu prompting. In its link to General Ledger, each employee's payroll information is distributed to as many as 12 different GL accounts; system automatically posts to cash account.

Accounts Payable

The Accounts Payable system receives data concerning purchases from suppliers and produces checks in payment of outstanding invoices. Several reports are available to supply information needed for the analysis of payments, expenses, purchases and cash requirements. The Accounts Payable system is invoice-oriented. It handles new invoices, credit memos and even debit memos and allows modification and deletion of invoices. The flexible check calculation procedures allows checks to be calculated for a set of vendors, specific vendors or even specific invoices. The reports include open item listings and closed item listings (both detail and summary), debit and credit memo listings, aging, check register report (to give an audit trail of checks printed), and vendor listing and vendor activity. Update reports are useful for audit trails and checking for accuracy. Checks may be printed at any time and follow the format of nationally available forms.

Inventory

Status reports and minimum reorder reports help to reduce the potential hazard of overstocking which results in cash flow problems. Program selection allows the user to store data for inventory located at up to five separate sites (divisions), coding up to 9 sales people. Available reports include inventory master list, price listings, period and year-to-date sales, stock status, minimum reorder point and commission information.

Model I, 48K and 2 Disk Drives . . . \$195.00 Per Module
Model III, 48K \$195.00 Per Module
Model II, 64K \$295.00 Per Module
Sample Report Printouts \$ 10.00

H & E COMPUTRONICS Gives You A 30-Day Money Back Guarantee On All Modules

Experience Shows - S.B.S.G. has over 11,000 Installed Systems!

COMMUNICATIONS SYSTEMS

Small Business Systems Group markets a complete line of software which interfaces the TRS-80™ with ANY computer that communicates in ASCII. This family of products offers both terminal and host capabilities to users with even the most minimal hardware configurations. There has been wide interest in these products from "comm buffs," the educational community, and **businesses and individuals who need to communicate on a regular basis**. Our systems are among the most versatile and comprehensive on the market today for TRS-80™ microcomputers.



ST80-III™ -- The Ultimate Communications System

The "state of the art" in communications processors, designed for complex commercial applications. Included in this package is a set of programs that allow your TRS-80™ to talk to a timesharing computer, transfer files to and from your central business computer, and customize your ST80-III to your specific application.

Features include: Selectable RS232 Setting • Help Display • Echo Feedback • Job Log (LDOS Mod I, Mod III) • 2-User Translation Tables • Auto Logon • 10 Function Keys (Definable) • RUBOUT Key (Definable) • Warm Restart • Automatic I.D. • True Break • Direct Cursor Addressing • DOS Command Support • Transmit Line Feed • Printer Support • Video Display Modes: SCROLL, FORMAT, PAGE, REVERSE VIDEO (Mod II), CURSOR ON/OFF • Auto-answer • Autodial (certain modems) • Append to memory buffer • Big buffer for printer • Off hook / on hook • 10 predefined ASCII strings in translation tables, • Registered users include NASA, USN, UPS, Westinghouse, and many colleges, universities and major banks.

Minimum Requirements: One disk drive, RS232-C, 32K Model I or III, 64K Model II.

Model I or III \$150.00
Model II \$250.00

FORUM-80™ -- Communications Network

With Bill Abney's hot new communications product, you and your TRS-80™ can become part of one of the fastest growing communications networks in the country; your computer becomes an on-line bulletin board system: users can leave messages, get messages, swap information; exchange VisiCalc™ reports, charts, graphs or other correspondence with other computers.

Features Include: Security System • Constantly displayed time-in-use figure • User Friendly • User Configurable or can be modified for custom application • Future updates and upgrades available to register owners • Multiple command strings • Non-technical user and operator manuals.

Minimum Requirements: TRS-80™ (3-drive Mod I, 2-drive Mod III), 48K, RS232-C, Auto-answer modem.

Model I or III \$350.00

ST-80-PBB™ -- Personal Bulletin Board

A small yet powerful bulletin board for the individual to gather and leave electronic mail. Messages reside in data base in memory, eliminating the problem of scanning magnetic media.

Features Include: Password Security System • Four levels of Access-Guest, Member, Owner, Operator • User Log • Four message types • Smart reverse scan to view messages from most recent to oldest.

Minimum Requirements: TRS-80™ (Mod I or III), 16K, Level II, Auto-answer modem, ST80-X10 Host Program (\$50), RS232-C.

Model I or III \$50.00

ST-80-CC™ -- Communications Center

More than a personal bulletin board, this is a complete communications system for low to moderate traffic. Like ST80-PBB™ it supports four levels of users and four levels of messages with text editing and reverse scan of messages.

Additional Features Include: Transmit same message to many individuals • Auto logon and multiple command scanning • Print messages on line printer, save messages in memory buffer, maintain database without user intervention.

Minimum Requirements: TRS-80™ (Mod I or III), Level II, 48K, one disk, Auto-answer modem, ST80-X10 Host Program (\$50), RS232-C.

Model I or III \$100.00

MouseNet™ -- Advanced Bulletin Board System

Designed to accommodate high volume traffic, to operate simply enough for novice users, yet is fast and powerful enough for experienced callers.

Features Include: Messages stored on disk in keyed file • Uses machine language subroutines for speed • Supports text editing commands • Help commands guide user • System bulletins display each time a user logs on • All messages are dated.

Minimum Requirements: TRS-80™ (Mod I or III), 48K, RS232-C, 3 Disks, Auto-answer modem, text editor (such as Scripsit).

Model I or III \$295.00

DELUXE PERSONAL FINANCE For TRS-80™ Model II

This is a sophisticated and unique financial analysis package which can be readily customized to suit your personal financial situation. It will:

- Accept and apply transactions to user-formatted budget categories.
- Separate cash and check disbursements.
- Allows up to ten category disbursements per check.
- Credit income/deposits according to source.
- Search, correct or void checks.

- Maintain an accurate checking account balance.
- Cancel returned checks.
- Provide monthly summaries of income vs. expenses.
- Calculate profit/loss.
- Summarize data by categories.
- Provides up to ten savings account summaries.

Model II \$75.00
Model I Version \$35.00

ACCESSIBILITY

We are here to serve your after-purchase needs. You can read our Monthly Newsletter containing current information about SBSG's products. Our Newsletter is free to our customers and is available at a minimal cost to anyone interested in Microcomputers or call SBSG directly for Programming and

Accounting Support. We have 8 incoming lines or call our COMM: Micronet Bulletin Board: ID # 70319236; FORUM-80™: (617) 692-3973; MouseNet™: (617) 692-8121; The Source: *TCC 413.

H & E COMPUTRONICS Gives A 30-Day Money Back Guarantee On All SBSG Products

DEALER INQUIRIES ONLY:

SMALL BUSINESS SYSTEMS GROUP

6 CARLISLE ROAD
 WESTFORD, MASS. 01886-5762
 (617) 692-3800

END USER ORDERS:

COMPUTRONICS
 MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
 SPRING VALLEY, NEW YORK 10977

ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE
 DELIVERY SUBJECT TO AVAILABILITY

NEW TOLL-FREE
 ORDER LINE
 (OUTSIDE OF N.Y. STATE)
 (800) 431-2818

24 HOUR ORDER LINE
 (914) 425-1535

ADD \$3.00 FOR SHIPPING IN UPS AREAS
 ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
 ADD \$6.00 TO CANADA AND MEXICO
 ADD PROPER POSTAGE OUTSIDE OF U.S.
 CANADA AND MEXICO

Tired Of Your GENERAL LEDGER?

VERSA- LEDGER II

- ★ THE ULTIMATE PERSONAL CHECK REGISTER
- ★ A PROFESSIONAL ACCOUNTING SYSTEM
- ★ A PERSONAL FINANCIAL MANAGER
- ★ A SMALL BUSINESS ACCOUNTING SYSTEM
- ★ A COMPLETE GENERAL LEDGER


FOR YOUR TRS-80* MODEL I, II, III or 16 • APPLE II* • I.B.M.* • XEROX* • ATARI*
OSBORNE* • ALL MICROSOFT BASIC COMPUTERS

*TRS-80 is a trademark of Tandy Corp. - *APPLE is a trademark of Apple Corp. - *I.B.M. is a trademark of I.B.M. Corp. - *XEROX is a trademark of Xerox Corp.
*ATARI is a trademark of Atari Inc. - *OSBORNE is a trademark of Osborne Corp.

HOW IT WORKS

VERSALEDGER II is a complete accounting system that grows as you or your business grows. To start, your **VERSALEDGER II** acts as a simple method of keeping track of your checkbook. Just enter your check number, date and whom the check is made out to. As you or your business grows, you may add more details to your transactions account number, detailed account explanations, etc.

- **VERSALEDGER II** is an expanded and enhanced version of our original **VERSALEDGER**.
- **VERSALEDGER II** gives you an instant cash balance at anytime. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can be used as a small personal checkbook register. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can run your million dollar corporation. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** prints checks. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** stores all check information forever. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can distribute one check to multiple expense accounts. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can handle more than one checkbook. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can be used to replace a general ledger. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** prints balance sheets and income statements. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can interact with any of the other four modules of the **VERSABUSINESS SYSTEM**.
- **VERSALEDGER II** comes with a professionally written manual (created for the first-time computer user), which includes sample report print-outs.
- **VERSALEDGER II HAS AN ALMOST UNLIMITED CAPACITY**
 - (300 checks per month on single density 5 1/4" disk drives such as the TRS-80 Model I)
 - (500 checks per month on the Apple II)
 - (2400 checks per month on the TRS-80 Model III)
 - (6000 checks per month on the TRS-80 Model II)
 - (3000 checks per month on single density 8" CP/M)
 - (almost unlimited capacity on hard disk drive)
- **VERSALEDGER II OUTPERFORMS ALL OTHER COMPETITIVE SYSTEMS NOW AVAILABLE TO MICROCOMPUTER USERS, AT A FRACTION OF THE COST (AND WE OFFER A 30-DAY MONEY BACK GUARANTEE TO BACK UP OUR CLAIM!)**



**SPECIAL
INTRODUCTORY
PRICE**
\$99.95

(\$199.95 after Dec. 31, 1982)

— CAN BE USED WITH 1 or MORE DISK DRIVES with 48K —

ALSO AVAILABLE: VERSARECEIVABLES, VERSAPAYABLES, VERSAPAYROLL, and VERSAINVENTORY

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

- ★ ADD \$3.00 FOR SHIPPING IN UPS AREAS
- ★ ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
- ★ ADD \$5.00 TO CANADA AND MEXICO
- ★ ADD PROPER POSTAGE OUTSIDE U.S., CANADA & MEXICO



**24 HOUR
ORDER
LINE**



**NEW TOLL-FREE
ORDER LINE**
(OUTSIDE OF N.Y. STATE)

(914) 425-1535

(800) 431-2818

ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE
DELIVERY SUBJECT TO AVAILABILITY

PAYROLL SIMPLIFIED

VERSA PAYROLL

- ★ THE ULTIMATE PROFESSIONAL PAYROLL SYSTEM
- ★ HANDLES ALL PAYROLL FUNCTIONS AND REPORTS
- ★ QUICK QUARTERLY AND END OF YEAR SUMMARIES
- ★ PERFECT FOR A SMALL BUSINESS
- ★ EXPANDS TO HANDLE LARGE CORPORATE PAYROLLS

FOR YOUR TRS-80* MODEL I, II, III, 16 • APPLE* • I.B.M.* • XEROX* • ATARI*
ALL MICROSOFT BASIC COMPUTERS

* TRS-80 is a trademark of Tandy Corp. - * APPLE is a trademark of Apple Corp. - * I.B.M. is a trademark of I.B.M. Corp. - * XEROX is a trademark of Xerox Corp. - * ATARI is a trademark of Atari Inc.

HOW IT WORKS


VERSAPAYROLL is a complete menu driven payroll system that grows as you or your business grows. Your **VERSAPAYROLL** acts as a simple payroll system keeping track of all government required payroll information. Just enter the employees, **VERSAPAYROLL** will perform all the necessary payroll calculations automatically and display to totals on your screen. The user has complete control to accept the totals, to print or not print out a check and to post or not post the total to our **VERSALEDGER** system.

- **VERSAPAYROLL** automatically prints out your **PAYROLL** checks. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** allows you to override any payroll deduction. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** automatically posts all checks written to our **VERSALEDGER** system. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** allows the user to print out **PAYROLL** checks one at a time. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** allows the user to print out all your **PAYROLL** checks at the same time. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** gives you a summary of any employee's year to date payroll totals or all employee totals at any time. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** will allow you to correct any error made at any time and automatically refigure all totals. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** works in every state. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** automatically calculates all federal and states taxes. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** allows for all of the standard deductions plus state, city and three miscellaneous deductions. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** prints all government required reports. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** permanently stores all **PAYROLL** transactions. **(IF YOU WANT IT TO)**
- **VERSAPAYROLL** HAS AN ALMOST UNLIMITED CAPACITY

Can handle up to 300 employees on a TRS-80 MODEL I, 600 employees on a TRS-80 MODEL III, 1200 employees on a TRS-80 MODEL II, 500 employees on an APPLE II, 600 employees on any single density 8" CP/M computer and almost unlimited capacity on hard disk systems.

CAN BE USED WITH 1 or MORE DISK DRIVES (AND 48K)

**VERSAPAYROLL HAS BEEN CREATED
WITH THE FIRST TIME COMPUTER USER IN MIND**



INTRODUCTORY PRICE
\$99.95

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.,
CANADA AND MEXICO

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE***



24 HOUR
ORDER
LINE

(914) 425-1535

H & E COMPUTRONICS INC.

WABASH WARRANTY FLEXIBLE DISKS

**SPECIAL
INTRODUCTORY
OFFER**



wabash[®]
5-YEAR WARRANTY
8" Maxi-Myte
Flexible Disks

The only 8" diskettes guaranteed
to perform for a full five years.

Single Side / Double Density

\$39⁹⁵
EACH BOX OF 10

wabash[®] **2-YEAR WARRANTY**

5 1/4" Mini-Myte Flexible Disks

The only 5 1/4" diskettes guaranteed
to perform for a full two years.


Single Side / Double Density

\$34⁹⁵
EACH BOX OF 10

COATING The Coating process has been recently improved by our revolutionary SR-3000 manufacturing process, resulting in a completely uniform surface, with excellent adherence to the polyester base. The result: consistent signal quality which is crucial to all applications, on all appropriate drives.

PUNCHING State-of-the-Art equipment at the Paoli plant assures precision punching and assembly for every Wabash diskette. Certification and initialization are also care fully supervised at this stage, guaranteeing satisfactory use of Wabash diskettes for years to come.

Ask us about our other in-stock and ready-to-ship products including printer ribbons, pressure sensitive labels, paper, media storage equipment, and more!



CALL TODAY OR SEND COUPON

800-431-2818 24-HOUR **914-425-1535**
HOTLINE

COMPUTRONICS 50 N. Pascack Road
Spring Valley, N.Y. 10977

- Please send me _____ boxes of 8" Maxi-Myte Flexible Disks at **\$39.95** per box. Please add \$3.00 for shipping.
- Please send me _____ boxes of 5 1/4" Mini-Myte Flexible Disks at **\$34.95** per box. Please add \$3.00 for shipping.
- Please send me more information about other Computronics products.

Check enclosed   

Credit Card No. _____ Exp. _____

Name _____

Address _____

City/State/Zip _____

Phone (____) _____

The Original Magazine for Owners of the TRS-80™ MicroComputer

MODEL I • MODEL II • MODEL III • POCKET COMPUTER • COLOR COMPUTER

Software
for TRS-80
Owners

H & E COMPUTRONICS INC.

Monthly
Newsmagazine
for TRS-80
Owners

MONTHLY NEWS MAGAZINE



- PRACTICAL APPLICATIONS
- NEW EXPANDED BUSINESS SECTIONS
- GAMBLING
- GAMES
- EDUCATION
- PERSONAL FINANCE

- BEGINNER'S CORNER
- NEW PRODUCTS
- SOFTWARE EXCHANGE
- MARKET PLACE
- QUESTIONS & ANSWERS
- PROGRAM PRINT OUTS
- ...and MORE!

YOUR CHOICE

FREE

with your Subscription or Renewal



A.

NANOS SYSTEMS CORP.

TRS-80 At Your Fingertips

Complete quick reference guide to basic, assembly language* and graphic codes — all at your fingertips for all TRS-80 computers (specify computer).

* Assembly Language Section N/A for Color Computer

B.

A Word Processor, Data Management System and Cleanup

(A maze game) All on cassette. (Add \$3 for diskette, add \$5 for modified MOD-II diskette version —N/A on color computer or pocket computer.)

OR

H & E COMPUTRONICS INC.

50 North Pascack Road
Spring Valley, New York 10977

- One Year Magazine Subscription \$24 New Renewal
 Two Year Magazine Subscription \$48.00 New Renewal
 Sample Issue \$4. Mod II Newsletter Subscription \$18
 Your Choice: TRS-80™ at Your Fingertips or Word Processor/ Data Management
 Model I Model II Model III Color Computer Pocket Computer

CALL TOLL FREE
800-431-2818

(Outside of New York State)

24 HOUR ORDER LINE
914-425-1535



NEW!

NEW!

**MOD-II
NEWSLETTER**
\$18/Year (or 12 issues)

Name _____ Address _____ City _____

State _____ Zip _____ Signature _____

Credit Card Number _____ Expiration Date _____

Add \$12/Year (Canada, Mexico)—Add \$24/Year Air Mail outside of U.S.A., Canada, and Mexico
* All Prices and Specifications Subject to Change

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp.

CENTRONICS 779 / RS LINE PRINTER I

MAKE YOUR PRINTER A REAL WORKHORSE WITH OUR NEW PRINTER CONTROLLER BOARD

Remove the controller board in your printer and plug ours in to add the following capabilities:

- Bidirectional printing
- Full UPPER/lower case ASCII *plus* TRS-80 graphics or DSE scientific character sets in 9 x 7 dot matrix format (9 x 9 available as option — requires print head change)
- Motor control — turns off the motor when the printer is not in use
- 2048 character buffer
- Software selectable features
 - transfer protocol (XON/XOFF or none)
 - character densities (10, 12, 15, 16.5 cpi *plus* double width in each size)
 - self-test
 - forms length control

\$350 assembled and tested

Radix Technologies

Suite 400 Carolyn Building
10400 Eaton Place
Fairfax, VA 22030

(703) 385-0900

VISA, MasterCard, check, COD accepted

ADVERTISING DIRECTORY

4	ABM Products.....	1-800-854-1555
Cover 4	Adventure International.....	1-800-327-7172
5	Alpha Products.....	1-800-221-0916
61	Anitek Software Products.....	305-259-9397
9	Aspen Software Company.....	505-281-1634
33	AT-80.....	214-339-0498
27	Binary Devices.....	317-842-5020
34-35	BT Enterprises.....	516-981-8568
43	Compass Systems, Inc.....	603-329-5603
29, 31	Computech.....	201-364-3005
4	Computer Plus.....	1-800-343-8124
51	Computer Shopper.....	1-800-327-9920
61	Computerware.....	714-436-3512
41	Cosmopolitan Electronics Corp... ..	313-397-3126
4	EAP Co.....	817-498-4242
59	Allen Gelder Software.....	415-487-3131
59	GTI Electronics.....	717-386-4032
37	Hacks.....	713-455-3276
64-67	H & E Computronics.....	1-800-431-2818
55	H & S Computer Co.....	714-621-7747
61	Illustrated Memory Banks/IMB... ..	413-663-9648
39	Interplex Technologies Corp.....	914-337-8034
57	Lemons Tech Services.....	417-345-7643
19	Lynn Computer Service.....	312-429-1915
57	Micro Architect	
3	Micro Systems Software... ..	1-800-327-8724 ext. 207
6	Options-80	
17	Powersoft.....	214-484-2976
7	Precision Prototypes.....	512-526-4758
22-23	Racet Computes.....	714-997-4950
15	Roklan Software.....	312-297-5088
61	See-Thru Enterprises.....	1-519-735-2995
59	68 Micro Journal	
62-63	Small Business Systems Group... ..	617-692-3800
Cover 2-3	Soft Sector Marketing.....	1-800-521-6504
47, 49	Software Options, Inc.....	1-800-221-1624
59	Sunlock Systems.....	0-804-321-9191
55	Virginia Micro Systems.....	703-491-6502

ALIEN DEFENSE

Defend Planet from
6 Different Types
of Alien Attacks



SSM SOFT SECTOR MARKETING,
INCORPORATED

6250 Middlebelt • Garden City, Michigan 48135
800-521-6504 / (313) 425-4020

Written by Larry Ashmun, Copyright ©1981 Soft Sector Marketing, Inc.

Prices Per Game: TRS-80 16K Level II Mod I/Mod III Cassette \$15.95
TRIS-80 32K Level II Mod I/Mod III Diskette \$19.95

Talking and sound effects are playable through the cassette AUX plug. High scores are automatically saved after each game on disk versions.

Call or write for our complete catalog.

10% discount for 2 items, 15% for 3 or more. Please add \$2.50 per order for postage & handling. Michigan residents add 4% sales tax. Outside USA (except Canada) please add \$10.00 per order for postage & handling.



INTRODUCING

THE MULTI-USE CHECK REGISTER ACCOUNTING SYSTEM

(It's completely user-oriented and menu-driven)

CHECK THESE COMPARISONS!

	Acorn Money Manager Version 8.3	Tandy Checkwriter 80	The Business Division MAXI CRAS	Versatekstar #011582
PRINTING				
Print continuous-form checks?	No	Yes	Yes	Yes
Print single checks?	No	Yes	Yes	Yes
Check alignment test?	No	Yes	Yes	No
Print check stubs?	No	No	Yes	Yes with limited information
Print check register statement?	Yes	Yes	Yes	Yes
Print bank statement reconciliation?	Yes	Yes	Yes	Yes
Print income and expense subtotals?	Expense only	No	Yes	No
Print individual account statements?	Yes	No	Yes	Yes
Print check register notes?	No	No	Yes	No
Print account distribution statement?	No	No	Yes	No
Payee Address file (for automatic printing of address on checks)?	No	Yes	Yes	No
Number of payees	N/A	75	40 Mod I 75 Mod III	N/A
Number of lines in payee address	N/A	3	4	N/A
TRANSACTION ENTRY				
Check "In Pay off" file (for automatic printing of what check is for on checks)?	No	Payee only	Yes	No
Number of payees/payers in file	N/A	75	40 Mod I 75 Mod III	N/A
Distribute transactions over multiple accounts	Difficult	Difficult	Easy	Easy
Flag tax-deductible items in any account?	Yes	No	Yes	Yes
User friendliness	Good	Excellent	Excellent	Fair
Protection against user error	Good	Excellent	Excellent	Fair
Allow entry of manually-written checks?	Yes	Yes	Yes	Yes
Ease of finding checkbook balance	Easy	Difficult	Easy	Easy
MISCELLANEOUS				
Supplied with DOS?	No	TRSDOS	TDOS	Mod I TDOS Mod III No
System	Mod I and Mod III	Mod III only	Mod I and Mod III	Separate Mod I or Mod III
Accept lower-case commands?	No	No	Yes	No
Accept lower-case text?	No	Yes	Yes	Yes
Self-prompting?	Yes	Mostly	Yes	Mostly
Swapping of program diskettes required?	Yes	No	Mod I Yes Mod III No	No
VISICALC(tm)-compatible data?	No	No	Yes	No
Documentation quality	Fair	Excellent	Excellent	Fair
CAPACITIES				
Maximum amount per transaction	99999.99	99999.99	99999.99	Not listed in manufacturer's documentation
Maximum balance	99999.99	99999.99	99999.99	Not listed in manufacturer's documentation
Limit on deposits per day?	No	Yes — 1	No	No
Number of income accounts	1	1	Up to 223 total income and expense	Not listed in manufacturer's documentation
Number of expense accounts	Up to 99	Up to 30	Up to 223 total income and expense	Not listed in manufacturer's documentation
Limits on transactions	Mod I 100/mo Mod III 250/mo	2500/yr	Unlimited	Mod I 300/mo Mod III 2400/mo
Number of bank accounts	Unlimited no interaction	9 - with interaction	Unlimited no interaction	Unlimited no interaction

MAXI CRAS

The Last Check Register Accounting System You'll Ever Need

MAXI CRAS is the first and last Check Register Accounting System you'll ever need. Strong statement? Check out these features!

- Write checks by hand, or print automatically on single or continuous form checks. Alignment test makes sure each check is printed perfectly!
- Data entry routine second to none — saves time AND eliminates errors. You don't need to know anything about computers to use MAXI CRAS.
- The widest variety of reports available — complete check register, income and expense sub-totals, bank statement reconciliation, list of check register notes, and an account distribution statement.
- For even more detailed analysis, data is readable by VISICALC(TM). Compare!
- Checkbook balance is constantly updated and instantly accessible. No more embarrassing overdrafts!
- Write as many checks per month as you like. No limits like other systems!
- Handle up to 223 separate income and expense accounts. Most other systems only allow ONE income account.
- Assign a check or a deposit to a single account, or distribute over multiple accounts. Indispensable if you use charge cards!
- Check address data base stores up to 40 addresses and automatically prints them on checks.
- Fast and easy bank statement reconciliation. Compare!

MAXI CRAS MEANS BUSINESS

MAXI CRAS (short for MAXI Check Register Accounting System) is THE computerized check writing and recording system for small business or personal use. But don't take our word for it! Compare it with any other system available for the TRS-80. Read through our manual, and look at the printed reports that MAXI CRAS produces. Then talk to somebody who uses it. We're sure you'll agree — MAXI CRAS is the most versatile system available!

Don't Know Anything About Computers?

Too many of the computer programs sold today need a computer programmer to understand them. Not MAXI CRAS! Even with all its versatility, MAXI CRAS is so easy to use that we recommend it as an ideal program for new computer owners. And if account books and ledgers scare you off, take heart — our system is so much fun to use that you'll enjoy keeping up to date!

Muzzle A Budget Biter

MAXI CRAS can help you get a muzzle on hidden budget biters. You'll know exactly what you're earning and where it's going, thanks to the remarkable range of reports it can print. A MAXI CRAS exclusive!

The best news of all comes at tax preparation time. MAXI CRAS delivers the information you need in the format required for income tax preparation, uncovering deductible expenditures you might otherwise miss.

MAXI CRAS. An indispensable tool for managing money most effectively.

Use MAXI CRAS with your TRS-80 Model I or III. Requires 48K RAM, two drives, and an 80-column printer.

MAXI CRAS comes with complete operating instructions, sample printouts, and TDOS, a special version of the DOSPLUS operating system.

TRS-80 DISK Model 1&3

012-0153 **\$99.95**

PRICES SUBJECT TO CHANGE

TO ORDER, CALL TOLL FREE 800-327-7172 IN FLORIDA (305) 830-8194

THE BUSINESS DIVISION • BOX 3435 • LONGWOOD, FL. 32750 • (305) 830-8194

