

DotWriter commands

FEATURES IN DOTWRITER 02/22/84

MARGINS		FORMAT		INDENT		SPACING		FILES		FONTS		TITLES		MISC.	
LL	PL	JU	CB	IN	OF	SK	VT	IM	TC	BF	AF	TT	BT	CW	TR
LM	TM	CO	PR	PP	CE	PA		AP	IX	TF	MF	TF	PS	ES	SY
LS	BM	FO	KR			CP		RD	KE	RE		PN		HY	ST
HM	FM	PI	SD			LH								EN	CM
AD	MX	BR	DA			CC								IG	HL
WP		EM	KS			DS								VL	UP
		SW													

MINI-EDIT

ESCAPE SEQUENCES

hold <SHIFT>

!\$!% !&
!(!)
!/ !?

MARGINS

LL n	70	Line Length in 1/10"
AD n	5	Same as LM
LM n	5	Left Margin in 1/10"
HM n	3	lines for Heading Margin
FM n	1	lines for Footing Margin
PL n	66	lines per page
TM n	6	lines for top margin (above body)
BM n	6	lines for bottom margin (below body)
LS n	0	lines for 1st page logo space
MX 100,80	80	100=Epson wide paper
WP on,off	off	ON= Non-Epson wide paper

FORMAT

JU ON,OFF,ALL,RIGHT	right justification
FO ON,OFF	justification and concatenation
CO ON,OFF	treatment of carriage returns
PI 0,1,2,3	pitch (Dots/Inch Graphics fonts)
SD n	0 Number of dots between letters
BR	control break
DA 0-3	0 darkness control, std print
DA on,off	off Darkness (vertical), graphics fonts
EM on,off	off Emphasized print, graphics fonts
CB n,w	multiple columns: #, width
CB -n,w	columns separated by vertical lines
PR on,off	off Proportional print, graphics fonts
KR on,off	off Kerning print, graphics fonts
KS n	0 Kerning Space, vertical separation
SW n	5 Space Width

DotWriter commands

INDENTATION

IN 0, n, -n 0 left margin indentation in 1/10"
OF n delayed indent, manually controlled
PP in new paragraph: indent
CE ON, OFF, W off centering

SPACING

SK n, -n skip 'n' lines forward, 'n' lines back
PA start new page
CP n conditional new page
CC n conditional new column
LH n 12 Line Height in dots
DS on,off off Double Space
VT Vertical tab, record current position
VT n Vertical tab, n lines from page top

FILES

IM fid imbed another file
AP fid append another file
TC string table of contents entry
IX string index entry
RD sym,fid form letter reads from N&A file
KE "message" keyboard entry of text or command

FONTS

BF fileid 1 Begin Font "fileid" or 1 for std font
AF fileid Alternate Font "fileid"
AF fileid-n Alternate Font lowered n lines
 (subscript)
TF fileid 1 Title Font "fileid"
MF n 1 Magnify font by factor of n
RE 0,1,2 0 Reverse: no, non-blank, all

TITLES

TT text top title
BT text bottom title
TF fileid Title Font "fileid"
PN ON,OFF on page numbering
PS c \$ page number symbol used in titles

MISCELLANEOUS

DotWriter commands

CW char	.	control word character (usually . or ;)
ES char	!	escape sequence character (@ or !)
CM anything		comment, rest of line ignored
SY @nnn,nnn,nnn		ASCII symbols to go as-is to printer
TR a,b,c		character translation
HY c,ON,OFF		hyphenation controls
PG s,n		page range to be printed
ST message		stop for operator intervention
EN		END of document. Must be last
IG on,off,1,2	off	IGnore ON= ignore until IG OFF 1=ignore text, but not dot commands 2=ignore BF,AF and TF commands
HL		draw Horizontal Line using current UP setting
UP n	1	Underline Pin setting
VL on,off,1,2,3	off	Vertical Line: ON or 1 in left margin 2=Vertical Line in both margins 3=Vertical Line in right margin

ESCAPE SEQUENCES

!\$	start underlining, blank & non-blank
!&	start underlining non-blanks
!%	end underlining
!(start double width
!)	end double width
!/	start alternate character set
!?	end alternate character set

MINI-EDIT

hold <SHIFT> until program asks for keyboard entry.
Then enter commands or line of text

FONT # 0

MB2/PR - MEDIUM BOLDX2

ABCDEFGHIJKLMNOPQRSTUVWXYZ

ZABCDEFGHIJKLMNOPQRSTUVWXYZ

Z!'"#\$%&'()*+=+<>? 1234567890:-0½:.. /

BB/PR - Big Bold

ABCDEFGHIJKLMNOPQRSTUVWXYZ

Zabcdefghijklmnopqrstuvwxyz

z!'"#\$%&'()*+=+<>? 1234567890:-0½:.. /

BO/PR - Enhanced Big Bold

ABCDEFGHIJKLMNOPQRSTUVWXYZ

Zabcdefghijklmnopqrstuvwxyz

z!'"#\$%&'()*+=+<>? 1234567890:-0½:.. /

MB/PR - Medium Bold

ABCDEFGHIJKLMNOPQRSTUVWXYZ

Zabcdefghijklmnopqrstuvwxyz

z!'"#\$%&'()*+=+<>? 1234567890:-0½:.. /

OE/PR - Old English

ABCDEFGHIJKLMNOPQRSTUVWXYZ

Zabcdefghijklmnopqrstuvwxyz

z!'"#\$%&'()*+=+<>? 1234567890:-0½:.. /

OCZPR - Old English

ABCDEFGHIJKLMNOPQRSTUVWXYZ

Zabcdefghijklmnopqrstuvwxyz

z!'"#\$%&'()*+=+<>? 1234567890:-0½:.. /

ABCDEFGHIJKLM NOPQRSTUVWXYZ
Zabcdefghijklmnopqrstuvwxyz
z!"#\$%&'()*+=<>? 1234567890:-0;.,/

BE/PR - Small Enhanced
ABCDEFGHIJKLM NOPQRSTUVWXYZ
Zabcdefghijklmnopqrstuvwxyz
z!"#\$%&'()*+=<>? 1234567890:-0;.,/

FF/PR - FLAT FACE
ABCDEFGHIJKLM NOPQRSTUVWXYZ
ZABCDEFGHIJKLM NOPQRSTUVWXYZ
z!"#\$%&'()*+=<>? 1234567890:-0;.,/

PL/PR - PLAIN (with Block Graphics)
ABCDEFGHIJKLM NOPQRSTUVWXYZ
Zabcdefghijklmnopqrstuvwxyz
z!"#\$%&'()*+=<>? 1234567890:-0a;.,/

SPL/PR - Small Plain
ABCDEFGHIJKLM NOPQRSTUVWXYZ
Zabcdefghijklmnopqrstuvwxyz
z!"#\$%&'()*+=<>? 1234567890:-0;.,/

MP/PR - Microprint
ABCDEFGHIJKLM NOPQRSTUVWXYZ
Zabcdefghijklmnopqrstuvwxyz
z!"#\$%&'()*+=<>? 1234567890:-0a;.,/

MID/PR - Midnight
ABCDEFGHIJKLM NOPQRSTUVWXYZ
Zabcdefghijklmnopqrstuvwxyz
zαβγδεζηιφκλμ νοπρστυνωξψ
ζ!"#\$%&'()*+=<>? 1234567890:-0;.,/

GREEK ΓREEK
ΑΒΧΔΕΘΓΗΙΦΚΛΜ ΝΟΠΡΣΤΤΤΤΩΞΨ
Ζαβγδεθγηιφκλμ νοπρστυνωξψ
ζ!"#\$%&'()*+=<>? 1234567890:-0;.,/

NEWS/PR - News

ABCDEFGHIJKLM
NOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!"#\$%&'()*+=<>? 1234567890:-@;.,/

NLQ/PR - Near Letter Quality
ABCDEFGHIJKLM NOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!"#\$%&'()*+=<>? 1234567890:-@;.,/



```
.pron;.tm3;.bm4;.daon;.pnoff;.sd3;.fooff;.bf1
.cm File 'FONT0'
FONT # 0
.sk2
.bfmb2/pr
MB2/PR - Medium BoldX2
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
z!"#$%&'()*+=`+<>? 1234567890:-[@;./
.sk;.bfbb/pr
BB/PR - Big Bold
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
z!"#$%&'()*+=`+<>? 1234567890:-[@;./
.sk
.bfbo/pr
BO/PR - Enhanced Big Bold
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
z!"#$%&'()*+=`+<>? 1234567890:-[@;./
.sk
.bfmb/pr
MB/PR - Medium Bold
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
z!"#$%&'()*+=`+<>? 1234567890:-[@;./
.sk
.bfoe/pr
OE/PR - Old English
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
z!"#$%&'()*+=`+<>? 1234567890:-[@;./
.sk
.bfmc/pr
MC/PR - MICROCUBES
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
z!"#$%&'()*+=`+<>? 1234567890:-[@;./
.sk
.bftr/pr
TR/PR - TypeRiter
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
z!"#$%&'()*+=`+<>? 1234567890:-[@;./
.sk
.bfse/pr
SE/PR - Small Enhanced
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
z!"#$%&'()*+=`+<>? 1234567890:-[@;./
.sk
.bfff/pr
FF/PR - FLAT FACE
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
z!"#$%&'()*+=`+<>? 1234567890:-[@;./
.sk
.bfpl/pr
PL/PR - PLAIN (with Block Graphics)
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
z!"#$%&'()*+=`+<>? 1234567890:-[@;./
.sk
.bfspl/pr
SPL/PR - Small Plain
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
z!"#$%&'()*+=`+<>? 1234567890:-[@;./
.sk
.bfmp/pr
MP/PR - Microprint
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
z!"#$%&'()*+=`+<>? 1234567890:-[@;./
```

Dot Writer 3.0

- * NEW TINY GEAR CHARACTER EDITOR INCLUDED
- * COMPATIBLE WITH MOST WORD PROCESSORS
- * SUBSCRIPT, INTERMIX TYPE STYLES ON LINE OR WITHIN WORD
- * CREATE OR MODIFY TYPE STYLES
- * OVER 50 PRINT CONTROL COMMANDS
- * INTERMIX GRAPHIC AND TYPE STYLES ON SAME LINE
- * NUMEROUS SUPPLIED TYPE STYLES
- * COMPATIBLE WITH MOST DOS'S
- * USER DEFINED AND CONTROLLED UNDERLINING
- * MANY ADDITIONAL TYPE STYLES AVAILABLE
- * CONTROL SPACE BETWEEN LETTERS AND LINES
- * ALL NEW USER FRIENDLY MANUAL
- * SUPPORTS EPSON, C.I.TOH PROWRITER, PLIC 8510, NEC 8023 - MORE TO COME
- * TRUE PROPORTIONAL PRINT AND SPACE
- * TRS80, MOD I, III, MAX80, LNW80
- * CO CO SUPPORT SOON

ACTUAL CHARACTER FONTS/SIZE


ABCDEF ABCDEFGH abcdefgh ABCDEFGH abcdefgh
ABCDEF GH abcdefgh ABCDEFGH abcdefgh **ABCDEF GH ABCDEFGH**

ABCDEF GH abcdefgh 12345678 12345678 12345 (THESE ARE SOME OF THE FONTS SUPPLIED)

ADDITIONAL FONTS AVAILABLE

ABCDEF GH ABCDEFGH ABCDEFGH
ABCDEF GH abcdefgh 12345678 ABCDEFGH abcdefgh 1234
ABCDEF GH abcdefgh ABCD abcd ABCD abcd ABCDEFGH ABCDEFGH

SAMPLES OF HI RES AND MODIFIED CHARACTERS



DOTWRITER - allows you to exceed the limitations of your OMP. Now you can **TYPESET** your own text; use our type styles or create your own; include hi-resolution graphics in your text; define the spaces between letters or between lines; print multiple columns automatically on some printers; automatic **INDEX** and Table of **CONTENTS**; complete underline control; form letters; appended or imbedded files; all of this and much more. **DOTWRITER** has all the power of most word processors but includes the added dimension of **FANCY TYPE**.

RCM Computers

221 Hirschfeld Dr., Williamsville, N.Y. 14221 (716) 634-3026

ASCII ORDER

VAL / CHAR	VAL / CHAR	VAL / CHAR
32 SPACE	62 >	92 NA
33 !	63 ?	93 NA
34 *	64	94 NA
35 #	65 A	95 NA
36 \$	66 B	96 NA
37 %	67 C	97 a
38 &	68 D	98 b
39 ^	69 E	99 c
40 &	70 F	100 d
41	71 G	101 e
42 @	72 H	102 f
43 +	73 I	103 g
44 ,	74 J	104 h
45 -	75 K	105 i
46 .	76 L	106 j
47 /	77 M	107 k
48 0	78 N	108 l
49 1	79 O	109 m
50 2	80 P	110 n
51 3	81 Q	111 o
52 4	82 R	112 p
53 5	83 S	113 q
54 6	84 T	114 r
55 7	85 U	115 s
56 8	86 V	116 t
57 9	87 W	117 u
58 :	88 X	118 v
59 ;	89 Y	119 w
60 <	90 Z	120 x
61 =	91 [121 y
		122 z


Tiny GEAP Commands

- S....Save character to disk
- T....Load character from disk
- W....Write to disk
- A....Set frame dimensions
- " . "....Go to flashing dot cursor
- F....Draw or redraw the frame
- H....Display storage limits
- L....Display commands
- E....Exit
- ARROWS..Move Flashing minus

When DOT CURSOR is on

- ARROWS..Move cursor - erase
- <SHIFT> & ARROWS..Move cursor - draw
- <CLEAR>..Clear character
- ...Return to minus cursor
- 0-7..Adjust cursor speed

PRINT HEAD PIN LAYOUT



SUGGESTED .UP VALUE FOR UNDERLINING FONTS

FILE	.UP VALUE
OE	/ 1
SE	/ 32
PL	/ 64
MB	/ 4
MB2	/ 8
BB	/ 4
BO	/ 4
FF	/ 8
MP	/ 2
MP1	/ 2
MC	/ 1
GR	/ 64

CONTROL CODES

- ! / . . . Begin alternate font.
- ! ? . . . End alternate font.
- ! & . . . Underline non-blank
- ! \$. . . Underline blank & non-blank
- ! % . . . End underlining.
- ! (. . . Begin double width mode.
- !) . . . End double width mode.

Command	Action	Default	Command	Action	Default
.AD n	ADjust left margin	5	.KE	KEYboard entry	
.AF "filename"	Alternate Font select		.LH n	Line Height	12
.AP "filename"	APpend file		.LL n	Line Length	70
.BF "filename"	Begin Font (BFI standard)	BFI	.LS n	Logo Space	0
.BM n	Bottom Margin	6	.MF n	Magnify Factor	1
.BR	Control Break		.HX 100,80	printer width EPSON	80
.BT "title"	Bottom Title		.HX-80	Force 1/72 feed	
.CB n,w or -n,w	Column Begin		.OF n	Offset	0
.CC n	Conditional Column		.PA	Page force	
.CE on,off	CEntering	off	.PI 0,1,2,3	Pitch C.ltoh	2
.CM	Coherent		.PL n	Page Length	60
.CD on,off	COncatenation	on	.PI on,off	Page Number	on
.CP n	Conditional Paragraph	2	.PP n	Paragraph	5
.CW on,off	Center Width	off	.PR on,off	Proportional	off
.DA on, off	Dark dot fonts	off	.PS symbol	Page number Symbol	†
.DA 0,1,2,3	Dark printer fonts	0	.RD n	Form letter Read command	
.DS on,off	Double Space	off	.RD n (or c) "filename"		
.EM on,off	Emphasized dot print	off	.RE 0,1,2	Reverse print	0
.EN	END text file		.SD n	Space Dots between lets	0
.ES "symbol"	EScape code		.SK n, -n	SKIP line, reverse skip	0
.FD on,off	FOrmat	on	.ST "message"	STop	
.FM n	Footing Margin	1	.SW n	Space Width	.5
.HL	Horizontal Line		.TC "phrase"	Table of Contents entry	
.HM n	Heading Margin	1	.TM n	Top Margin	6
.HY symbol on,off	Conditional Hyphen	shift 0 on	.TR a,b,c	Translate command	0
.IG on,off,1,2	Ignore text	off	.TT "title"	Top Title	
.IM "filename"	IMbed file		.TF "name"	Title Font	
.IN n	INdent	0	.UP n	Underline Print	1
.IX "text"	INDEX entry		.VL on,off,1,2,3	Vertical Line	
.JU on,off,right	Justify text	on	.VT, .VT n	Vertical Tab # of lines	
			.WP	Wide Paper C.ltoh	